

PREFACE

This report presents the final tabulation of statistical data relating to vital events in Missouri during 2005. Data for the year of the report were accepted through April 14, 2006, allowing information reflecting events in 2005 to be as complete as possible.

Missouri Vital Statistics 2005 is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. This document along with additional vital statistics data are available on the Department of Health and Senior Services website at www.dhss.mo.gov under Data, Surveillance Systems and Statistical Reports.

PDF FILES

Table/Graph

BIRTH AND DEATH TRENDS

- A Live Birth and Death Rates per 1,000 Population: Missouri 1911-2005
- 1 Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1911-1944
- 2 Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1945-2005
- B Total Fertility Rates: Missouri 1911-2005
- 3 Fertility Rates per 1,000 Females by Age of Mother: Missouri 1911-2005
- C Crude and Age-Adjusted Death Rates per 1,000 Population: Missouri 1911-2005
- 4 Age-Specific Death Rates per 1,000 Population: Missouri 1911-2005

BIRTHS

- 5A Resident Live Births by Selected Characteristics by Race of Mother: Missouri 2005
- 5B Resident Live Births by Selected Obstetric and Pediatric Conditions and Procedures: Missouri 2005
- 6 Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother: Missouri 2005
- 7 Teen-age Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother with Percentages: Missouri 2005
- 8 Percent Low Birth Weight and Resident Live Births by Birth Weight by Age of Mother by Race of Mother: Missouri 2005
- 9 Resident Live Births by Mother's Marital Status by Race with Percentages by County and Cities with 25,000 or More Population: Missouri 2005

Table of Contents (continued)

Table/Graph

- 10A Resident Live Births by Selected Characteristics by Race of Mother, Regional Planning Commission: Missouri 2005
- 10B Resident Live Births by Selected Characteristics by County: Missouri 2005
- 10C Resident Live Births by Selected Characteristics by Cities with 25,000 or More Population: Missouri 2005
- 11 Resident Teen-age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri 2005

ABORTIONS

- D Resident Abortion Ratios per 1,000 Live Births: Missouri 1971-2005
- 12A Resident Abortions by Race, Age of Woman and Type of Procedure by Weeks of Gestation: Missouri 2005
- 12B Recorded Abortions by Race, Age of Woman and Type of Procedure by Weeks of Gestation: Missouri 2005
- 13 Resident Abortions by Age, Marital Status, and Education, by Race: Missouri 2005
- 14A Resident Abortions and Ratios per 1,000 Live Births by County of Residence: Missouri 2005
- 14B Resident Abortions and Ratios per 1,000 Live Births by Regional Planning Commission of Residence: Missouri 2005
- 15 Resident Abortions by Age and Marital Status of Woman: Missouri 2005
- 16 Resident Abortions by Number of Living Children and Number of Previous Abortions: Missouri 2005

NATURAL INCREASE

- 17 Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Counties and Cities with 25,000 or More Population: Missouri 2005
- 18 Resident and Recorded Live Births and Deaths by Cities with 2,500-24,999 Population: Missouri 2005

DEATHS

- 19 Twelve Leading Causes of Death by Race with Percentages and with Rates per 100,000 for all Races, Resident Data: Missouri 2005
- 20 Five Leading Causes of Death for Selected Age Groups with Percentages, Resident Data: Missouri 2005
- 21 Resident Deaths, Age Groups by Race by Sex with Age-Specific Rates per 1,000 by Sex: Missouri 2005
- 22A Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2005
- 22B Male Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2005

Table of Contents (continued)

Table/Graph

22C	Female Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2005
E	Resident Infant Death Rates per 1,000 Live Births: Missouri 1960-2005
23A	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2005
23B	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2005
23C	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2005
23D	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission with Rates per 1,000 Live Births: Missouri 2005
23E	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 2005
23F	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 2005
24	Resident Infant Deaths by Age, Cause, and Race with Rates per 1,000 Live Births by Cause and Race: Missouri 2005
25	Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri 2005
26	Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race of Mother: Missouri 2005
27A	Resident Deaths by Selected Causes of Death; For State Total by Race with Rates per 100,000 for all Races; and for Regional Planning Commissions: Missouri 2005
27B	Resident Deaths by Selected Causes of Death by County: Missouri 2005
27C	Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri 2005
28	Recorded Deaths by Type of Accident, Age, and Sex: Missouri 2005
29	Abridged Life Table for the Total Population and by Sex: Missouri 2005

MARRIAGES

F	Marriage Rates per 1,000 Population: Missouri 1950-2005
30	Reported Marriages by Age of Groom; by Age of Bride: Missouri 2005
31	Reported Marriages by Age and Previous Marital Status of Bride and Groom: Missouri 2005
32	Reported Marriages by Previous Marital Status of Bride and Groom: Missouri 2005
33	Reported Marriages by Race of Bride by Race of Groom: Missouri 2005
34	Reported Marriages by Month: Missouri 2005

Table of Contents (continued)

Table/Graph


- 35A Reported Marriages by County of Recording with Rates per 1,000 Population:
Missouri 2005
- 35B Reported Marriages with Rates by Regional Planning Commission of Recording:
Missouri 2005

DISSOLUTIONS

- G Dissolution Rates per 1,000 Population: Missouri 1950-2005
- 36 Reported Dissolutions of Marriage by Month by Type of Decree: Missouri 2005
- 37 Reported Dissolutions and Annulments by Number of Previous Marriages, Husband
by Wife: Missouri 2005
- 38 Reported Dissolutions and Annulments by Duration of Marriage: Missouri 2005
- 39 Reported Dissolutions and Annulments by Number of Children Affected:
Missouri 2005
- 40 Reported Dissolutions and Annulments by Petitioner by Disposition of Children and
by Whether Child Support Awarded: Missouri 2005
- 41 Reported Dissolutions and Annulments by Age of Wife by Age of Husband:
Missouri 2005
- 42 Reported Dissolutions and Annulments by Race, Wife by Husband: Missouri 2005
- 43A Reported Dissolutions and Annulments by County of Recording with Rates per
1,000 Population: Missouri 2005
- 43B Reported Dissolutions and Annulments with Rates by Regional Planning Commission
of Recording: Missouri 2005

APPENDIX

Graph A
Live Birth and Death Rates per 1,000 Population
Missouri 1911-2005*



*1911-1944 recorded events
1945-2005 resident events

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND NATURAL INCREASE: MISSOURI 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956


TABLE 2
POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
AND NATURAL INCREASE: MISSOURI 1945-2005

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,723	81,409	17.2	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,753	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,775	70,808	14.8	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,785	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,795	70,786	14.8	49,986	10.4	68,442	14.3	48,984	10.2	19,458
1976	4,824	71,319	14.8	50,074	10.4	68,781	14.3	49,008	10.2	19,773
1977	4,845	75,689	15.6	49,839	10.3	72,957	15.1	48,761	10.1	24,196
1978	4,871	75,283	15.5	50,439	10.4	72,654	14.9	49,207	10.1	23,447
1979	4,889	78,562	16.1	48,946	10.0	76,056	15.6	47,656	9.7	28,400
1980	4,917	80,770	16.4	50,504	10.3	78,588	16.0	49,334	10.0	29,254
1981	4,932	78,538	15.9	49,780	10.1	76,758	15.6	48,645	9.9	28,113
1982	4,930	78,334	15.9	49,145	10.0	76,648	15.5	48,126	9.8	28,522
1983	4,944	77,061	15.6	50,540	10.2	75,505	15.3	49,381	10.0	26,124
1984	4,976	76,293	15.3	50,232	10.1	74,422	15.0	48,890	9.8	25,532

TABLE 2 (continued)

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1985	5,002	78,760	15.7	51,635	10.3	76,697	15.3	50,098	10.0	26,599
1986	5,024	77,105	15.3	51,350	10.2	75,116	15.0	49,971	9.9	25,145
1987	5,057	76,909	15.2	52,016	10.3	74,830	14.8	50,362	10.0	24,468
1988	5,083	78,331	15.4	52,265	10.3	76,101	15.0	50,619	10.0	25,482
1989	5,096	79,866	15.7	51,679	10.1	77,755	15.3	50,169	9.8	27,586
1990	5,117	81,416	15.9	51,786	10.1	79,135	15.5	50,212	9.8	28,923
1991	5,171	81,076	15.7	52,362	10.1	78,468	15.2	50,711	9.8	27,757
1992	5,217	78,720	15.1	52,513	10.1	76,005	14.6	50,893	9.8	25,112
1993	5,271	77,986	14.8	55,322	10.5	75,146	14.3	53,655	10.2	21,491
1994	5,324	76,381	14.3	55,398	10.4	73,279	13.8	53,611	10.1	19,668
1995	5,378	75,980	14.1	56,062	10.4	72,804	13.6	54,222	10.1	18,582
1996	5,432	76,504	14.1	55,517	10.2	73,733	13.5	53,766	9.9	19,967
1997	5,481	76,650	14.0	55,887	10.2	73,940	13.6	54,203	9.9	19,737
1998	5,522	77,701	14.1	56,708	10.3	75,242	13.6	54,849	9.9	20,393
1999	5,562	77,371	13.9	57,621	10.4	75,366	13.6	55,732	10.0	19,634
2000	5,595	78,302	14.0	56,395	10.1	76,329	13.6	54,602	9.8	21,727
2001	5,643	76,690	13.6	56,343	10.0	75,290	13.3	54,601	9.7	20,689
2002	5,680	76,366	13.4	57,406	10.1	75,167	13.2	55,636	9.8	19,531
2003	5,719	77,878	13.6	56,903	9.9	76,960	13.5	55,195	9.7	21,765
2004	5,755	78,591	13.7	55,363	9.6	77,709	13.5	53,787	9.3	23,922
2005	5,800	79,525	13.7	56,091	9.7	78,547	13.5	54,324	9.4	24,223

Graph B
Total Fertility Rates
Missouri 1911 - 2005




	Total Fertility Rate		Total Fertility Rate		Total Fertility Rate		Total Fertility Rate
1911	2.71	1950	2.92	1990	2.00	1998	1.97
1915	2.55	1955	3.39	1991	2.00	1999	1.97
1920	2.33	1960	3.63	1992	1.95	2000	2.00
1925	2.37	1965	2.79	1993	1.94	2001	1.96
1930	2.09	1970	2.40	1994	1.90	2002	1.94
1935	1.99	1975	1.76	1995	1.89	2003	1.98
1940	2.02	1980	1.90	1996	1.92	2004	1.98
1945	2.16	1985	1.85	1997	1.92	2005	1.99

TABLE 3
FERTILITY RATES PER 1,000 FEMALES BY AGE OF MOTHER:
MISSOURI 1911-2005

	<i>General Fertility Rate</i>	<i>Under15</i>	<i>Total</i>	<i>15-19</i>		<i>20-24</i>	<i>25-29</i>	<i>30-34</i>	<i>Age of Mother</i>		
				<i>15-17</i>	<i>18-19</i>				<i>35-39</i>	<i>40-44</i>	<i>45-49</i>
1911	93.3	0.4	48.8	NA	NA	134.2	133.5	109.6	77.7	33.5	3.8
1915	88.8	0.3	50.4			136.4	126.2	97.5	67.7	27.7	3.2
1920	80.6	0.4	49.6			129.3	113.3	85.0	59.6	25.0	3.0
1925	81.1	0.4	56.7			129.5	120.2	83.8	57.7	22.5	2.4
1930	71.1	0.5	54.1	NA	NA	115.5	103.6	79.8	46.7	18.3	2.0
1935	68.0	0.5	52.5			116.0	96.9	69.3	43.6	16.8	1.6
1940	69.1	0.4	54.5			123.6	104.8	69.8	37.1	13.2	1.4
1945	73.2	0.5	50.2			121.7	114.2	81.4	47.5	14.9	1.2
1950	98.6	0.9	82.6	NA	NA	189.5	153.4	95.2	48.1	14.0	1.0
1955	112.3	0.8	95.3			229.0	174.2	106.9	55.7	15.2	1.0
1960	118.1	0.9	99.0			254.4	187.5	110.5	56.5	16.5	1.0
1965	93.0	0.9	75.1			188.7	146.5	87.1	45.0	13.5	0.8
1970	85.6	1.1	71.8	NA	NA	163.3	137.2	67.7	30.1	8.8	0.5
1975	65.9	1.3	60.0	41.1	89.0	110.1	106.6	51.1	18.8	4.6	0.2
1980	70.6	1.2	57.5	35.6	88.0	121.9	116.9	60.5	18.3	3.7	0.2
1985	66.4	1.2	52.4	30.5	83.8	115.9	113.0	63.4	19.7	3.2	0.2
1990	67.9	1.2	62.7	39.2	92.9	118.9	117.3	70.5	25.3	4.1	0.1
1991	66.7	1.1	64.3	38.8	99.9	119.0	115.4	70.0	25.8	4.3	0.1
1992	64.8	1.0	63.0	38.2	100.1	114.2	113.7	69.5	25.2	4.1	0.1
1993	63.8	1.2	59.4	36.4	94.3	113.9	112.2	70.8	26.2	4.4	0.2
1994	61.8	1.2	58.6	35.2	94.8	110.1	109.1	70.2	26.1	4.7	0.2
1995	61.0	1.1	55.1	32.3	91.2	108.3	108.9	72.4	27.6	4.5	0.2
1996	61.5	0.9	53.2	30.8	88.8	111.7	110.6	74.1	28.5	4.9	0.2
1997	61.1	0.8	49.9	29.4	85.6	111.3	112.7	75.0	29.6	5.1	0.2
1998	62.3	0.7	51.1	28.7	85.3	113.9	114.4	76.9	30.5	5.4	0.2
1999	62.5	0.7	49.6	26.9	83.2	114.2	115.8	78.5	30.4	5.5	0.3
2000	63.3	0.7	48.6	26.7	80.4	115.2	115.4	82.9	31.4	5.8	0.4
2001	62.1	0.6	46.2	23.5	79.8	108.5	116.1	82.5	31.8	5.6	0.3
2002	62.2	0.6	43.9	22.0	76.8	107.8	114.5	83.4	33.0	5.9	0.3
2003	63.7	0.6	43.1	21.5	74.9	108.7	118.5	85.1	33.7	6.1	0.3
2004	64.2	0.7	43.4	21.9	74.6	108.4	116.7	85.2	35.8	6.3	0.3
2005	64.9	0.5	42.4	21.1	74.1	110.3	117.9	84.8	35.6	6.3	0.3

Graph C
Crude and Age-Adjusted Death Rates* per 1,000 Population
Missouri 1911 - 2005



	Crude	Age-Adj.		Crude	Age-Adj.		Crude	Age-Adj.
1911	13.1	22.1	1985	10.0	10.0	1998	10.1	9.4
1920	12.5	20.1	1990	9.8	9.4	1999	10.2	9.5
1930	11.8	18.2	1991	9.8	9.4	2000	9.8	9.2
1940	11.6	16.7	1992	9.8	9.3	2001	9.7	9.0
1950	11.0	14.3	1993	10.3	9.7	2002	9.8	9.1
1960	11.2	13.2	1994	10.2	9.6	2003	9.7	9.0
1970	11.1	12.6	1995	10.2	9.7	2004	9.3	8.7
1975	10.2	11.2	1996	10.0	9.5	2005	9.4	8.6

* United States 2000 population distribution used as the standard. See Appendix, page 128.

TABLE 4
AGE-SPECIFIC DEATH RATES PER 1,000 POPULATION:
MISSOURI 1911-2005

	Total*	Under 1	1-4	5-14	15-24	25-34	35-44	Age 45-54	55-64	65-74	75-84	85+
1911	22.1	99.6	12.3	2.7	4.8	6.9	8.8	13.5	24.4	52.4	118.8	247.6
1920	20.1	87.1	10.4	2.8	5.0	7.0	7.9	11.2	21.1	47.0	104.2	249.0
1930	18.2	63.9	5.1	1.8	3.3	4.4	6.4	11.9	22.2	49.5	110.0	190.0
1940	16.7	51.6	3.3	1.0	1.9	2.8	4.9	9.8	20.4	44.8	110.0	207.2
1950	14.3	33.4	1.5	0.6	1.2	1.7	3.4	8.1	18.1	38.9	94.3	210.4
1960	13.2	25.5	1.0	0.4	1.1	1.5	2.9	7.2	16.6	37.1	86.5	201.1
1970	12.6	20.8	0.8	0.4	1.4	1.6	3.2	7.2	16.6	35.8	81.8	181.9
1975	11.2	16.4	0.6	0.3	1.2	1.4	2.6	6.5	14.6	32.4	71.9	170.6
1980	10.5	12.3	0.7	0.3	1.3	1.3	2.2	5.8	13.4	30.5	67.1	162.4
1985	10.0	10.2	0.5	0.2	1.0	1.2	1.8	5.1	13.3	28.5	65.8	161.4
1990	9.4	9.4	0.5	0.3	1.1	1.3	2.0	4.5	12.5	26.8	60.9	154.5
1991	9.4	10.2	0.5	0.3	1.1	1.4	2.1	4.7	12.2	26.9	59.9	150.2
1992	9.3	8.5	0.5	0.3	1.1	1.4	2.2	4.5	12.0	26.6	59.8	148.8
1993	9.7	8.4	0.5	0.2	1.1	1.4	2.1	4.6	12.2	27.4	62.9	159.1
1994	9.6	8.1	0.4	0.2	1.2	1.4	2.2	4.8	11.9	26.8	60.8	159.3
1995	9.7	7.4	0.4	0.3	1.1	1.4	2.3	4.8	11.7	27.3	60.9	159.5
1996	9.5	7.6	0.4	0.3	1.0	1.2	2.3	4.5	11.2	26.5	60.6	158.2
1997	9.5	7.6	0.4	0.2	1.0	1.2	2.0	4.5	11.5	26.6	59.7	160.8
1998	9.4	7.6	0.4	0.2	0.9	1.2	2.1	4.4	11.0	26.5	60.6	163.5
1999	9.5	7.7	0.3	0.2	0.9	1.2	2.2	4.4	10.9	26.7	61.3	165.5
2000	9.2	7.2	0.3	0.2	1.0	1.1	2.1	4.4	10.6	25.5	59.5	162.2
2001	9.1	7.4	0.4	0.2	1.0	1.1	2.1	4.4	10.2	24.8	59.1	161.0
2002	9.2	8.5	0.4	0.2	1.0	1.1	2.2	4.6	10.2	25.1	59.0	164.1
2003	9.0	7.8	0.4	0.2	0.9	1.1	2.2	4.7	10.1	24.3	58.1	160.2
2004	8.7	7.5	0.4	0.2	0.9	1.1	2.1	4.5	9.9	23.4	56.0	154.6
2005	8.6	7.5	0.3	0.2	1.0	1.1	2.2	4.7	9.5	23.0	55.6	154.3

*Age-Adjusted Death Rate using United States, 2000 population distribution as the standard.

TABLE 5A	RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE OF MOTHER: MISSOURI				2005				
	ALL RACES	WHITE	BLACK	OTHER		ALL RACES	WHITE	BLACK	OTHER
TOTAL	78,547	64,136	11,455	2,515	ALCOHOLIC DRINKS PER WEEK				
SEX					NONE	75,531	61,642	11,090	2,378
MALE	40,078	32,787	5,795	1,269	LESS THAN 7	385	320	50	13
FEMALE	38,469	31,349	5,660	1,246	7 OR MORE	12	10	2	0
MOTHER HISPANIC	4,264	3,619	53	304	DRANK UNKNOWN AMOUNT	76	57	18	1
					UNKNOWN DRINKING STATUS	2,543	2,107	295	123
ATTENDANT					CIGARETTES SMOKED PER DAY DURING PREGNANCY				
M.D.	65,508	52,932	10,263	2,021	NONE	63,894	51,287	9,886	2,322
D.O.	10,035	8,575	1,012	316	LESS THAN 10	6,336	5,238	963	120
CERT NURSE MIDWIFE	2,442	2,107	152	169	10-19	5,440	5,060	327	46
OTHER MIDWIFE	203	200	2	1	20 OR MORE	2,143	2,017	108	15
OTHER	359	322	26	8	SMOKED UNKNOWN AMOUNT	398	279	112	5
PLACE OF BIRTH					UNKNOWN SMOKING STATUS	336	255	59	7
HOSPITAL	77,802	63,445	11,408	2,510	YEARS AT PRESENT				
BIRTHING CENTER	43	42	0	1	ADDRESS				
CLINIC	11	11	0	0	LESS THAN 1	16,343	12,629	2,972	620
HOME RESIDENCE	649	603	40	4	1-4	44,074	36,755	5,646	1,429
PLANNED	546	539	2	3	5-9	9,807	8,283	1,252	240
UNPLANNED	98	60	37	1	10 OR MORE	4,734	3,583	1,058	75
OTHER	42	35	7	0	UNKNOWN	3,589	2,886	527	151
MONTH OF BIRTH					MATERNAL TRANSFERS				
JANUARY	6,088	4,923	940	193	FROM ANOTHER HOSPITAL	485	353	119	10
FEBRUARY	5,930	4,842	870	190	DOCTORS OFFICE, OTHER	546	322	192	13
MARCH	6,745	5,539	958	216	NO TRANSFER	77,349	63,345	11,104	2,487
APRIL	6,444	5,260	953	188	UNKNOWN	167	116	40	5
MAY	6,623	5,425	932	222	INFANT TRANSFER				
JUNE	6,668	5,470	947	220	YES	1,198	928	238	26
JULY	6,851	5,643	976	200	NO	77,217	63,107	11,195	2,482
AUGUST	7,025	5,750	1,024	233	UNKNOWN	132	101	22	7
SEPTEMBER	6,723	5,468	1,002	218	MATERNAL WGHT GAIN DURING FULL-TERM SINGLETON PREG.				
OCTOBER	6,447	5,251	922	216	LESS THAN 15 LBS	5,589	4,476	926	154
NOVEMBER	6,392	5,192	939	208	15-24 LBS	11,119	9,048	1,568	424
DECEMBER	6,611	5,373	992	211	25-34 LBS	18,969	15,877	2,314	701
NUMBER BORN					35-44 LBS	15,679	13,362	1,768	486
SINGLETON	75,805	61,953	10,974	2,444	45 OR MORE LBS	12,711	10,690	1,682	279
TWIN	2,596	2,059	459	71	UNKNOWN	2,586	1,741	681	101
TRIPLET	130	112	18	0	CROWN HEEL LENGTH (CM.)				
QUAD. OR MORE	16	12	4	0	LESS THAN 40	964	624	315	18
PREV. TERMINATIONS					40-46	6,037	4,524	1,339	152
NONE	58,855	48,312	8,293	1,899	47-50	38,563	31,091	6,001	1,281
1	12,803	10,581	1,764	408	51 OR MORE	29,313	24,914	3,299	897
2 OR MORE	6,116	4,849	1,083	169	UNKNOWN	3,670	2,983	501	167
UNKNOWN	773	394	315	39					

TABLE 5B RESIDENT LIVE BIRTHS BY SELECTED OBSTETRIC AND PEDIATRIC CONDITIONS AND PROCEDURES: MISSOURI				2005	
	NUMBER	PERCENT		NUMBER	PERCENT
TOTAL LIVE BIRTHS	78,547	100.0	METHOD OF DELIVERY		
			VAGINAL	53,711	68.4
MEDICAL RISK FACTORS			VAGINAL AFTER CESAREAN SECTION	764	1.0
TOTAL ONE OR MORE	26,965	34.3	PRIMARY ELEC. CESAREAN SECTION	8,296	10.6
ANEMIA	1,406	1.8	PRIMARY EMERG. CESAREAN SECTION	6,176	7.9
CARDIAC DISEASE	442	.6	REPEAT CESAREAN SECTION	9,486	12.1
ACUTE/CHRONIC LUNG DISEASE	1,156	1.5	OUTLET/LOW FORCEPS	979	1.2
DIABETES (INSULIN DEP.)	852	1.1	MID/HIGH FORCEPS	57	.1
DIABETES (NON-INSULIN DEP.)	2,494	3.2	VACUUM EXTRACTION	3,855	4.9
GENITAL HERPES	1,018	1.3			
HYDRAMNIOS/OLIGOHYDRAMNIOS	1,559	2.0	ABNORMAL CONDITIONS NEWBORN		
HEMOGLOBINOPATHY	108	.1	TOTAL ONE OR MORE	6,910	8.8
			ANEMIA	124	.2
HYPERTENSION, CHRONIC	1,085	1.4	BIRTH INJURY	363	.5
HYPERTENSION, PREG. INDUCED	4,072	5.2	FETAL ALCOHOL SYNDROME	4	.0
ECLAMPSIA	82	.1	HYALINE MEMBRANE (RDS)	831	1.1
INCOMPETENT CERVIX	286	.4	MECONIUM ASPIRATION	107	.1
PREV. INFANT 4000+ GMS.	1,146	1.5	ASSISTED VENT. (LT 30 MINS.)	1,670	2.1
PREV. PRETERM/SGA	1,214	1.5	ASSISTED VENT. (30+ MINS.)	1,328	1.7
RENAL DISEASE	172	.2	SEIZURES	103	.1
RH SENSITIZATION	572	.7	OTHER	3,720	4.7
UTERINE BLEEDING	374	.5			
OTHER	15,717	20.0	CONGENITAL ANOMALIES		
OBSTETRIC PROCEDURES			TOTAL ONE OR MORE	1,268	1.6
TOTAL ONE OR MORE	75,989	96.7	ANENCEPHALUS	9	.0
AMNIOCENTESIS	918	1.2	SPINA BIFIDA/MENINGOCELE	30	.0
ELECTRONIC FETAL MONITORING	72,908	92.8	HYDROCEPHALUS	36	.0
INDUCTION OF LABOR	23,397	29.8	MICROCEPHALUS	3	.0
STIMULATION OF LABOR	14,040	17.9	OTHER CNS ANOMALIES	23	.0
TOCOLYSIS	1,931	2.5	HEART MALFORMATION	169	.2
ULTRASOUND	52,944	67.4	OTHER CIRC/RESP. ANOMALIES	102	.1
CHORIONIC VILLUS SAMPLING	72	.1			
OTHER	794	1.0	RECTAL ATRESIA/STENOSIS	25	.0
COMPLICATIONS OF LABOR/DEL.			TRACHEO-ESOPHAGEAL FISTULA		
TOTAL ONE OR MORE	29,410	37.4	ESOPHAGEAL ATRESIA	11	.0
FEBRILE	1,627	2.1	OMPHALOCELE/GASTROSCHISIS	42	.1
MECONIUM, MODERATE/HEAVY	3,636	4.6	OTHER GASTROINTESTINAL ANOMALIES	51	.1
PREMATURE RUPT. MEMB. (>12 HRS.)	1,881	2.4	MALFORMED GENITALIA	180	.2
ABRUPTIO PLACENTA	613	.8	RENAL AGENESIS	22	.0
PLACENTA PREVIA	265	.3	OTHER UROGENITAL ANOMALIES	74	.1
OTHER EXCESSIVE BLEEDING	457	.6			
SEIZURES DURING LABOR	31	.0	CLEFT LIP/PALATE	108	.1
PRECIPITOUS LABOR (<3 HRS.)	2,055	2.6	POLYDACTYLY/SYNDACTYLY/ADACTYLY	110	.1
			CLUB FOOT	56	.1
PROLONGED LABOR (>20 HRS.)	759	1.0	DIAPHRAGMATIC HERNIA	22	.0
DYSFUNCTIONAL LABOR	4,987	6.3	OTHER MUSCULOSKELETAL/INTEGUMENTAL	214	.3
BREECH	3,002	3.8	DOWN SYNDROME	66	.1
OTHER MALPRESENTATION	1,570	2.0	OTHER CHROMOSOMAL ANOMALIES	14	.0
CEPHALOPELVIC DISPROPORTION	1,603	2.0	OTHER	25	.0
CORD PROLAPSE	122	.2			
ANESTHETIC COMPLICATIONS	36	.0			
FETAL DISTRESS	5,732	7.3			
OTHER	9,114	11.6			

TABLE 7 TEEN-AGE RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY MOTHER'S MARITAL STATUS BY RACE OF MOTHER WITH PERCENTAGES: MISSOURI 2005												
RACE OF MOTHER AGE OF MOTHER ALL RACES	ALL LIVE BIRTHS LIVE BIRTH ORDER				OUT-OF-WEDLOCK LIVE BIRTHS LIVE BIRTH ORDER				PERCENT OUT-OF-WEDLOCK LIVE BIRTH ORDER			
	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE
10-19	8,707	7,080	1,381	246	7,377	6,113	1,067	197	84.7	86.3	77.3	80.1
10	0	0	0	0	0	0	0	0	---	---	---	---
11	1	1	0	0	1	1	0	0	100.0	100.0	---	---
12	4	4	0	0	4	4	0	0	100.0	100.0	---	---
13	17	17	0	0	17	17	0	0	100.0	100.0	---	---
14	83	82	1	0	82	81	1	0	98.8	98.8	100.0	---
15	295	288	7	0	279	272	7	0	94.6	94.4	100.0	---
16	736	680	51	5	691	643	43	5	93.9	94.6	84.3	100.0
17	1,524	1,352	157	15	1,394	1,245	135	14	91.5	92.1	86.0	93.3
18	2,522	2,094	366	62	2,123	1,787	288	48	84.2	85.3	78.7	77.4
19	3,525	2,562	799	164	2,786	2,063	593	130	79.0	80.5	74.2	79.3
WHITE												
10-19	6,337	5,247	945	145	5,094	4,336	656	102	80.4	82.6	69.4	70.3
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	1	1	0	0	1	1	0	0	100.0	100.0	---	---
13	8	8	0	0	8	8	0	0	100.0	100.0	---	---
14	39	39	0	0	38	38	0	0	97.4	97.4	---	---
15	197	193	4	0	182	178	4	0	92.4	92.2	100.0	---
16	472	442	28	2	431	408	21	2	91.3	92.3	75.0	100.0
17	1,080	986	86	8	955	883	65	7	88.4	89.6	75.6	87.5
18	1,871	1,589	245	37	1,497	1,299	174	24	80.0	81.7	71.0	64.9
19	2,669	1,989	582	98	1,982	1,521	392	69	74.3	76.5	67.4	70.4
BLACK												
10-19	2,145	1,656	393	96	2,098	1,626	381	91	97.8	98.2	96.9	94.8
10	0	0	0	0	0	0	0	0	---	---	---	---
11	1	1	0	0	1	1	0	0	100.0	100.0	---	---
12	3	3	0	0	3	3	0	0	100.0	100.0	---	---
13	8	8	0	0	8	8	0	0	100.0	100.0	---	---
14	42	41	1	0	42	41	1	0	100.0	100.0	100.0	---
15	89	86	3	0	89	86	3	0	100.0	100.0	100.0	---
16	235	211	21	3	233	209	21	3	99.1	99.1	100.0	100.0
17	412	341	64	7	411	340	64	7	99.8	99.7	100.0	100.0
18	576	448	106	22	565	442	101	22	98.1	98.7	95.3	100.0
19	779	517	198	64	746	496	191	59	95.8	95.9	96.5	92.2

TABLE 8 PERCENT LOW BIRTH WEIGHT AND RESIDENT LIVE BIRTHS BY BIRTH WEIGHT BY AGE OF MOTHER BY RACE OF MOTHER: MISSOURI 2005

AGE OF MOTHER AND RACE OF MOTHER ALL RACES	PERCENT LOW BIRTH WEIGHT		LESS THAN 500 GRAMS	BIRTH WEIGHT										4500 OR MORE GRAMS	UNKNOWN
	TOTAL			500- 999 GRAMS	1000- 1499 GRAMS	1500- 1999 GRAMS	2000- 2499 GRAMS	2500- 2999 GRAMS	3000- 3499 GRAMS	3500- 3999 GRAMS	4000 4499 GRAMS				
ALL AGES	8.1	78,547	154	456	586	1,239	3,933	14,037	30,246	21,414	5,603	857	22		
UNDER 15	18.1	105	2	1	2	4	10	26	39	17	4	0	0		
15-17	10.9	2,555	6	28	21	54	169	614	1,013	544	93	13	0		
18-19	10.3	6,047	18	50	62	111	381	1,397	2,359	1,344	281	41	3		
20-24	8.5	22,800	42	119	155	355	1,258	4,536	9,214	5,645	1,292	179	5		
25-29	7.2	22,693	42	123	156	319	998	3,771	8,699	6,656	1,677	244	8		
30-34	7.3	15,904	33	80	101	243	699	2,377	5,896	4,774	1,462	234	5		
35-39	8.2	6,931	10	39	70	119	329	1,077	2,510	2,029	633	114	1		
40 AND OVER	10.6	1,505	1	16	19	34	89	238	512	403	161	32	0		
WHITE															
ALL AGES	7.0	64,136	95	296	379	878	2,860	10,538	24,578	18,718	5,031	752	11		
UNDER 15	12.5	48	0	0	1	1	4	12	19	9	2	0	0		
15-17	9.4	1,749	3	18	16	38	89	372	695	431	77	10	0		
18-19	8.8	4,540	7	28	36	73	254	978	1,781	1,107	239	35	2		
20-24	7.1	17,956	26	67	91	229	859	3,322	7,286	4,801	1,124	149	2		
25-29	6.3	19,091	29	88	98	232	765	2,957	7,273	5,908	1,525	211	5		
30-34	6.6	13,545	22	62	69	192	555	1,841	4,961	4,283	1,345	213	2		
35-39	7.3	5,945	7	26	53	86	262	880	2,128	1,829	572	102	0		
40 AND OVER	9.7	1,255	1	7	15	27	72	175	431	348	147	32	0		
BLACK															
ALL AGES	14.4	11,455	55	150	192	319	935	2,903	4,403	2,004	414	77	3		
UNDER 15	24.1	54	2	1	1	3	6	14	18	7	2	0	0		
15-17	14.5	736	3	10	5	15	74	228	283	99	16	3	0		
18-19	15.6	1,355	10	21	25	35	121	389	515	200	33	5	1		
20-24	14.3	4,199	16	51	61	117	357	1,092	1,643	717	124	20	1		
25-29	13.5	2,730	10	31	52	76	199	650	1,063	509	113	27	0		
30-34	13.5	1,555	11	18	28	42	111	360	588	311	71	14	1		
35-39	16.5	654	3	13	16	25	51	128	241	125	44	8	0		
40 AND OVER	18.0	172	0	5	4	6	16	42	52	36	11	0	0		

ALL AGES INCLUDE UNKNOWN AGE

TABLE 9 RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2005

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
STATE TOTAL	78,547	64,136	11,455	29,669	19,946	8,815	37.8	31.1	77.0
ADAIR	268	258	2	76	74	0	28.4	28.7	--
ANDREW	195	191	3	50	48	1	25.6	25.1	33.3
ATCHISON	66	66	0	15	15	0	22.7	22.7	--
AUDRAIN	384	344	35	212	176	33	55.2	51.2	94.3
BARRY	536	509	0	211	200	0	39.4	39.3	--
BARTON	155	151	1	54	53	0	34.8	35.1	--
BATES	230	224	2	86	84	1	37.4	37.5	50.0
BENTON	172	169	0	70	68	0	40.7	40.2	--
BOLLINGER	150	146	1	52	50	1	34.7	34.2	100.0
BOONE	1,943	1,601	217	641	444	176	33.0	27.7	81.1
BUCHANAN	1,125	1,070	41	511	473	34	45.4	44.2	82.9
BUTLER	599	549	42	263	225	36	43.9	41.0	85.7
CALDWELL	140	139	0	50	50	0	35.7	36.0	--
CALLAWAY	519	499	14	195	186	9	37.6	37.3	64.3
CAMDEN	414	408	2	157	153	1	37.9	37.5	50.0
CAPE GIRARDEAU	944	831	101	338	259	75	35.8	31.2	74.3
CARROLL	103	102	1	35	34	1	34.0	33.3	100.0
CARTER	79	79	0	29	29	0	36.7	36.7	--
CASS	1,248	1,167	40	352	313	19	28.2	26.8	47.5
CEDAR	164	161	0	59	59	0	36.0	36.6	--
CHARITON	92	91	1	31	30	1	33.7	33.0	100.0
CHRISTIAN	1,094	1,073	4	255	249	2	23.3	23.2	50.0
CLARK	97	97	0	31	31	0	32.0	32.0	--
CLAY	3,052	2,753	160	863	725	94	28.3	26.3	58.8
CLINTON	270	261	5	75	71	3	27.8	27.2	60.0
COLE	959	824	116	323	253	67	33.7	30.7	57.8
COOPER	179	173	3	64	60	2	35.8	34.7	66.7
CRAWFORD	335	328	1	146	142	1	43.6	43.3	100.0
DADE	85	82	0	34	33	0	40.0	40.2	--
DALLAS	205	202	0	49	46	0	23.9	22.8	--
DAVIESS	124	124	0	25	25	0	20.2	20.2	--
DE KALB	119	117	0	35	35	0	29.4	29.9	--
DENT	180	179	1	69	68	1	38.3	38.0	100.0
DOUGLAS	159	157	0	51	50	0	32.1	31.8	--
DUNKLIN	473	402	67	240	182	56	50.7	45.3	83.6

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2005

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
FRANKLIN	1,285	1,247	10	426	409	7	33.2	32.8	70.0
GASCONADE	179	178	0	77	77	0	43.0	43.3	--
GENTRY	88	88	0	29	29	0	33.0	33.0	--
GREENE	3,448	3,226	121	1,238	1,120	87	35.9	34.7	71.9
GRUNDY	117	116	0	48	48	0	41.0	41.4	--
HARRISON	106	105	0	38	38	0	35.8	36.2	--
HENRY	292	281	4	107	104	2	36.6	37.0	50.0
HICKORY	87	86	0	35	35	0	40.2	40.7	--
HOLT	58	58	0	15	15	0	25.9	25.9	--
HOWARD	108	100	6	40	36	4	37.0	36.0	66.7
HOWELL	497	489	4	170	167	2	34.2	34.2	50.0
IRON	125	118	6	47	46	1	37.6	39.0	16.7
JACKSON	10,353	6,858	2,868	4,910	2,446	2,173	47.4	35.7	75.8
JASPER	1,835	1,638	29	777	645	22	42.3	39.4	75.9
JEFFERSON	2,915	2,857	15	868	850	7	29.8	29.8	46.7
JOHNSON	694	629	45	182	157	20	26.2	25.0	44.4
KNOX	47	47	0	14	14	0	29.8	29.8	--
LACLEDE	517	503	7	180	174	4	34.8	34.6	57.1
LAFAYETTE	427	414	9	150	144	5	35.1	34.8	55.6
LAWRENCE	492	480	1	160	155	0	32.5	32.3	--
LEWIS	99	95	4	30	28	2	30.3	29.5	50.0
LINCOLN	711	688	14	223	213	10	31.4	31.0	71.4
LINN	187	187	0	62	62	0	33.2	33.2	--
LIVINGSTON	179	173	2	83	80	1	46.4	46.2	50.0
MC DONALD	361	331	1	175	159	1	48.5	48.0	100.0
MACON	194	188	6	69	66	3	35.6	35.1	50.0
MADISON	138	137	0	48	47	0	34.8	34.3	--
MARIES	96	95	0	32	32	0	33.3	33.7	--
MARION	390	362	26	156	134	21	40.0	37.0	80.8
MERCER	43	42	0	12	11	0	27.9	26.2	--
MILLER	327	323	0	114	114	0	34.9	35.3	--
MISSISSIPPI	184	117	67	110	49	61	59.8	41.9	91.0
MONITEAU	222	219	0	54	53	0	24.3	24.2	--
MONROE	119	109	7	33	25	6	27.7	22.9	85.7
MONTGOMERY	155	154	0	61	61	0	39.4	39.6	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2005

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
MORGAN	263	258	1	82	80	1	31.2	31.0	100.0
NEW MADRID	251	194	57	127	81	46	50.6	41.8	80.7
NEWTON	757	678	9	257	218	6	33.9	32.2	66.7
NODAWAY	242	240	0	73	73	0	30.2	30.4	--
OREGON	116	114	0	34	34	0	29.3	29.8	--
OSAGE	185	184	1	44	43	1	23.8	23.4	100.0
OZARK	125	124	0	36	36	0	28.8	29.0	--
PEMISCOT	313	191	121	207	102	105	66.1	53.4	86.8
PERRY	207	205	0	63	62	0	30.4	30.2	--
PETTIS	613	586	11	236	220	9	38.5	37.5	81.8
PHELPS	580	549	9	210	206	3	36.2	37.5	33.3
PIKE	212	205	4	82	77	3	38.7	37.6	75.0
PLATTE	1,112	1,001	53	306	256	29	27.5	25.6	54.7
POLK	364	358	1	105	105	0	28.8	29.3	--
PULASKI	690	570	82	175	143	26	25.4	25.1	31.7
PUTNAM	67	66	0	16	16	0	23.9	24.2	--
RALLS	113	112	1	40	39	1	35.4	34.8	100.0
RANDOLPH	351	334	13	154	141	12	43.9	42.2	92.3
RAY	290	280	7	92	86	3	31.7	30.7	42.9
REYNOLDS	60	59	0	27	26	0	45.0	44.1	--
RIPLEY	179	178	0	72	72	0	40.2	40.4	--
ST. CHARLES	4,488	4,156	176	986	869	94	22.0	20.9	53.4
ST. CLAIR	100	98	0	31	30	0	31.0	30.6	--
ST. FRANCOIS	761	746	9	302	294	6	39.7	39.4	66.7
STE. GENEVIEVE	174	173	0	55	55	0	31.6	31.8	--
ST. LOUIS CITY	5,077	1,744	3,120	3,379	606	2,700	66.6	34.7	86.5
ST. LOUIS COUNTY	11,998	7,767	3,528	4,209	1,538	2,598	35.1	19.8	73.6
SALINE	297	277	11	131	115	10	44.1	41.5	90.9
SCHUYLER	46	46	0	13	13	0	28.3	28.3	--
SCOTLAND	65	65	0	9	9	0	13.8	13.8	--
SCOTT	624	515	98	283	194	86	45.4	37.7	87.8
SHANNON	108	104	0	32	31	0	29.6	29.8	--
SHELBY	92	91	1	21	21	0	22.8	23.1	--
STODDARD	374	365	3	134	131	3	35.8	35.9	100.0
STONE	297	290	0	107	105	0	36.0	36.2	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
SULLIVAN	92	87	1	42	39	1	45.7	44.8	100.0
TANEY	561	543	5	197	190	3	35.1	35.0	60.0
TEXAS	297	290	2	87	84	2	29.3	29.0	100.0
VERNON	268	259	0	89	85	0	33.2	32.8	--
WARREN	444	418	17	156	141	12	35.1	33.7	70.6
WASHINGTON	356	349	2	160	157	2	44.9	45.0	100.0
WAYNE	145	145	0	52	52	0	35.9	35.9	--
WEBSTER	563	562	0	133	133	0	23.6	23.7	--
WORTH	16	16	0	6	6	0	37.5	37.5	--
WRIGHT	282	279	0	97	96	0	34.4	34.4	--
CITIES OVER 25,000 POPULATION									
BALLWIN	385	339	6	38	33	4	9.9	9.7	66.7
BLUE SPRINGS	698	649	29	190	169	17	27.2	26.0	58.6
CAPE GIRARDEAU	485	381	95	217	143	70	44.7	37.5	73.7
CHESTERFIELD	403	342	13	30	24	4	7.4	7.0	30.8
COLUMBIA	1,404	1,091	197	475	298	159	33.8	27.3	80.7
FLORISSANT	691	527	150	254	148	102	36.8	28.1	68.0
GLADSTONE	321	286	15	110	90	9	34.3	31.5	60.0
HAZELWOOD	320	209	101	149	73	75	46.6	34.9	74.3
INDEPENDENCE	1,616	1,422	109	746	630	76	46.2	44.3	69.7
JEFFERSON CITY	585	467	100	226	165	58	38.6	35.3	58.0
KIRKWOOD	310	268	33	46	21	24	14.8	7.8	72.7
LEES SUMMIT	1,182	1,061	85	271	224	34	22.9	21.1	40.0
LIBERTY	410	387	11	77	71	5	18.8	18.3	45.5
MARYLAND HEIGHTS	363	259	31	73	48	20	20.1	18.5	64.5
OFALLON	1,133	1,056	31	181	167	11	16.0	15.8	35.5
RAYTOWN	347	265	73	139	85	48	40.1	32.1	65.8
ST. CHARLES	797	694	58	313	269	35	39.3	38.8	60.3
ST. JOSEPH	1,009	956	41	470	433	34	46.6	45.3	82.9
ST. LOUIS CITY	5,077	1,744	3,120	3,379	606	2,700	66.6	34.7	86.5
ST. PETERS	647	609	20	123	114	8	19.0	18.7	40.0
SPRINGFIELD	2,289	2,101	113	963	854	82	42.1	40.6	72.6
UNIVERSITY CITY	498	290	177	166	20	140	33.3	6.9	79.1
WILDWOOD	292	271	6	8	8	0	2.7	3.0	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2005

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
MULTI-COUNTY CITIES									
JOPLIN	874	801	27	412	368	20	47.1	45.9	74.1
JASPER CO. PART	776	713	22	369	331	16	47.6	46.4	72.7
NEWTON CO. PART	98	88	5	43	37	4	43.9	42.0	80.0
KANSAS CITY	7,582	4,472	2,546	3,785	1,565	1,971	49.9	35.0	77.4
JACKSON CO. PART	5,317	2,492	2,394	3,123	1,027	1,887	58.7	41.2	78.8
CLAY CO. PART	1,679	1,468	114	486	391	66	28.9	26.6	57.9
PLATTE CO. PART	581	507	38	176	147	18	30.3	29.0	47.4
CASS CO. PART	5	5	0	0	0	0	--	--	--

TABLE 10A RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2005

	TOTAL		WHITE		BLACK		OTHER RACES		HISPANIC ANY RACE		EAST-WEST GATEWAY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	78,547	100.0	64,136	100.0	11,455	100.0	2,515	100.0	4,264	100.0	25,763	100.0
UNDER 2500 GRAMS	6,368	8.1	4,508	7.0	1,651	14.4	180	7.2	269	6.3	2,275	8.8
OVER 4499 GRAMS	857	1.1	752	1.2	77	0.7	19	0.8	49	1.1	261	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	7,001	9.4	5,148	8.4	1,654	15.1	170	7.2	328	8.0	2,012	8.0
LESS THAN 37 WEEKS GESTATION*	10,722	13.7	7,998	12.5	2,344	20.5	325	12.9	541	12.7	3,790	14.7
APGAR SCORE LESS THAN 8	2,280	2.9	1,684	2.6	517	4.5	60	2.4	105	2.5	740	2.9
CONGENITAL ANOMALIES	1,268	1.6	1,058	1.6	162	1.4	40	1.6	73	1.7	377	1.5
ABNORMAL CONDITIONS OF NEWBORN	6,910	8.8	5,699	8.9	951	8.3	228	9.1	319	7.5	1,965	7.6
INFANT TRANSFERS	1,198	1.5	928	1.4	238	2.1	26	1.0	45	1.1	385	1.5
MATERNAL TRANSFERS	1,032	1.3	676	1.1	311	2.7	23	0.9	101	2.4	339	1.3
HOME DELIVERIES	649	0.8	603	0.9	40	0.3	4	0.2	13	0.3	94	0.4
CESAREAN DELIVERIES	23,749	30.2	19,481	30.4	3,453	30.1	712	28.3	1,149	26.9	8,362	32.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	14,317	18.2	12,594	19.6	1,510	13.2	186	7.4	255	6.0	3,172	12.3
DRANK ALCOHOL DURING PREG	473	0.6	387	0.6	70	0.6	14	0.6	23	0.5	160	0.6
GT 15 PERCENT UNDERWEIGHT	4,127	5.5	3,403	5.6	464	4.4	248	10.5	145	4.1	1,205	4.9
GT 20 PERCENT OVERWEIGHT	28,637	38.5	22,845	37.4	5,122	48.2	543	23.0	1,387	39.4	9,238	35.9
GAINED LT 15 LBS DURING PREG*	5,589	8.7	4,476	8.4	926	11.2	154	7.5	372	11.4	1,599	6.4
GAINED 45+ LBS. DURING PREG*	12,711	19.8	10,690	20.0	1,682	20.4	279	13.6	475	14.5	3,949	15.3
MATERNAL EDUCATION UNDER 12	14,357	18.3	10,955	17.1	2,774	24.2	457	18.2	1,902	44.6	3,602	14.0
OUT-OF-WEDLOCK BIRTHS	29,669	37.8	19,946	31.1	8,815	77.0	691	27.5	2,065	48.4	9,868	38.3
LIVE BIRTH ORDER 4 OR MORE	8,485	10.8	6,307	9.8	1,888	16.5	221	8.8	565	13.3	2,771	10.8
LT 18 MOS SINCE LAST BIRTH	5,194	11.7	4,008	11.0	1,000	15.9	158	11.9	308	12.5	1,528	11.0
PRENATAL CARE												
1ST TRIMESTER	67,571	86.0	56,371	87.9	8,850	77.3	2,054	81.7	3,178	74.5	23,107	89.7
2ND TRIMESTER	7,558	9.6	5,536	8.6	1,662	14.5	300	11.9	769	18.0	1,864	7.2
3RD TRIMESTER	1,172	1.5	823	1.3	259	2.3	72	2.9	112	2.6	224	0.9
NO PRENATAL CARE	563	0.7	316	0.5	222	1.9	18	0.7	39	0.9	221	0.9
INADEQUATE PRENATAL CARE*	7,667	10.2	5,191	8.4	2,082	19.6	322	13.4	731	18.2	2,049	8.2
MOTHER MEDICAID PARTICIPANT	36,775	47.5	27,312	43.2	8,214	72.6	968	39.1	2,791	66.7	9,629	37.8
MOTHER WIC PARTICIPANT	32,954	42.6	24,332	38.5	7,457	65.9	897	36.2	2,705	64.6	8,109	31.9
MOTHER ON MEDICAID AND WIC	28,367	36.6	21,023	33.2	6,415	56.7	709	28.6	2,223	53.1	6,845	26.9
MOTHER FOOD STAMP RECIPIENT	18,528	24.6	12,442	20.3	5,699	51.4	321	13.6	618	15.1	5,496	21.6
AGE OF MOTHER												
UNDER 15	105	0.1	48	0.1	54	0.5	2	0.1	14	0.3	41	0.2
15-17	2,555	3.3	1,749	2.7	736	6.4	52	2.1	204	4.8	720	2.8
18-19	6,047	7.7	4,540	7.1	1,355	11.8	103	4.1	389	9.1	1,582	6.1
20-24	22,800	29.0	17,956	28.0	4,199	36.7	506	20.1	1,377	32.3	6,031	23.4
25-29	22,693	28.9	19,091	29.8	2,730	23.8	749	29.8	1,174	27.5	7,341	28.5
30-34	15,904	20.2	13,545	21.1	1,555	13.6	740	29.4	703	16.5	6,456	25.1
35-39	6,931	8.8	5,945	9.3	654	5.7	299	11.9	324	7.6	2,951	11.5
40 AND OVER	1,505	1.9	1,255	2.0	172	1.5	64	2.5	79	1.9	640	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2005

	MID AMERICA		SOUTHWEST		MID-MISSOURI		MO KAN		NORTHWEST		GREEN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	16,055	100.0	7,645	100.0	3,930	100.0	1,709	100.0	470	100.0	1,250	100.0
UNDER 2500 GRAMS	1,295	8.1	558	7.3	318	8.1	125	7.3	33	7.0	103	8.2
OVER 4499 GRAMS	165	1.0	91	1.2	50	1.3	16	0.9	6	1.3	15	1.2
CROWN HEEL LT 47 CM (<18.5 IN)	1,631	11.6	483	6.5	409	10.5	110	6.6	25	5.6	184	15.6
LESS THAN 37 WEEKS GESTATION*	2,056	12.8	1,006	13.2	532	13.5	200	11.7	47	10.0	160	12.8
APGAR SCORE LESS THAN 8	440	2.7	149	1.9	157	4.0	29	1.7	13	2.8	49	3.9
CONGENITAL ANOMALIES	233	1.5	62	0.8	55	1.4	21	1.2	9	1.9	30	2.4
ABNORMAL CONDITIONS OF NEWBORN	1,190	7.4	751	9.8	365	9.3	58	3.4	22	4.7	133	10.6
INFANT TRANSFERS	157	1.0	68	0.9	32	0.8	21	1.2	12	2.6	19	1.5
MATERNAL TRANSFERS	246	1.5	57	0.7	49	1.2	30	1.8	7	1.5	34	2.7
HOME DELIVERIES	59	0.4	197	2.6	32	0.8	4	0.2	10	2.1	38	3.0
CESAREAN DELIVERIES	4,266	26.6	2,280	29.8	1,340	34.1	411	24.0	128	27.2	410	32.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	2,380	14.8	1,505	19.7	679	17.3	471	27.6	95	20.2	316	25.3
DRANK ALCOHOL DURING PREG	80	0.5	69	0.9	45	1.1	2	0.1	2	0.4	4	0.3
GT 15 PERCENT UNDERWEIGHT	858	5.7	475	6.4	184	5.3	95	5.7	21	4.6	56	4.8
GT 20 PERCENT OVERWEIGHT	5,716	35.6	2,736	35.8	1,325	33.7	679	39.7	205	43.6	475	38.0
GAINED LT 15 LBS DURING PREG*	1,129	7.3	579	7.7	228	6.3	171	10.1	41	8.8	117	9.6
GAINED 45+ LBS. DURING PREG*	2,580	16.1	1,365	17.9	632	16.1	298	17.4	80	17.0	187	15.0
MATERNAL EDUCATION UNDER 12	2,801	17.4	1,614	21.1	545	13.9	262	15.3	57	12.1	282	22.6
OUT-OF-WEDLOCK BIRTHS	6,523	40.6	2,489	32.6	1,317	33.5	671	39.3	138	29.4	442	35.4
LIVE BIRTH ORDER 4 OR MORE	1,807	11.3	814	10.6	355	9.0	145	8.5	52	11.1	170	13.6
LT 18 MOS SINCE LAST BIRTH	1,055	11.6	534	12.2	205	9.7	128	12.9	35	12.3	95	12.2
PRENATAL CARE												
1ST TRIMESTER	13,602	84.7	6,521	85.3	3,196	81.3	1,540	90.1	421	89.6	1,071	85.7
2ND TRIMESTER	1,421	8.9	900	11.8	434	11.0	132	7.7	34	7.2	131	10.5
3RD TRIMESTER	216	1.3	151	2.0	72	1.8	12	0.7	9	1.9	22	1.8
NO PRENATAL CARE	149	0.9	28	0.4	24	0.6	5	0.3	4	0.9	9	0.7
INADEQUATE PRENATAL CARE*	1,504	10.0	879	11.6	370	11.2	102	6.1	43	9.2	149	12.3
MOTHER MEDICAID PARTICIPANT	7,038	44.2	4,121	54.4	1,514	38.7	868	51.0	222	48.1	727	60.9
MOTHER WIC PARTICIPANT	6,585	41.3	3,620	47.8	1,304	33.3	725	42.5	212	45.9	658	55.2
MOTHER ON MEDICAID AND WIC	5,434	34.0	3,232	42.7	1,081	27.6	643	37.7	176	38.1	610	51.1
MOTHER FOOD STAMP RECIPIENT	3,234	23.1	1,942	25.6	793	20.3	402	24.1	77	16.8	331	27.8
AGE OF MOTHER												
UNDER 15	30	0.2	6	0.1	4	0.1	1	0.1	1	0.2	2	0.2
15-17	489	3.0	260	3.4	106	2.7	58	3.4	10	2.1	40	3.2
18-19	1,130	7.0	628	8.2	220	5.6	156	9.1	39	8.3	112	9.0
20-24	4,359	27.2	2,454	32.1	1,035	26.3	552	32.3	162	34.5	442	35.4
25-29	4,807	29.9	2,212	28.9	1,242	31.6	519	30.4	147	31.3	372	29.8
30-34	3,443	21.4	1,369	17.9	871	22.2	294	17.2	85	18.1	178	14.2
35-39	1,489	9.3	581	7.6	381	9.7	101	5.9	20	4.3	84	6.7
40 AND OVER	307	1.9	134	1.8	71	1.8	27	1.6	6	1.3	20	1.6

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2005

	NORTHEAST MISSOURI		MARK TWIN		BOONSLICK		HARRY S TRUMAN		KAYSINGER BASIN		PIONEER TRAILS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	622	100.0	1,855	100.0	1,310	100.0	3,108	100.0	1,313	100.0	2,031	100.0
UNDER 2500 GRAMS	48	7.7	147	7.9	85	6.5	200	6.4	91	6.9	135	6.6
OVER 4499 GRAMS	13	2.1	22	1.2	20	1.5	34	1.1	17	1.3	23	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	39	8.1	228	13.1	65	5.0	166	5.6	106	8.5	235	11.8
LESS THAN 37 WEEKS GESTATION*	72	11.6	244	13.2	140	10.7	402	12.9	146	11.1	234	11.5
APGAR SCORE LESS THAN 8	25	4.0	66	3.6	20	1.5	87	2.8	59	4.5	78	3.8
CONGENITAL ANOMALIES	14	2.3	33	1.8	30	2.3	157	5.1	31	2.4	54	2.7
ABNORMAL CONDITIONS OF NEWBORN	41	6.6	147	7.9	243	18.5	683	22.0	172	13.1	229	11.3
INFANT TRANSFERS	10	1.6	33	1.8	21	1.6	21	0.7	26	2.0	51	2.5
MATERNAL TRANSFERS	9	1.4	18	1.0	10	0.8	10	0.3	31	2.4	33	1.6
HOME DELIVERIES	46	7.4	34	1.8	3	0.2	18	0.6	31	2.4	17	0.8
CESAREAN DELIVERIES	211	33.9	548	29.5	372	28.4	790	25.4	464	35.3	622	30.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	139	22.3	534	28.8	327	25.0	698	22.5	380	28.9	440	21.7
DRANK ALCOHOL DURING PREG	4	0.6	19	1.0	10	0.8	13	0.4	2	0.2	12	0.6
GT 15 PERCENT UNDERWEIGHT	20	4.3	96	5.8	64	5.1	178	6.0	81	6.3	107	5.5
GT 20 PERCENT OVERWEIGHT	201	32.3	685	36.9	515	39.3	1,159	37.3	528	40.2	785	38.7
GAINED LT 15 LBS DURING PREG*	50	8.2	152	8.6	114	9.0	269	8.7	106	8.2	141	7.2
GAINED 45+ LBS. DURING PREG*	88	14.1	297	16.0	207	15.8	500	16.1	219	16.7	379	18.7
MATERNAL EDUCATION UNDER 12	132	21.2	483	26.0	259	19.8	874	28.1	284	21.6	407	20.0
OUT-OF-WEDLOCK BIRTHS	173	27.8	767	41.3	440	33.6	1,263	40.6	477	36.3	699	34.4
LIVE BIRTH ORDER 4 OR MORE	89	14.3	218	11.8	149	11.4	354	11.4	139	10.6	222	10.9
LT 18 MOS SINCE LAST BIRTH	40	10.6	127	11.3	95	12.1	260	13.8	104	13.0	125	11.4
PRENATAL CARE												
1ST TRIMESTER	514	82.6	1,524	82.2	1,161	88.6	2,406	77.4	1,094	83.3	1,698	83.6
2ND TRIMESTER	63	10.1	232	12.5	114	8.7	578	18.6	161	12.3	231	11.4
3RD TRIMESTER	36	5.8	58	3.1	17	1.3	86	2.8	17	1.3	44	2.2
NO PRENATAL CARE	4	0.6	6	0.3	6	0.5	28	0.9	18	1.4	12	0.6
INADEQUATE PRENATAL CARE*	90	14.7	256	14.8	89	7.0	457	14.8	155	12.0	245	12.5
MOTHER MEDICAID PARTICIPANT	235	48.7	955	54.6	549	42.1	1,881	62.7	808	61.8	1,012	50.0
MOTHER WIC PARTICIPANT	205	42.4	886	50.7	433	33.2	1,568	52.4	735	56.3	1,056	52.2
MOTHER ON MEDICAID AND WIC	178	36.9	773	44.2	373	28.6	1,443	48.1	651	49.8	846	41.8
MOTHER FOOD STAMP RECIPIENT	90	18.7	483	27.6	231	17.7	805	27.0	412	33.1	477	24.0
AGE OF MOTHER												
UNDER 15	1	0.2	2	0.1	0	0.0	2	0.1	1	0.1	0	0.0
15-17	13	2.1	70	3.8	45	3.4	115	3.7	66	5.0	57	2.8
18-19	45	7.2	152	8.2	104	7.9	311	10.0	120	9.1	197	9.7
20-24	167	26.8	650	35.0	371	28.3	1,155	37.2	474	36.1	729	35.9
25-29	192	30.9	561	30.2	448	34.2	837	26.9	388	29.6	619	30.5
30-34	128	20.6	295	15.9	215	16.4	474	15.3	160	12.2	285	14.0
35-39	58	9.3	103	5.6	106	8.1	172	5.5	84	6.4	110	5.4
40 AND OVER	18	2.9	21	1.1	21	1.6	42	1.4	18	1.4	34	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2005

	SOUTH CENTRAL OZARK		MERAMEC		LAKE OF THE OZARKS		SOUTHEAST MISSOURI		BOOTHEEL		OZARK FOOTHILLS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,584	100.0	1,911	100.0	2,211	100.0	2,499	100.0	2,219	100.0	1,062	100.0
UNDER 2500 GRAMS	108	6.8	154	8.1	164	7.4	181	7.2	237	10.7	111	10.5
OVER 4499 GRAMS	21	1.3	25	1.3	24	1.1	26	1.0	19	0.9	9	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	107	7.1	184	9.8	179	8.2	265	10.6	366	17.1	207	19.9
LESS THAN 37 WEEKS GESTATION*	196	12.4	257	13.4	305	13.8	344	13.8	385	17.4	206	19.4
APGAR SCORE LESS THAN 8	37	2.3	56	2.9	89	4.0	74	3.0	66	3.0	46	4.3
CONGENITAL ANOMALIES	26	1.6	26	1.4	33	1.5	35	1.4	22	1.0	20	1.9
ABNORMAL CONDITIONS OF NEWBORN	137	8.6	127	6.6	253	11.4	128	5.1	184	8.3	82	7.7
INFANT TRANSFERS	30	1.9	47	2.5	103	4.7	47	1.9	76	3.4	39	3.7
MATERNAL TRANSFERS	12	0.8	27	1.4	50	2.3	27	1.1	29	1.3	14	1.3
HOME DELIVERIES	23	1.5	17	0.9	17	0.8	5	0.2	4	0.2	0	0.0
CESAREAN DELIVERIES	386	24.4	599	31.3	589	26.6	863	34.5	815	36.7	293	27.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	423	26.7	547	28.6	559	25.3	657	26.3	641	28.9	354	33.3
DRANK ALCOHOL DURING PREG	4	0.3	4	0.2	16	0.7	14	0.6	12	0.5	1	0.1
GT 15 PERCENT UNDERWEIGHT	103	6.9	117	6.3	137	6.4	133	5.4	137	6.8	60	6.4
GT 20 PERCENT OVERWEIGHT	598	37.8	775	40.6	794	35.9	1,004	40.2	801	36.1	418	39.4
GAINED LT 15 LBS DURING PREG*	126	8.1	173	9.2	143	6.7	218	8.8	159	7.7	74	7.6
GAINED 45+ LBS. DURING PREG*	301	19.0	320	16.7	369	16.7	445	17.8	330	14.9	165	15.5
MATERNAL EDUCATION UNDER 12	362	22.9	459	24.0	503	22.7	457	18.3	691	31.1	283	26.6
OUT-OF-WEDLOCK BIRTHS	507	32.0	738	38.6	708	32.0	905	36.2	1,101	49.6	443	41.7
LIVE BIRTH ORDER 4 OR MORE	185	11.7	228	11.9	245	11.1	222	8.9	211	9.5	109	10.3
LT 18 MOS SINCE LAST BIRTH	128	13.2	146	13.3	148	11.4	185	12.6	195	15.5	61	11.6
PRENATAL CARE												
1ST TRIMESTER	1,377	86.9	1,634	85.5	1,753	79.3	2,224	89.0	1,822	82.1	906	85.3
2ND TRIMESTER	162	10.2	208	10.9	315	14.2	197	7.9	288	13.0	93	8.8
3RD TRIMESTER	21	1.3	30	1.6	48	2.2	37	1.5	58	2.6	14	1.3
NO PRENATAL CARE	5	0.3	8	0.4	3	0.1	10	0.4	17	0.8	6	0.6
INADEQUATE PRENATAL CARE*	157	10.1	175	9.4	271	13.2	195	7.9	361	16.6	120	12.0
MOTHER MEDICAID PARTICIPANT	1,121	73.3	1,136	59.6	1,234	56.1	1,302	52.2	1,631	75.7	792	75.1
MOTHER WIC PARTICIPANT	1,049	68.6	1,036	54.4	1,159	52.7	1,372	55.0	1,526	70.8	716	67.9
MOTHER ON MEDICAID AND WIC	965	63.1	918	48.2	960	43.6	1,153	46.2	1,416	65.6	670	63.5
MOTHER FOOD STAMP RECIPIENT	593	38.8	540	28.4	564	25.7	686	27.5	906	42.1	466	44.2
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	2	0.1	2	0.1	8	0.4	2	0.2
15-17	58	3.7	96	5.0	103	4.7	89	3.6	117	5.3	43	4.0
18-19	201	12.7	200	10.5	186	8.4	245	9.8	288	13.0	131	12.3
20-24	617	39.0	650	34.0	788	35.6	821	32.9	900	40.6	443	41.7
25-29	387	24.4	518	27.1	607	27.5	693	27.7	535	24.1	268	25.2
30-34	211	13.3	294	15.4	353	16.0	444	17.8	242	10.9	107	10.1
35-39	90	5.7	129	6.8	136	6.2	170	6.8	108	4.9	58	5.5
40 AND OVER	20	1.3	24	1.3	36	1.6	35	1.4	21	0.9	10	0.9

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B	RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005											
	ADAIR		ANDREW		ATCHISON		AUDRAIN		BARRY		BARTON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	268	100.0	195	100.0	66	100.0	384	100.0	536	100.0	155	100.0
UNDER 2500 GRAMS	27	10.1	10	5.1	4	6.1	33	8.6	48	9.0	12	7.7
OVER 4499 GRAMS	9	3.4	5	2.6	2	3.0	5	1.3	4	0.7	1	0.6
CROWN HEEL LT 47 CM (<18.5 IN)	27	10.2	8	4.2	0	0.0	46	12.3	36	7.5	9	6.3
LESS THAN 37 WEEKS GESTATION*	37	13.8	17	8.7	6	9.1	53	13.8	73	13.6	23	14.8
APGAR SCORE LESS THAN 8	11	4.1	4	2.1	3	4.5	6	1.6	16	3.0	9	5.8
CONGENITAL ANOMALIES	10	3.7	2	1.0	0	0.0	5	1.3	4	0.7	9	5.8
ABNORMAL CONDITIONS OF NEWBORN	23	8.6	9	4.6	2	3.0	34	8.9	43	8.0	28	18.1
INFANT TRANSFERS	9	3.4	3	1.5	1	1.5	12	3.1	12	2.2	0	0.0
MATERNAL TRANSFERS	6	2.2	2	1.0	0	0.0	4	1.0	13	2.4	1	0.6
HOME DELIVERIES	10	3.7	0	0.0	1	1.5	10	2.6	2	0.4	0	0.0
CESAREAN DELIVERIES	107	39.9	49	25.1	22	33.3	125	32.6	169	31.5	57	36.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	54	20.1	36	18.5	7	10.6	132	34.4	142	26.5	48	31.0
DRANK ALCOHOL DURING PREG	3	1.1	1	0.5	1	1.5	11	2.9	1	0.2	1	0.6
GT 15 PERCENT UNDERWEIGHT	12	4.6	10	5.2	3	4.8	20	5.6	45	9.5	8	5.2
GT 20 PERCENT OVERWEIGHT	103	39.6	82	42.7	28	44.4	135	37.7	173	36.4	58	37.7
GAINED LT 15 LBS DURING PREG*	16	7.2	16	9.6	7	12.1	33	10.5	48	11.0	13	10.2
GAINED 45+ LBS. DURING PREG*	41	18.6	29	17.4	18	31.0	68	21.7	99	22.7	28	21.9
MATERNAL EDUCATION UNDER 12	36	13.4	12	6.2	4	6.1	134	34.9	209	39.0	26	16.8
OUT-OF-WEDLOCK BIRTHS	76	28.4	50	25.6	15	22.7	212	55.2	211	39.4	54	34.8
LIVE BIRTH ORDER 4 OR MORE	29	10.8	20	10.3	9	13.6	64	16.7	78	14.6	16	10.3
LT 18 MOS SINCE LAST BIRTH	13	8.6	8	7.0	3	6.8	32	13.1	52	15.3	15	14.6
PRENATAL CARE												
1ST TRIMESTER	235	87.7	182	93.3	62	93.9	298	77.6	430	80.2	127	81.9
2ND TRIMESTER	20	7.5	12	6.2	2	3.0	46	12.0	74	13.8	23	14.8
3RD TRIMESTER	7	2.6	0	0.0	0	0.0	25	6.5	12	2.2	3	1.9
NO PRENATAL CARE	3	1.1	0	0.0	1	1.5	3	0.8	5	0.9	0	0.0
INADEQUATE PRENATAL CARE*	20	7.7	8	4.1	6	9.2	62	17.7	94	18.0	14	9.4
MOTHER MEDICAID PARTICIPANT	141	52.8	69	35.4	35	55.6	193	50.4	378	77.5	103	66.5
MOTHER WIC PARTICIPANT	118	44.2	73	37.4	41	65.1	146	38.1	318	65.2	86	56.6
MOTHER ON MEDICAID AND WIC	108	40.4	55	28.2	31	49.2	126	32.9	300	61.5	79	51.0
MOTHER FOOD STAMP RECIPIENT	60	22.6	24	12.6	13	20.6	95	24.8	169	34.6	50	35.0
AGE OF MOTHER												
UNDER 15	1	0.4	0	0.0	0	0.0	1	0.3	1	0.2	0	0.0
15-17	1	0.4	6	3.1	0	0.0	11	2.9	22	4.1	7	4.5
18-19	17	6.3	10	5.1	4	6.1	38	9.9	50	9.3	15	9.7
20-24	74	27.6	57	29.2	22	33.3	133	34.6	225	42.0	63	40.6
25-29	83	31.0	64	32.8	12	18.2	115	29.9	130	24.3	42	27.1
30-34	69	25.7	45	23.1	21	31.8	57	14.8	70	13.1	18	11.6
35-39	17	6.3	10	5.1	7	10.6	26	6.8	32	6.0	6	3.9
40 AND OVER	6	2.2	3	1.5	0	0.0	3	0.8	6	1.1	4	2.6

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	BATES		BENTON		BOLLINGER		BOONE		BUCHANAN		BUTLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	230	100.0	172	100.0	150	100.0	1,943	100.0	1,125	100.0	599	100.0
UNDER 2500 GRAMS	14	6.1	11	6.4	14	9.3	166	8.5	93	8.3	60	10.0
OVER 4499 GRAMS	1	0.4	4	2.3	4	2.7	28	1.4	4	0.4	5	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	28	14.4	10	5.8	20	13.3	185	9.6	71	6.5	122	20.7
LESS THAN 37 WEEKS GESTATION*	26	11.3	21	12.2	25	16.7	244	12.6	135	12.0	114	19.0
APGAR SCORE LESS THAN 8	4	1.7	7	4.1	9	6.0	93	4.8	20	1.8	28	4.7
CONGENITAL ANOMALIES	5	2.2	3	1.7	3	2.0	26	1.3	15	1.3	12	2.0
ABNORMAL CONDITIONS OF NEWBORN	33	14.3	29	16.9	9	6.0	166	8.5	36	3.2	56	9.3
INFANT TRANSFERS	5	2.2	3	1.7	1	0.7	6	0.3	13	1.2	23	3.8
MATERNAL TRANSFERS	6	2.6	4	2.3	2	1.3	16	0.8	21	1.9	10	1.7
HOME DELIVERIES	3	1.3	1	0.6	1	0.7	17	0.9	3	0.3	0	0.0
CESAREAN DELIVERIES	90	39.1	59	34.3	51	34.0	680	35.0	267	23.7	154	25.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	75	32.6	55	32.0	40	26.7	268	13.8	329	29.2	194	32.4
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	1	0.7	27	1.4	0	0.0	0	0.0
GT 15 PERCENT UNDERWEIGHT	12	5.3	11	6.6	5	3.3	91	5.5	62	5.6	40	7.6
GT 20 PERCENT OVERWEIGHT	98	43.2	68	40.7	63	42.0	573	34.7	445	40.2	223	42.3
GAINED LT 15 LBS DURING PREG*	12	6.1	15	10.4	14	11.4	117	7.9	110	11.5	39	9.0
GAINED 45+ LBS. DURING PREG*	39	19.7	32	22.2	36	29.3	297	20.1	205	21.5	102	23.6
MATERNAL EDUCATION UNDER 12	65	28.3	34	19.8	32	21.3	222	11.4	204	18.1	158	26.4
OUT-OF-WEDLOCK BIRTHS	86	37.4	70	40.7	52	34.7	641	33.0	511	45.4	263	43.9
LIVE BIRTH ORDER 4 OR MORE	31	13.5	10	5.8	15	10.0	152	7.8	88	7.8	61	10.2
LT 18 MOS SINCE LAST BIRTH	27	19.4	8	8.2	8	10.1	79	7.9	95	14.9	33	11.2
PRENATAL CARE												
1ST TRIMESTER	187	81.3	148	86.0	142	94.7	1,631	83.9	1,015	90.2	509	85.0
2ND TRIMESTER	29	12.6	18	10.5	5	3.3	192	9.9	89	7.9	48	8.0
3RD TRIMESTER	7	3.0	0	0.0	1	0.7	30	1.5	7	0.6	7	1.2
NO PRENATAL CARE	2	0.9	3	1.7	1	0.7	5	0.3	1	0.1	3	0.5
INADEQUATE PRENATAL CARE*	34	15.2	22	13.0	4	2.7	170	10.9	66	6.0	70	12.6
MOTHER MEDICAID PARTICIPANT	140	60.9	117	68.0	89	59.3	718	37.1	646	57.6	432	72.7
MOTHER WIC PARTICIPANT	132	57.9	105	61.0	104	69.3	549	28.4	518	46.2	386	65.0
MOTHER ON MEDICAID AND WIC	116	50.4	96	55.8	82	54.7	464	24.0	474	42.3	361	60.8
MOTHER FOOD STAMP RECIPIENT	63	32.5	72	41.9	35	23.3	387	20.0	320	29.1	267	44.9
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	4	0.2	1	0.1	1	0.2
15-17	14	6.1	13	7.6	5	3.3	46	2.4	42	3.7	22	3.7
18-19	27	11.7	15	8.7	21	14.0	95	4.9	122	10.8	69	11.5
20-24	86	37.4	69	40.1	47	31.3	468	24.1	397	35.3	238	39.7
25-29	71	30.9	33	19.2	42	28.0	595	30.6	320	28.4	169	28.2
30-34	19	8.3	24	14.0	22	14.7	457	23.5	171	15.2	58	9.7
35-39	11	4.8	14	8.1	10	6.7	234	12.0	56	5.0	39	6.5
40 AND OVER	1	0.4	4	2.3	3	2.0	44	2.3	16	1.4	3	0.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU		CARROLL		CARTER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	140	100.0	519	100.0	414	100.0	944	100.0	103	100.0	79	100.0
UNDER 2500 GRAMS	20	14.3	40	7.7	27	6.5	75	7.9	4	3.9	10	12.7
OVER 4499 GRAMS	1	0.7	5	1.0	4	1.0	9	1.0	1	1.0	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	29	21.0	56	10.9	27	6.6	116	12.3	19	18.6	15	19.7
LESS THAN 37 WEEKS GESTATION*	19	13.6	76	14.6	51	12.3	121	12.8	11	10.7	10	12.7
APGAR SCORE LESS THAN 8	1	0.7	18	3.5	20	4.8	30	3.2	2	1.9	1	1.3
CONGENITAL ANOMALIES	2	1.4	13	2.5	9	2.2	9	1.0	0	0.0	1	1.3
ABNORMAL CONDITIONS OF NEWBORN	10	7.1	59	11.4	70	16.9	33	3.5	9	8.7	4	5.1
INFANT TRANSFERS	0	0.0	3	0.6	25	6.0	3	0.3	3	2.9	1	1.3
MATERNAL TRANSFERS	3	2.1	8	1.5	21	5.1	3	0.3	1	1.0	1	1.3
HOME DELIVERIES	0	0.0	0	0.0	1	0.2	2	0.2	3	2.9	0	0.0
CESAREAN DELIVERIES	43	30.7	187	36.0	124	30.0	312	33.1	32	31.1	24	30.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	36	25.7	142	27.4	135	32.6	209	22.1	29	28.2	25	31.6
DRANK ALCOHOL DURING PREG	1	0.7	6	1.2	6	1.4	8	0.8	0	0.0	0	0.0
GT 15 PERCENT UNDERWEIGHT	2	1.4	30	6.4	28	6.9	58	6.2	4	4.1	4	5.9
GT 20 PERCENT OVERWEIGHT	58	42.0	216	45.8	133	32.9	331	35.6	49	50.0	35	51.5
GAINED LT 15 LBS DURING PREG*	13	11.9	38	9.2	24	6.8	66	8.3	13	14.9	7	12.3
GAINED 45+ LBS. DURING PREG*	27	24.8	90	21.7	83	23.4	165	20.9	14	16.1	8	14.0
MATERNAL EDUCATION UNDER 12	25	17.9	87	16.8	76	18.4	147	15.6	21	20.4	22	27.8
OUT-OF-WEDLOCK BIRTHS	50	35.7	195	37.6	157	37.9	338	35.8	35	34.0	29	36.7
LIVE BIRTH ORDER 4 OR MORE	26	18.6	52	10.0	37	8.9	80	8.5	10	9.7	8	10.1
LT 18 MOS SINCE LAST BIRTH	10	11.6	34	11.5	26	10.4	63	11.4	6	8.3	6	14.3
PRENATAL CARE												
1ST TRIMESTER	120	85.7	419	80.7	304	73.4	853	90.4	89	86.4	67	84.8
2ND TRIMESTER	17	12.1	62	11.9	93	22.5	64	6.8	8	7.8	9	11.4
3RD TRIMESTER	2	1.4	12	2.3	14	3.4	8	0.8	2	1.9	1	1.3
NO PRENATAL CARE	0	0.0	4	0.8	0	0.0	5	0.5	2	1.9	0	0.0
INADEQUATE PRENATAL CARE*	9	6.5	59	12.8	58	14.2	67	7.3	15	14.9	5	6.7
MOTHER MEDICAID PARTICIPANT	71	51.1	228	44.0	281	68.4	429	45.6	62	60.2	65	82.3
MOTHER WIC PARTICIPANT	63	45.3	202	39.1	230	56.1	415	44.1	61	59.2	60	75.9
MOTHER ON MEDICAID AND WIC	55	39.6	165	31.9	220	53.5	359	38.1	55	53.4	58	73.4
MOTHER FOOD STAMP RECIPIENT	35	25.4	117	22.6	117	28.6	225	23.9	32	31.1	34	43.0
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3
15-17	4	2.9	17	3.3	15	3.6	29	3.1	3	2.9	1	1.3
18-19	7	5.0	36	6.9	36	8.7	83	8.8	10	9.7	10	12.7
20-24	52	37.1	168	32.4	149	36.0	273	28.9	30	29.1	33	41.8
25-29	47	33.6	153	29.5	106	25.6	262	27.8	37	35.9	21	26.6
30-34	20	14.3	105	20.2	63	15.2	204	21.6	16	15.5	7	8.9
35-39	6	4.3	33	6.4	36	8.7	73	7.7	6	5.8	4	5.1
40 AND OVER	4	2.9	7	1.3	9	2.2	20	2.1	1	1.0	2	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005												
	CASS		CEDAR		CHARITON		CHRISTIAN		CLARK		CLAY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,248	100.0	164	100.0	92	100.0	1,094	100.0	97	100.0	3,052	100.0
UNDER 2500 GRAMS	65	5.2	10	6.1	5	5.4	65	5.9	4	4.1	210	6.9
OVER 4499 GRAMS	12	1.0	3	1.8	3	3.3	9	0.8	0	0.0	27	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	94	11.2	9	5.6	10	11.0	45	4.2	1	4.0	213	7.4
LESS THAN 37 WEEKS GESTATION*	142	11.4	20	12.2	6	6.5	131	12.0	13	13.4	371	12.2
APGAR SCORE LESS THAN 8	36	2.9	11	6.7	4	4.3	19	1.7	6	6.2	59	1.9
CONGENITAL ANOMALIES	15	1.2	5	3.0	2	2.2	9	0.8	1	1.0	51	1.7
ABNORMAL CONDITIONS OF NEWBORN	100	8.0	15	9.1	8	8.7	117	10.7	5	5.2	175	5.7
INFANT TRANSFERS	13	1.0	4	2.4	2	2.2	6	0.5	1	1.0	33	1.1
MATERNAL TRANSFERS	7	0.6	1	0.6	1	1.1	4	0.4	1	1.0	39	1.3
HOME DELIVERIES	4	0.3	12	7.3	1	1.1	10	0.9	4	4.1	9	0.3
CESAREAN DELIVERIES	317	25.4	50	30.5	37	40.2	344	31.4	32	33.0	878	28.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	218	17.5	32	19.5	14	15.2	151	13.8	30	30.9	435	14.3
DRANK ALCOHOL DURING PREG	8	0.6	0	0.0	1	1.1	13	1.2	0	0.0	11	0.4
GT 15 PERCENT UNDERWEIGHT	77	6.3	15	9.2	2	2.5	53	4.9	1	3.8	164	5.6
GT 20 PERCENT OVERWEIGHT	492	40.4	60	36.8	34	42.0	388	35.9	12	46.2	1,035	35.0
GAINED LT 15 LBS DURING PREG*	116	10.8	6	4.2	11	14.5	69	7.4	9	10.8	182	7.2
GAINED 45+ LBS. DURING PREG*	210	19.5	31	21.8	13	17.1	218	23.3	16	19.3	513	20.2
MATERNAL EDUCATION UNDER 12	144	11.5	42	25.6	11	12.0	116	10.6	23	23.7	316	10.4
OUT-OF-WEDLOCK BIRTHS	352	28.2	59	36.0	31	33.7	255	23.3	31	32.0	863	28.3
LIVE BIRTH ORDER 4 OR MORE	128	10.3	24	14.6	9	9.8	70	6.4	13	13.4	270	8.8
LT 18 MOS SINCE LAST BIRTH	65	8.8	16	15.1	1	1.9	60	9.9	11	18.6	191	10.9
PRENATAL CARE												
1ST TRIMESTER	1,099	88.1	135	82.3	79	85.9	985	90.0	77	79.4	2,706	88.7
2ND TRIMESTER	88	7.1	17	10.4	9	9.8	89	8.1	14	14.4	222	7.3
3RD TRIMESTER	16	1.3	5	3.0	0	0.0	17	1.6	6	6.2	32	1.0
NO PRENATAL CARE	7	0.6	4	2.4	0	0.0	2	0.2	0	0.0	20	0.7
INADEQUATE PRENATAL CARE*	92	7.7	26	16.1	8	10.4	73	6.7	14	14.4	218	7.5
MOTHER MEDICAID PARTICIPANT	454	36.7	107	65.6	47	51.1	448	41.0	14	51.9	936	31.0
MOTHER WIC PARTICIPANT	435	35.2	82	50.3	46	50.0	377	34.5	10	37.0	833	27.6
MOTHER ON MEDICAID AND WIC	343	27.6	75	46.0	41	44.6	332	30.4	10	37.0	672	22.2
MOTHER FOOD STAMP RECIPIENT	156	18.6	48	29.4	20	21.7	167	15.3	4	15.4	398	13.9
AGE OF MOTHER												
UNDER 15	2	0.2	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
15-17	34	2.7	11	6.7	0	0.0	27	2.5	6	6.2	57	1.9
18-19	80	6.4	14	8.5	3	3.3	68	6.2	4	4.1	140	4.6
20-24	334	26.8	57	34.8	38	41.3	304	27.8	34	35.1	706	23.1
25-29	430	34.5	45	27.4	30	32.6	363	33.2	29	29.9	986	32.3
30-34	263	21.1	17	10.4	17	18.5	217	19.8	16	16.5	781	25.6
35-39	84	6.7	16	9.8	3	3.3	101	9.2	6	6.2	336	11.0
40 AND OVER	21	1.7	4	2.4	1	1.1	14	1.3	2	2.1	44	1.4

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	CLINTON		COLE		COOPER		CRAWFORD		DADE		DALLAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	270	100.0	959	100.0	179	100.0	335	100.0	85	100.0	205	100.0
UNDER 2500 GRAMS	16	5.9	67	7.0	13	7.3	31	9.3	6	7.1	11	5.4
OVER 4499 GRAMS	6	2.2	13	1.4	1	0.6	7	2.1	0	0.0	4	2.0
CROWN HEEL LT 47 CM (<18.5 IN)	19	7.3	117	12.3	13	7.3	30	9.1	2	2.4	7	3.5
LESS THAN 37 WEEKS GESTATION*	33	12.2	129	13.5	22	12.3	39	11.6	8	9.4	20	9.8
APGAR SCORE LESS THAN 8	5	1.9	30	3.1	5	2.8	9	2.7	0	0.0	3	1.5
CONGENITAL ANOMALIES	1	0.4	11	1.1	4	2.2	9	2.7	2	2.4	4	2.0
ABNORMAL CONDITIONS OF NEWBORN	9	3.3	92	9.6	20	11.2	23	6.9	8	9.4	21	10.2
INFANT TRANSFERS	4	1.5	21	2.2	2	1.1	11	3.3	1	1.2	7	3.4
MATERNAL TRANSFERS	5	1.9	15	1.6	3	1.7	7	2.1	0	0.0	2	1.0
HOME DELIVERIES	0	0.0	3	0.3	4	2.2	4	1.2	2	2.4	12	5.9
CESAREAN DELIVERIES	69	25.6	298	31.1	63	35.2	106	31.6	23	27.1	63	30.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	72	26.7	157	16.4	40	22.3	114	34.0	13	15.3	33	16.1
DRANK ALCOHOL DURING PREG	0	0.0	5	0.5	4	2.2	0	0.0	1	1.2	3	1.5
GT 15 PERCENT UNDERWEIGHT	20	7.5	44	4.9	6	4.1	15	4.6	7	8.2	8	4.0
GT 20 PERCENT OVERWEIGHT	104	39.2	340	37.8	71	48.3	120	36.8	35	41.2	79	39.7
GAINED LT 15 LBS DURING PREG*	32	14.0	48	6.2	7	5.7	30	10.3	11	14.3	26	14.4
GAINED 45+ LBS. DURING PREG*	48	21.0	184	23.7	22	17.9	68	23.4	15	19.5	26	14.4
MATERNAL EDUCATION UNDER 12	34	12.6	129	13.5	32	17.9	114	34.0	18	21.2	76	37.1
OUT-OF-WEDLOCK BIRTHS	75	27.8	323	33.7	64	35.8	146	43.6	34	40.0	49	23.9
LIVE BIRTH ORDER 4 OR MORE	26	9.6	96	10.0	15	8.4	40	11.9	8	9.4	31	15.1
LT 18 MOS SINCE LAST BIRTH	17	10.1	53	10.4	11	10.3	31	16.8	4	8.3	16	12.2
PRENATAL CARE												
1ST TRIMESTER	236	87.4	739	77.1	145	81.0	299	89.3	78	91.8	160	78.0
2ND TRIMESTER	22	8.1	121	12.6	17	9.5	25	7.5	6	7.1	36	17.6
3RD TRIMESTER	4	1.5	22	2.3	3	1.7	5	1.5	1	1.2	5	2.4
NO PRENATAL CARE	3	1.1	13	1.4	0	0.0	4	1.2	0	0.0	1	0.5
INADEQUATE PRENATAL CARE*	19	7.4	88	10.3	18	12.2	30	9.1	6	7.1	35	17.4
MOTHER MEDICAID PARTICIPANT	106	39.6	352	36.9	73	41.0	209	62.4	54	63.5	101	49.8
MOTHER WIC PARTICIPANT	91	33.8	346	36.3	70	39.3	177	52.8	54	63.5	84	41.4
MOTHER ON MEDICAID AND WIC	75	27.9	283	29.7	56	31.5	159	47.5	46	54.1	71	35.0
MOTHER FOOD STAMP RECIPIENT	38	14.4	186	19.5	39	21.9	100	29.9	23	27.1	45	22.2
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5
15-17	7	2.6	27	2.8	5	2.8	22	6.6	5	5.9	8	3.9
18-19	18	6.7	56	5.8	10	5.6	38	11.3	8	9.4	22	10.7
20-24	59	21.9	258	26.9	50	27.9	115	34.3	27	31.8	72	35.1
25-29	103	38.1	325	33.9	62	34.6	98	29.3	20	23.5	49	23.9
30-34	53	19.6	206	21.5	40	22.3	41	12.2	16	18.8	32	15.6
35-39	24	8.9	75	7.8	9	5.0	17	5.1	7	8.2	15	7.3
40 AND OVER	5	1.9	12	1.3	3	1.7	4	1.2	2	2.4	6	2.9

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	DAVIESS		DE KALB		DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	124	100.0	119	100.0	180	100.0	159	100.0	473	100.0	1,285	100.0
UNDER 2500 GRAMS	14	11.3	6	5.0	15	8.3	12	7.5	53	11.2	91	7.1
OVER 4499 GRAMS	1	0.8	1	0.8	4	2.2	3	1.9	4	0.8	21	1.6
CROWN HEEL LT 47 CM (<18.5 IN)	18	14.8	12	10.3	19	10.7	7	4.6	80	18.3	95	7.5
LESS THAN 37 WEEKS GESTATION*	17	13.7	15	12.6	19	10.6	20	12.6	93	19.7	143	11.1
APGAR SCORE LESS THAN 8	9	7.3	0	0.0	4	2.2	3	1.9	16	3.4	28	2.2
CONGENITAL ANOMALIES	7	5.6	3	2.5	4	2.2	1	0.6	4	0.8	22	1.7
ABNORMAL CONDITIONS OF NEWBORN	17	13.7	4	3.4	6	3.3	17	10.7	25	5.3	81	6.3
INFANT TRANSFERS	1	0.8	1	0.8	2	1.1	1	0.6	18	3.8	18	1.4
MATERNAL TRANSFERS	4	3.2	2	1.7	0	0.0	0	0.0	3	0.6	6	0.5
HOME DELIVERIES	11	8.9	1	0.8	4	2.2	3	1.9	0	0.0	4	0.3
CESAREAN DELIVERIES	29	23.4	26	21.8	42	23.3	39	24.5	180	38.1	437	34.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	31	25.0	34	28.6	56	31.1	41	25.8	137	29.0	268	20.9
DRANK ALCOHOL DURING PREG	0	0.0	1	0.8	1	0.6	1	0.6	4	0.8	6	0.5
GT 15 PERCENT UNDERWEIGHT	9	7.4	3	2.6	13	7.3	14	8.9	23	5.7	65	5.4
GT 20 PERCENT OVERWEIGHT	48	39.7	48	41.0	64	36.2	61	38.9	162	39.8	480	39.9
GAINED LT 15 LBS DURING PREG*	5	4.8	13	13.0	16	10.3	13	9.6	32	9.8	93	8.7
GAINED 45+ LBS. DURING PREG*	18	17.3	16	16.0	30	19.4	38	28.1	63	19.4	203	19.1
MATERNAL EDUCATION UNDER 12	42	33.9	12	10.1	49	27.2	25	15.7	188	39.7	231	18.0
OUT-OF-WEDLOCK BIRTHS	25	20.2	35	29.4	69	38.3	51	32.1	240	50.7	426	33.2
LIVE BIRTH ORDER 4 OR MORE	28	22.6	11	9.2	25	13.9	20	12.6	50	10.6	132	10.3
LT 18 MOS SINCE LAST BIRTH	11	12.8	8	11.6	17	15.3	13	13.5	42	16.0	78	11.0
PRENATAL CARE												
1ST TRIMESTER	98	79.0	107	89.9	158	87.8	138	86.8	381	80.5	1,197	93.2
2ND TRIMESTER	19	15.3	9	7.6	16	8.9	16	10.1	68	14.4	71	5.5
3RD TRIMESTER	3	2.4	1	0.8	0	0.0	2	1.3	15	3.2	8	0.6
NO PRENATAL CARE	0	0.0	1	0.8	1	0.6	1	0.6	3	0.6	4	0.3
INADEQUATE PRENATAL CARE*	26	21.7	9	7.6	11	6.3	8	5.1	92	19.9	68	5.3
MOTHER MEDICAID PARTICIPANT	62	50.4	47	39.5	142	79.3	116	73.4	383	86.8	538	42.2
MOTHER WIC PARTICIPANT	60	48.8	43	36.1	128	71.5	110	69.6	333	75.5	450	35.3
MOTHER ON MEDICAID AND WIC	57	46.3	39	32.8	122	68.2	97	61.4	317	71.9	386	30.3
MOTHER FOOD STAMP RECIPIENT	28	23.0	20	17.1	65	36.3	53	33.8	211	47.8	246	19.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	3	0.2
15-17	4	3.2	3	2.5	7	3.9	4	2.5	28	5.9	37	2.9
18-19	7	5.6	6	5.0	21	11.7	23	14.5	67	14.2	93	7.2
20-24	43	34.7	39	32.8	72	40.0	64	40.3	192	40.6	374	29.1
25-29	36	29.0	32	26.9	38	21.1	40	25.2	122	25.8	368	28.6
30-34	22	17.7	25	21.0	29	16.1	20	12.6	34	7.2	266	20.7
35-39	11	8.9	11	9.2	10	5.6	7	4.4	21	4.4	112	8.7
40 AND OVER	1	0.8	3	2.5	3	1.7	1	0.6	6	1.3	32	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:

	GASCONADE		GENTRY		GREENE		MISSOURI 2005 GRUNDY		HARRISON		HENRY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	179	100.0	88	100.0	3,448	100.0	117	100.0	106	100.0	292	100.0
UNDER 2500 GRAMS	13	7.3	8	9.1	247	7.2	10	8.5	7	6.6	25	8.6
OVER 4499 GRAMS	3	1.7	1	1.1	43	1.2	1	0.9	1	0.9	4	1.4
CROWN HEEL LT 47 CM (<18.5 IN)	9	5.1	3	3.4	172	5.1	28	25.0	17	17.0	34	12.1
LESS THAN 37 WEEKS GESTATION*	20	11.2	8	9.1	464	13.5	14	12.0	17	16.0	35	12.0
APGAR SCORE LESS THAN 8	2	1.1	0	0.0	56	1.6	4	3.4	6	5.7	10	3.4
CONGENITAL ANOMALIES	0	0.0	1	1.1	19	0.6	5	4.3	3	2.8	4	1.4
ABNORMAL CONDITIONS OF NEWBORN	6	3.4	2	2.3	370	10.7	22	18.8	15	14.2	22	7.5
INFANT TRANSFERS	3	1.7	1	1.1	12	0.3	1	0.9	2	1.9	4	1.4
MATERNAL TRANSFERS	1	0.6	1	1.1	12	0.3	2	1.7	6	5.7	11	3.8
HOME DELIVERIES	0	0.0	9	10.2	30	0.9	6	5.1	3	2.8	1	0.3
CESAREAN DELIVERIES	58	32.4	10	11.4	1,015	29.4	34	29.1	29	27.4	95	32.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	58	32.4	25	28.4	661	19.2	33	28.2	25	23.6	84	28.8
DRANK ALCOHOL DURING PREG	1	0.6	0	0.0	37	1.1	0	0.0	0	0.0	1	0.3
GT 15 PERCENT UNDERWEIGHT	15	9.3	2	2.3	222	6.5	5	4.4	9	9.1	15	5.3
GT 20 PERCENT OVERWEIGHT	67	41.6	40	46.0	1,221	36.0	43	37.7	36	36.4	128	44.9
GAINED LT 15 LBS DURING PREG*	14	9.7	11	14.7	236	8.1	12	12.0	9	10.6	32	13.1
GAINED 45+ LBS. DURING PREG*	29	20.1	9	12.0	634	21.8	12	12.0	15	17.6	41	16.8
MATERNAL EDUCATION UNDER 12	41	22.9	22	25.0	580	16.8	29	24.8	19	17.9	53	18.2
OUT-OF-WEDLOCK BIRTHS	77	43.0	29	33.0	1,238	35.9	48	41.0	38	35.8	107	36.6
LIVE BIRTH ORDER 4 OR MORE	22	12.3	14	15.9	291	8.4	18	15.4	12	11.3	25	8.6
LT 18 MOS SINCE LAST BIRTH	14	15.2	9	16.4	201	10.9	9	12.0	9	14.3	19	11.1
PRENATAL CARE												
1ST TRIMESTER	161	89.9	74	84.1	3,013	87.4	93	79.5	90	84.9	248	84.9
2ND TRIMESTER	12	6.7	6	6.8	363	10.5	18	15.4	13	12.3	35	12.0
3RD TRIMESTER	3	1.7	7	8.0	48	1.4	4	3.4	1	0.9	0	0.0
NO PRENATAL CARE	1	0.6	1	1.1	12	0.3	1	0.9	0	0.0	3	1.0
INADEQUATE PRENATAL CARE*	12	6.9	11	12.5	306	8.9	17	14.8	13	12.5	26	9.1
MOTHER MEDICAID PARTICIPANT	99	55.3	48	54.5	1,815	52.7	70	61.4	70	69.3	165	56.9
MOTHER WIC PARTICIPANT	91	50.8	45	51.1	1,591	46.2	64	56.1	59	58.4	153	52.8
MOTHER ON MEDICAID AND WIC	79	44.1	38	43.2	1,400	40.7	60	52.6	53	52.5	138	47.6
MOTHER FOOD STAMP RECIPIENT	44	24.6	12	13.6	917	26.6	34	30.4	29	29.0	87	30.9
AGE OF MOTHER												
UNDER 15	0	0.0	1	1.1	3	0.1	0	0.0	0	0.0	0	0.0
15-17	5	2.8	3	3.4	117	3.4	6	5.1	4	3.8	8	2.7
18-19	24	13.4	14	15.9	291	8.4	11	9.4	15	14.2	23	7.9
20-24	61	34.1	30	34.1	1,050	30.5	38	32.5	33	31.1	99	33.9
25-29	54	30.2	24	27.3	1,039	30.1	29	24.8	35	33.0	100	34.2
30-34	25	14.0	11	12.5	651	18.9	14	12.0	10	9.4	41	14.0
35-39	9	5.0	3	3.4	245	7.1	18	15.4	8	7.5	17	5.8
40 AND OVER	1	0.6	2	2.3	52	1.5	1	0.9	1	0.9	3	1.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	HICKORY		HOLT		HOWARD		HOWELL		IRON		JACKSON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	87	100.0	58	100.0	108	100.0	497	100.0	125	100.0	10,353	100.0
UNDER 2500 GRAMS	7	8.0	1	1.7	11	10.2	30	6.0	8	6.4	933	9.0
OVER 4499 GRAMS	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0	113	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	6	7.1	2	3.6	9	8.5	33	6.8	10	8.0	1,220	13.6
LESS THAN 37 WEEKS GESTATION*	8	9.2	5	8.6	19	17.6	63	12.7	20	16.0	1,376	13.3
APGAR SCORE LESS THAN 8	8	9.2	0	0.0	5	4.6	15	3.0	0	0.0	316	3.1
CONGENITAL ANOMALIES	2	2.3	2	3.4	0	0.0	8	1.6	0	0.0	149	1.4
ABNORMAL CONDITIONS OF NEWBORN	10	11.5	1	1.7	9	8.3	35	7.0	7	5.6	855	8.3
INFANT TRANSFERS	2	2.3	3	5.2	0	0.0	8	1.6	5	4.0	100	1.0
MATERNAL TRANSFERS	5	5.7	2	3.4	3	2.8	2	0.4	2	1.6	180	1.7
HOME DELIVERIES	1	1.1	0	0.0	1	0.9	2	0.4	1	0.8	41	0.4
CESAREAN DELIVERIES	37	42.5	16	27.6	37	34.3	128	25.8	43	34.4	2,690	26.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	32	36.8	15	25.9	27	25.0	121	24.3	54	43.2	1,529	14.8
DRANK ALCOHOL DURING PREG	1	1.1	0	0.0	2	1.9	1	0.2	0	0.0	57	0.6
GT 15 PERCENT UNDERWEIGHT	8	9.4	3	5.2	3	3.5	33	6.8	7	5.7	538	5.7
GT 20 PERCENT OVERWEIGHT	27	31.8	24	41.4	34	39.5	184	37.8	54	43.9	3,715	39.1
GAINED LT 15 LBS DURING PREG*	5	6.5	5	9.8	8	10.3	26	6.1	13	12.9	751	9.0
GAINED 45+ LBS. DURING PREG*	20	26.0	9	17.6	13	16.7	90	21.0	14	13.9	1,605	19.3
MATERNAL EDUCATION UNDER 12	20	23.0	7	12.1	17	15.7	118	23.7	23	18.4	2,189	21.1
OUT-OF-WEDLOCK BIRTHS	35	40.2	15	25.9	40	37.0	170	34.2	47	37.6	4,910	47.4
LIVE BIRTH ORDER 4 OR MORE	7	8.0	6	10.3	9	8.3	51	10.3	8	6.4	1,262	12.2
LT 18 MOS SINCE LAST BIRTH	6	10.9	7	17.5	9	14.3	33	11.4	8	10.0	712	12.2
PRENATAL CARE												
1ST TRIMESTER	68	78.2	51	87.9	84	77.8	441	88.7	114	91.2	8,577	82.8
2ND TRIMESTER	18	20.7	6	10.3	12	11.1	51	10.3	6	4.8	1,006	9.7
3RD TRIMESTER	1	1.1	1	1.7	3	2.8	2	0.4	1	0.8	157	1.5
NO PRENATAL CARE	0	0.0	0	0.0	2	1.9	0	0.0	2	1.6	107	1.0
INADEQUATE PRENATAL CARE*	12	13.8	7	12.1	11	12.0	43	8.7	10	8.2	1,095	11.4
MOTHER MEDICAID PARTICIPANT	70	80.5	34	58.6	51	47.2	359	73.6	80	64.0	5,198	50.5
MOTHER WIC PARTICIPANT	56	64.4	26	44.8	50	46.3	326	66.8	88	71.0	4,901	47.6
MOTHER ON MEDICAID AND WIC	52	59.8	26	44.8	40	37.0	305	62.5	73	58.4	4,077	39.5
MOTHER FOOD STAMP RECIPIENT	30	34.5	14	25.0	22	20.6	195	40.0	44	35.5	2,501	27.8
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2
15-17	4	4.6	1	1.7	3	2.8	24	4.8	3	2.4	373	3.6
18-19	11	12.6	5	8.6	7	6.5	63	12.7	12	9.6	838	8.1
20-24	29	33.3	16	27.6	37	34.3	193	38.8	53	42.4	2,985	28.8
25-29	26	29.9	20	34.5	38	35.2	116	23.3	38	30.4	2,943	28.4
30-34	10	11.5	11	19.0	15	13.9	66	13.3	14	11.2	2,083	20.1
35-39	6	6.9	4	6.9	6	5.6	30	6.0	4	3.2	896	8.7
40 AND OVER	1	1.1	1	1.7	2	1.9	5	1.0	1	0.8	209	2.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:

	JASPER		JEFFERSON		JOHNSON		KNOX		LACLEDE		LAFAYETTE	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,835	100.0	2,915	100.0	694	100.0	47	100.0	517	100.0	427	100.0
UNDER 2500 GRAMS	123	6.7	222	7.6	41	5.9	2	4.3	45	8.7	24	5.6
OVER 4499 GRAMS	19	1.0	29	1.0	8	1.2	2	4.3	1	0.2	1	0.2
CROWN HEEL LT 47 CM (<18.5 IN)	104	5.7	203	7.1	66	9.9	2	4.5	35	6.9	49	11.7
LESS THAN 37 WEEKS GESTATION*	224	12.2	367	12.6	62	8.9	3	6.4	88	17.0	49	11.5
APGAR SCORE LESS THAN 8	41	2.2	63	2.2	16	2.3	1	2.1	23	4.4	4	0.9
CONGENITAL ANOMALIES	92	5.0	42	1.4	13	1.9	1	2.1	10	1.9	12	2.8
ABNORMAL CONDITIONS OF NEWBORN	397	21.6	153	5.2	55	7.9	0	0.0	55	10.6	34	8.0
INFANT TRANSFERS	13	0.7	40	1.4	13	1.9	0	0.0	27	5.2	9	2.1
MATERNAL TRANSFERS	3	0.2	8	0.3	4	0.6	0	0.0	6	1.2	11	2.6
HOME DELIVERIES	11	0.6	7	0.2	8	1.2	4	8.5	0	0.0	1	0.2
CESAREAN DELIVERIES	450	24.5	952	32.7	197	28.4	16	34.0	136	26.3	109	25.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	406	22.1	562	19.3	134	19.3	11	23.4	123	23.8	110	25.8
DRANK ALCOHOL DURING PREG	8	0.4	3	0.1	5	0.7	0	0.0	3	0.6	2	0.5
GT 15 PERCENT UNDERWEIGHT	103	5.7	139	4.9	37	5.4	2	4.7	34	6.9	18	4.3
GT 20 PERCENT OVERWEIGHT	718	39.5	1,121	39.2	274	39.9	19	44.2	181	36.6	188	45.4
GAINED LT 15 LBS DURING PREG*	150	9.5	202	8.2	41	6.7	3	7.1	30	7.2	38	10.3
GAINED 45+ LBS. DURING PREG*	313	19.7	550	22.4	154	25.2	6	14.3	99	23.8	66	17.8
MATERNAL EDUCATION UNDER 12	507	27.6	383	13.1	101	14.6	16	34.0	147	28.4	72	16.9
OUT-OF-WEDLOCK BIRTHS	777	42.3	868	29.8	182	26.2	14	29.8	180	34.8	150	35.1
LIVE BIRTH ORDER 4 OR MORE	204	11.1	238	8.2	65	9.4	5	10.6	57	11.0	45	10.5
LT 18 MOS SINCE LAST BIRTH	162	14.8	183	11.1	46	12.5	3	10.0	41	13.1	34	13.8
PRENATAL CARE												
1ST TRIMESTER	1,406	76.6	2,686	92.1	585	84.3	39	83.0	458	88.6	369	86.4
2ND TRIMESTER	360	19.6	163	5.6	73	10.5	6	12.8	37	7.2	39	9.1
3RD TRIMESTER	54	2.9	16	0.5	17	2.4	2	4.3	13	2.5	8	1.9
NO PRENATAL CARE	13	0.7	6	0.2	4	0.6	0	0.0	1	0.2	0	0.0
INADEQUATE PRENATAL CARE*	281	15.4	123	4.3	74	10.9	8	17.0	45	8.9	47	11.3
MOTHER MEDICAID PARTICIPANT	1,118	61.2	988	34.1	262	37.9	26	59.1	341	66.0	195	45.9
MOTHER WIC PARTICIPANT	896	49.1	842	29.1	336	48.5	25	56.8	274	53.0	175	41.2
MOTHER ON MEDICAID AND WIC	828	45.3	697	24.1	224	32.3	22	50.0	251	48.5	149	35.1
MOTHER FOOD STAMP RECIPIENT	515	28.3	461	15.9	121	18.1	13	29.5	157	30.4	102	24.4
AGE OF MOTHER												
UNDER 15	1	0.1	2	0.1	0	0.0	0	0.0	2	0.4	0	0.0
15-17	66	3.6	54	1.9	17	2.4	3	6.4	27	5.2	12	2.8
18-19	181	9.9	172	5.9	55	7.9	5	10.6	50	9.7	42	9.8
20-24	668	36.4	762	26.1	249	35.9	12	25.5	194	37.5	141	33.0
25-29	516	28.1	965	33.1	230	33.1	9	19.1	154	29.8	124	29.0
30-34	284	15.5	680	23.3	100	14.4	6	12.8	62	12.0	64	15.0
35-39	98	5.3	236	8.1	34	4.9	10	21.3	24	4.6	35	8.2
40 AND OVER	21	1.1	44	1.5	9	1.3	2	4.3	4	0.8	9	2.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	LAWRENCE		LEWIS		LINCOLN		LINN		LIVINGSTON		MC DONALD	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	492	100.0	99	100.0	711	100.0	187	100.0	179	100.0	361	100.0
UNDER 2500 GRAMS	44	8.9	5	5.1	30	4.2	9	4.8	17	9.5	22	6.1
OVER 4499 GRAMS	3	0.6	2	2.0	9	1.3	2	1.1	2	1.1	5	1.4
CROWN HEEL LT 47 CM (<18.5 IN)	25	5.1	4	10.0	25	3.5	11	5.9	34	19.1	16	6.0
LESS THAN 37 WEEKS GESTATION*	75	15.2	10	10.1	65	9.1	25	13.4	25	14.0	54	15.0
APGAR SCORE LESS THAN 8	14	2.8	3	3.0	7	1.0	8	4.3	6	3.4	10	2.8
CONGENITAL ANOMALIES	9	1.8	2	2.0	16	2.3	3	1.6	1	0.6	15	4.2
ABNORMAL CONDITIONS OF NEWBORN	52	10.6	5	5.1	133	18.7	17	9.1	22	12.3	82	22.7
INFANT TRANSFERS	9	1.8	0	0.0	11	1.5	3	1.6	2	1.1	3	0.8
MATERNAL TRANSFERS	7	1.4	2	2.0	7	1.0	3	1.6	9	5.0	4	1.1
HOME DELIVERIES	17	3.5	11	11.1	1	0.1	4	2.1	2	1.1	1	0.3
CESAREAN DELIVERIES	154	31.3	25	25.3	190	26.7	64	34.2	70	39.1	95	26.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	102	20.7	24	24.2	170	23.9	49	26.2	57	31.8	89	24.7
DRANK ALCOHOL DURING PREG	4	0.8	0	0.0	6	0.8	0	0.0	1	0.6	0	0.0
GT 15 PERCENT UNDERWEIGHT	35	7.2	3	7.5	34	4.9	7	3.9	13	7.3	19	7.4
GT 20 PERCENT OVERWEIGHT	206	42.7	17	42.5	287	41.4	76	42.2	72	40.2	95	37.1
GAINED LT 15 LBS DURING PREG*	44	10.8	10	12.5	66	10.5	15	9.9	19	12.6	34	11.7
GAINED 45+ LBS. DURING PREG*	76	18.7	10	12.5	117	18.6	29	19.1	29	19.2	42	14.4
MATERNAL EDUCATION UNDER 12	143	29.1	23	23.2	129	18.1	34	18.2	46	25.7	163	45.2
OUT-OF-WEDLOCK BIRTHS	160	32.5	30	30.3	223	31.4	62	33.2	83	46.4	175	48.5
LIVE BIRTH ORDER 4 OR MORE	78	15.9	11	11.1	80	11.3	25	13.4	18	10.1	51	14.1
LT 18 MOS SINCE LAST BIRTH	40	12.7	4	7.0	55	12.5	17	14.4	12	11.3	32	13.8
PRENATAL CARE												
1ST TRIMESTER	396	80.5	78	78.8	645	90.7	161	86.1	171	95.5	274	75.9
2ND TRIMESTER	69	14.0	9	9.1	50	7.0	20	10.7	4	2.2	69	19.1
3RD TRIMESTER	18	3.7	10	10.1	6	0.8	2	1.1	1	0.6	14	3.9
NO PRENATAL CARE	1	0.2	0	0.0	2	0.3	1	0.5	3	1.7	2	0.6
INADEQUATE PRENATAL CARE*	75	15.7	15	15.5	40	5.7	22	12.3	9	5.1	68	18.9
MOTHER MEDICAID PARTICIPANT	282	57.6	11	27.5	287	40.5	117	62.6	116	64.8	213	79.8
MOTHER WIC PARTICIPANT	270	55.1	13	32.5	213	30.1	100	53.8	102	57.0	197	73.8
MOTHER ON MEDICAID AND WIC	231	47.1	9	22.5	190	26.8	98	52.4	95	53.1	186	69.7
MOTHER FOOD STAMP RECIPIENT	123	25.1	2	5.0	118	16.7	58	31.0	58	32.4	69	25.8
AGE OF MOTHER												
UNDER 15	1	0.2	0	0.0	0	0.0	0	0.0	1	0.6	1	0.3
15-17	15	3.0	2	2.0	21	3.0	4	2.1	8	4.5	14	3.9
18-19	48	9.8	11	11.1	51	7.2	23	12.3	19	10.6	39	10.8
20-24	159	32.3	26	26.3	205	28.8	63	33.7	63	35.2	135	37.4
25-29	134	27.2	39	39.4	245	34.5	51	27.3	51	28.5	100	27.7
30-34	88	17.9	13	13.1	123	17.3	29	15.5	26	14.5	41	11.4
35-39	29	5.9	6	6.1	57	8.0	13	7.0	7	3.9	23	6.4
40 AND OVER	17	3.5	2	2.0	9	1.3	4	2.1	4	2.2	8	2.2

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	MACON		MADISON		MARIES		MARION		MERCER		MILLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	194	100.0	138	100.0	96	100.0	390	100.0	43	100.0	327	100.0
UNDER 2500 GRAMS	9	4.6	12	8.7	3	3.1	33	8.5	5	11.6	24	7.3
OVER 4499 GRAMS	1	0.5	0	0.0	2	2.1	8	2.1	0	0.0	6	1.8
CROWN HEEL LT 47 CM (<18.5 IN)	17	8.9	13	9.6	4	4.2	57	17.9	8	26.7	35	10.7
LESS THAN 37 WEEKS GESTATION*	18	9.3	17	12.3	8	8.3	52	13.3	10	23.3	48	14.7
APGAR SCORE LESS THAN 8	7	3.6	1	0.7	4	4.2	12	3.1	1	2.3	10	3.1
CONGENITAL ANOMALIES	3	1.5	0	0.0	1	1.0	10	2.6	2	4.7	4	1.2
ABNORMAL CONDITIONS OF NEWBORN	9	4.6	3	2.2	10	10.4	25	6.4	5	11.6	46	14.1
INFANT TRANSFERS	1	0.5	1	0.7	3	3.1	10	2.6	1	2.3	13	4.0
MATERNAL TRANSFERS	1	0.5	3	2.2	0	0.0	6	1.5	1	2.3	10	3.1
HOME DELIVERIES	8	4.1	0	0.0	3	3.1	1	0.3	1	2.3	3	0.9
CESAREAN DELIVERIES	63	32.5	55	39.9	26	27.1	103	26.4	15	34.9	110	33.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	42	21.6	47	34.1	20	20.8	129	33.1	13	30.2	94	28.7
DRANK ALCOHOL DURING PREG	2	1.0	0	0.0	0	0.0	1	0.3	1	2.3	4	1.2
GT 15 PERCENT UNDERWEIGHT	6	3.5	6	4.3	6	6.7	17	5.4	1	3.2	17	5.3
GT 20 PERCENT OVERWEIGHT	74	43.3	59	42.8	38	42.7	130	41.3	11	35.5	137	42.5
GAINED LT 15 LBS DURING PREG*	13	8.4	17	14.8	5	6.0	27	8.5	4	12.9	26	9.6
GAINED 45+ LBS. DURING PREG*	33	21.3	17	14.8	14	16.9	60	18.8	10	32.3	58	21.3
MATERNAL EDUCATION UNDER 12	40	20.6	40	29.0	16	16.7	108	27.7	3	7.0	72	22.0
OUT-OF-WEDLOCK BIRTHS	69	35.6	48	34.8	32	33.3	156	40.0	12	27.9	114	34.9
LIVE BIRTH ORDER 4 OR MORE	24	12.4	9	6.5	9	9.4	27	6.9	3	7.0	23	7.0
LT 18 MOS SINCE LAST BIRTH	13	11.3	14	16.3	3	4.9	26	11.2	7	26.9	22	12.2
PRENATAL CARE												
1ST TRIMESTER	153	78.9	121	87.7	80	83.3	333	85.4	37	86.0	237	72.5
2ND TRIMESTER	25	12.9	16	11.6	12	12.5	46	11.8	3	7.0	66	20.2
3RD TRIMESTER	10	5.2	1	0.7	0	0.0	7	1.8	2	4.7	5	1.5
NO PRENATAL CARE	0	0.0	0	0.0	0	0.0	1	0.3	1	2.3	0	0.0
INADEQUATE PRENATAL CARE*	27	15.6	13	9.5	9	10.3	46	12.0	6	14.0	34	11.3
MOTHER MEDICAID PARTICIPANT	107	56.0	96	69.6	38	39.6	197	61.9	19	59.4	213	65.1
MOTHER WIC PARTICIPANT	103	53.9	108	78.3	30	31.3	179	56.3	17	53.1	186	56.9
MOTHER ON MEDICAID AND WIC	92	48.2	94	68.1	26	27.1	167	52.5	17	53.1	171	52.3
MOTHER FOOD STAMP RECIPIENT	47	24.6	54	39.1	19	19.8	120	37.7	6	18.8	102	31.2
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0
15-17	13	6.7	6	4.3	4	4.2	17	4.4	1	2.3	18	5.5
18-19	14	7.2	14	10.1	9	9.4	31	7.9	3	7.0	25	7.6
20-24	59	30.4	49	35.5	31	32.3	141	36.2	16	37.2	133	40.7
25-29	69	35.6	42	30.4	25	26.0	115	29.5	16	37.2	80	24.5
30-34	28	14.4	18	13.0	17	17.7	64	16.4	4	9.3	51	15.6
35-39	8	4.1	8	5.8	6	6.3	16	4.1	2	4.7	15	4.6
40 AND OVER	3	1.5	1	0.7	4	4.2	4	1.0	1	2.3	5	1.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	MISSISSIPPI		MONITEAU		MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	184	100.0	222	100.0	119	100.0	155	100.0	263	100.0	251	100.0
UNDER 2500 GRAMS	25	13.6	21	9.5	10	8.4	12	7.7	20	7.6	33	13.1
OVER 4499 GRAMS	2	1.1	3	1.4	0	0.0	1	0.6	4	1.5	2	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	37	20.1	29	13.1	17	14.4	10	6.5	25	9.5	49	19.6
LESS THAN 37 WEEKS GESTATION*	31	16.8	42	18.9	20	16.8	20	12.9	30	11.4	41	16.3
APGAR SCORE LESS THAN 8	7	3.8	6	2.7	4	3.4	3	1.9	9	3.4	6	2.4
CONGENITAL ANOMALIES	5	2.7	1	0.5	1	0.8	2	1.3	5	1.9	4	1.6
ABNORMAL CONDITIONS OF NEWBORN	21	11.4	19	8.6	10	8.4	18	11.6	29	11.0	18	7.2
INFANT TRANSFERS	9	4.9	0	0.0	2	1.7	2	1.3	7	2.7	8	3.2
MATERNAL TRANSFERS	5	2.7	4	1.8	2	1.7	1	0.6	4	1.5	4	1.6
HOME DELIVERIES	0	0.0	7	3.2	2	1.7	2	1.3	13	4.9	0	0.0
CESAREAN DELIVERIES	59	32.1	75	33.8	48	40.3	52	33.5	61	23.2	94	37.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	60	32.6	45	20.3	21	17.6	43	27.7	76	28.9	75	29.9
DRANK ALCOHOL DURING PREG	0	0.0	1	0.5	0	0.0	0	0.0	0	0.0	4	1.6
GT 15 PERCENT UNDERWEIGHT	14	8.9	10	4.8	9	7.7	8	5.6	19	7.5	17	7.6
GT 20 PERCENT OVERWEIGHT	60	38.2	91	43.5	48	41.0	58	40.6	105	41.3	85	37.8
GAINED LT 15 LBS DURING PREG*	18	14.1	10	5.8	10	10.3	14	11.6	20	9.0	19	10.3
GAINED 45+ LBS. DURING PREG*	29	22.7	26	15.2	17	17.5	27	22.3	39	17.6	37	20.1
MATERNAL EDUCATION UNDER 12	57	31.0	58	26.1	17	14.3	39	25.2	104	39.5	71	28.3
OUT-OF-WEDLOCK BIRTHS	110	59.8	54	24.3	33	27.7	61	39.4	82	31.2	127	50.6
LIVE BIRTH ORDER 4 OR MORE	15	8.2	31	14.0	17	14.3	20	12.9	57	21.7	20	8.0
LT 18 MOS SINCE LAST BIRTH	15	12.8	19	13.7	7	9.6	6	6.7	19	11.1	26	17.8
PRENATAL CARE												
1ST TRIMESTER	152	82.6	178	80.2	105	88.2	126	81.3	192	73.0	212	84.5
2ND TRIMESTER	23	12.5	30	13.5	11	9.2	22	14.2	53	20.2	32	12.7
3RD TRIMESTER	4	2.2	2	0.9	2	1.7	4	2.6	9	3.4	4	1.6
NO PRENATAL CARE	1	0.5	0	0.0	0	0.0	2	1.3	0	0.0	2	0.8
INADEQUATE PRENATAL CARE*	34	18.7	24	12.2	16	14.4	19	13.5	48	19.8	44	17.7
MOTHER MEDICAID PARTICIPANT	156	84.8	92	41.4	53	44.9	76	49.7	156	59.5	186	74.1
MOTHER WIC PARTICIPANT	152	83.1	87	39.2	61	51.7	63	41.2	141	53.8	178	70.9
MOTHER ON MEDICAID AND WIC	143	77.7	73	32.9	45	38.1	52	34.0	130	49.6	168	66.9
MOTHER FOOD STAMP RECIPIENT	99	54.1	42	18.9	17	14.4	37	24.2	72	27.5	106	42.2
AGE OF MOTHER												
UNDER 15	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
15-17	9	4.9	8	3.6	5	4.2	5	3.2	14	5.3	12	4.8
18-19	23	12.5	16	7.2	5	4.2	15	9.7	24	9.1	35	13.9
20-24	84	45.7	54	24.3	39	32.8	43	27.7	84	31.9	104	41.4
25-29	38	20.7	69	31.1	41	34.5	61	39.4	63	24.0	53	21.1
30-34	24	13.0	48	21.6	19	16.0	17	11.0	53	20.2	30	12.0
35-39	5	2.7	24	10.8	9	7.6	11	7.1	17	6.5	13	5.2
40 AND OVER	0	0.0	3	1.4	1	0.8	3	1.9	8	3.0	3	1.2

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	NEWTON		NODAWAY		OREGON		OSAGE		OZARK		PEMISCOT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	757	100.0	242	100.0	116	100.0	185	100.0	125	100.0	313	100.0
UNDER 2500 GRAMS	43	5.7	20	8.3	12	10.3	13	7.0	4	3.2	42	13.4
OVER 4499 GRAMS	9	1.2	3	1.2	0	0.0	2	1.1	5	4.0	2	0.6
CROWN HEEL LT 47 CM (<18.5 IN)	37	4.9	19	8.1	11	10.8	25	13.8	7	7.3	59	20.8
LESS THAN 37 WEEKS GESTATION*	101	13.3	26	10.7	17	14.7	35	18.9	9	7.2	62	19.8
APGAR SCORE LESS THAN 8	27	3.6	9	3.7	2	1.7	5	2.7	3	2.4	15	4.8
CONGENITAL ANOMALIES	41	5.4	6	2.5	3	2.6	2	1.1	2	1.6	2	0.6
ABNORMAL CONDITIONS OF NEWBORN	176	23.2	17	7.0	7	6.0	15	8.1	19	15.2	31	9.9
INFANT TRANSFERS	5	0.7	7	2.9	3	2.6	4	2.2	3	2.4	20	6.4
MATERNAL TRANSFERS	2	0.3	4	1.7	0	0.0	6	3.2	1	0.8	10	3.2
HOME DELIVERIES	6	0.8	0	0.0	3	2.6	3	1.6	2	1.6	0	0.0
CESAREAN DELIVERIES	188	24.8	75	31.0	38	32.8	57	30.8	28	22.4	125	39.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	155	20.5	46	19.0	28	24.1	24	13.0	35	28.0	90	28.8
DRANK ALCOHOL DURING PREG	4	0.5	1	0.4	0	0.0	1	0.5	1	0.8	0	0.0
GT 15 PERCENT UNDERWEIGHT	48	6.4	12	5.1	11	10.8	7	4.0	5	5.2	14	4.9
GT 20 PERCENT OVERWEIGHT	288	38.5	106	44.7	38	37.3	80	45.5	41	42.7	117	41.1
GAINED LT 15 LBS DURING PREG*	72	11.2	15	7.1	10	11.0	11	7.6	11	10.2	28	11.9
GAINED 45+ LBS. DURING PREG*	117	18.2	41	19.3	22	24.2	15	10.4	27	25.0	48	20.4
MATERNAL EDUCATION UNDER 12	178	23.5	22	9.1	19	16.4	19	10.3	28	22.4	120	38.3
OUT-OF-WEDLOCK BIRTHS	257	33.9	73	30.2	34	29.3	44	23.8	36	28.8	207	66.1
LIVE BIRTH ORDER 4 OR MORE	83	11.0	20	8.3	20	17.2	21	11.4	13	10.4	51	16.3
LT 18 MOS SINCE LAST BIRTH	51	11.4	15	11.1	12	16.4	6	5.8	3	3.8	35	18.5
PRENATAL CARE												
1ST TRIMESTER	599	79.1	218	90.1	103	88.8	147	79.5	108	86.4	208	66.5
2ND TRIMESTER	126	16.6	20	8.3	9	7.8	23	12.4	14	11.2	76	24.3
3RD TRIMESTER	15	2.0	1	0.4	3	2.6	4	2.2	1	0.8	16	5.1
NO PRENATAL CARE	13	1.7	2	0.8	1	0.9	0	0.0	1	0.8	6	1.9
INADEQUATE PRENATAL CARE*	94	12.5	18	7.5	11	9.5	15	9.2	16	12.9	86	28.0
MOTHER MEDICAID PARTICIPANT	447	59.7	95	39.9	71	68.9	48	26.2	85	88.5	258	91.5
MOTHER WIC PARTICIPANT	389	52.0	91	38.2	82	79.6	47	25.7	80	83.3	240	84.5
MOTHER ON MEDICAID AND WIC	350	46.7	73	30.7	69	67.0	38	20.8	77	80.2	230	81.0
MOTHER FOOD STAMP RECIPIENT	171	22.9	33	13.9	40	38.8	22	12.0	52	54.2	166	58.9
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0
15-17	28	3.7	5	2.1	2	1.7	3	1.6	3	2.4	33	10.5
18-19	76	10.0	14	5.8	12	10.3	12	6.5	13	10.4	43	13.7
20-24	289	38.2	90	37.2	45	38.8	44	23.8	52	41.6	144	46.0
25-29	179	23.6	84	34.7	34	29.3	64	34.6	29	23.2	60	19.2
30-34	131	17.3	41	16.9	16	13.8	42	22.7	23	18.4	22	7.0
35-39	45	5.9	5	2.1	3	2.6	19	10.3	4	3.2	6	1.9
40 AND OVER	9	1.2	3	1.2	4	3.4	1	0.5	1	0.8	2	0.6

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	PERRY		PETTIS		PHELPS		PIKE		PLATTE		POLK	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	207	100.0	613	100.0	580	100.0	212	100.0	1,112	100.0	364	100.0
UNDER 2500 GRAMS	5	2.4	48	7.8	45	7.8	23	10.8	68	6.1	23	6.3
OVER 4499 GRAMS	0	0.0	10	1.6	5	0.9	3	1.4	11	1.0	5	1.4
CROWN HEEL LT 47 CM (<18.5 IN)	17	8.2	58	9.6	59	10.3	31	14.9	73	7.3	19	5.3
LESS THAN 37 WEEKS GESTATION*	24	11.6	78	12.7	84	14.5	34	16.0	130	11.7	52	14.3
APGAR SCORE LESS THAN 8	8	3.9	39	6.4	16	2.8	9	4.2	22	2.0	8	2.2
CONGENITAL ANOMALIES	10	4.8	21	3.4	8	1.4	4	1.9	15	1.3	3	0.8
ABNORMAL CONDITIONS OF NEWBORN	15	7.2	112	18.3	40	6.9	26	12.3	41	3.7	30	8.2
INFANT TRANSFERS	8	3.9	18	2.9	12	2.1	2	0.9	7	0.6	5	1.4
MATERNAL TRANSFERS	2	1.0	10	1.6	4	0.7	2	0.9	17	1.5	4	1.1
HOME DELIVERIES	1	0.5	7	1.1	1	0.2	8	3.8	2	0.2	6	1.6
CESAREAN DELIVERIES	52	25.1	206	33.6	150	25.9	56	26.4	315	28.3	112	30.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	43	20.8	122	19.9	143	24.7	62	29.2	123	11.1	76	20.9
DRANK ALCOHOL DURING PREG	1	0.5	3	0.5	0	0.0	2	0.9	3	0.3	0	0.0
GT 15 PERCENT UNDERWEIGHT	8	3.9	37	6.4	41	7.2	11	5.4	62	5.8	21	5.8
GT 20 PERCENT OVERWEIGHT	88	42.5	208	35.9	232	40.5	83	41.1	343	31.9	145	40.3
GAINED LT 15 LBS DURING PREG*	17	9.3	38	7.5	55	11.4	26	15.2	54	5.9	29	9.4
GAINED 45+ LBS. DURING PREG*	40	22.0	103	20.4	101	20.9	34	19.9	193	21.0	57	18.5
MATERNAL EDUCATION UNDER 12	22	10.6	171	27.9	106	18.3	65	30.7	100	9.0	85	23.4
OUT-OF-WEDLOCK BIRTHS	63	30.4	236	38.5	210	36.2	82	38.7	306	27.5	105	28.8
LIVE BIRTH ORDER 4 OR MORE	26	12.6	85	13.9	60	10.3	19	9.0	108	9.7	46	12.6
LT 18 MOS SINCE LAST BIRTH	15	12.0	31	9.6	41	12.5	15	12.1	64	10.6	25	11.6
PRENATAL CARE												
1ST TRIMESTER	192	92.8	494	80.6	491	84.7	181	85.4	976	87.8	318	87.4
2ND TRIMESTER	11	5.3	86	14.0	73	12.6	24	11.3	72	6.5	39	10.7
3RD TRIMESTER	4	1.9	15	2.4	11	1.9	5	2.4	8	0.7	4	1.1
NO PRENATAL CARE	0	0.0	8	1.3	1	0.2	1	0.5	14	1.3	3	0.8
INADEQUATE PRENATAL CARE*	11	5.4	93	15.6	60	10.4	28	13.4	74	7.1	32	8.8
MOTHER MEDICAID PARTICIPANT	87	42.2	363	59.5	340	58.7	97	46.9	321	29.2	229	63.1
MOTHER WIC PARTICIPANT	94	45.6	365	59.8	306	52.8	103	49.8	290	26.4	192	52.9
MOTHER ON MEDICAID AND WIC	75	36.4	311	51.0	267	46.1	84	40.6	235	21.4	177	48.8
MOTHER FOOD STAMP RECIPIENT	33	16.0	168	27.6	143	24.7	50	24.2	120	12.1	111	30.6
AGE OF MOTHER												
UNDER 15	1	0.5	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
15-17	4	1.9	20	3.3	27	4.7	4	1.9	20	1.8	15	4.1
18-19	16	7.7	71	11.6	53	9.1	21	9.9	46	4.1	29	8.0
20-24	57	27.5	231	37.7	184	31.7	81	38.2	247	22.2	155	42.6
25-29	67	32.4	165	26.9	169	29.1	52	24.5	349	31.4	89	24.5
30-34	46	22.2	82	13.4	92	15.9	42	19.8	272	24.5	45	12.4
35-39	16	7.7	30	4.9	47	8.1	9	4.2	149	13.4	27	7.4
40 AND OVER	0	0.0	14	2.3	8	1.4	3	1.4	28	2.5	4	1.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	PULASKI		PUTNAM		RALLS		RANDOLPH		RAY		REYNOLDS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	690	100.0	67	100.0	113	100.0	351	100.0	290	100.0	60	100.0
UNDER 2500 GRAMS	48	7.0	10	14.9	7	6.2	26	7.4	19	6.6	7	11.7
OVER 4499 GRAMS	9	1.3	1	1.5	2	1.8	2	0.6	2	0.7	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	57	8.4	5	14.7	9	9.5	43	12.3	31	11.0	7	11.9
LESS THAN 37 WEEKS GESTATION*	88	12.8	9	13.4	6	5.3	51	14.5	37	12.8	7	11.7
APGAR SCORE LESS THAN 8	27	3.9	2	3.0	2	1.8	22	6.3	7	2.4	4	6.7
CONGENITAL ANOMALIES	5	0.7	1	1.5	1	0.9	7	2.0	3	1.0	2	3.3
ABNORMAL CONDITIONS OF NEWBORN	53	7.7	3	4.5	7	6.2	30	8.5	19	6.6	5	8.3
INFANT TRANSFERS	31	4.5	2	3.0	3	2.7	2	0.6	4	1.4	4	6.7
MATERNAL TRANSFERS	9	1.3	2	3.0	0	0.0	3	0.9	3	1.0	0	0.0
HOME DELIVERIES	0	0.0	7	10.4	0	0.0	4	1.1	3	1.0	0	0.0
CESAREAN DELIVERIES	158	22.9	22	32.8	26	23.0	105	29.9	66	22.8	21	35.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	131	19.0	15	22.4	29	25.7	99	28.2	75	25.9	23	38.3
DRANK ALCOHOL DURING PREG	3	0.4	0	0.0	0	0.0	2	0.6	1	0.3	0	0.0
GT 15 PERCENT UNDERWEIGHT	39	5.9	2	7.1	6	6.3	23	7.3	17	5.9	1	1.8
GT 20 PERCENT OVERWEIGHT	238	36.3	10	35.7	38	40.0	137	43.5	131	45.5	26	45.6
GAINED LT 15 LBS DURING PREG*	43	8.1	6	12.2	7	6.7	29	10.8	26	10.6	4	8.0
GAINED 45+ LBS. DURING PREG*	90	17.0	10	20.4	25	23.8	47	17.5	59	24.1	12	24.0
MATERNAL EDUCATION UNDER 12	104	15.1	15	22.4	17	15.0	89	25.4	52	17.9	14	23.3
OUT-OF-WEDLOCK BIRTHS	175	25.4	16	23.9	40	35.4	154	43.9	92	31.7	27	45.0
LIVE BIRTH ORDER 4 OR MORE	71	10.3	13	19.4	7	6.2	40	11.4	39	13.4	5	8.3
LT 18 MOS SINCE LAST BIRTH	40	10.6	6	15.8	11	13.8	16	8.2	23	12.6	2	7.7
PRENATAL CARE												
1ST TRIMESTER	562	81.4	56	83.6	101	89.4	274	78.1	244	84.1	49	81.7
2ND TRIMESTER	66	9.6	6	9.0	9	8.0	60	17.1	33	11.4	10	16.7
3RD TRIMESTER	7	1.0	4	6.0	3	2.7	6	1.7	3	1.0	1	1.7
NO PRENATAL CARE	2	0.3	1	1.5	0	0.0	1	0.3	1	0.3	0	0.0
INADEQUATE PRENATAL CARE*	86	14.4	12	17.9	8	7.2	58	19.1	25	9.1	10	16.9
MOTHER MEDICAID PARTICIPANT	243	35.5	20	57.1	44	45.8	211	60.6	129	44.5	42	70.0
MOTHER WIC PARTICIPANT	328	47.9	17	48.6	42	43.8	205	58.9	126	43.4	34	56.7
MOTHER ON MEDICAID AND WIC	188	27.4	17	48.6	36	37.5	182	52.3	107	36.9	31	51.7
MOTHER FOOD STAMP RECIPIENT	116	17.0	9	25.7	19	19.8	116	33.3	59	20.8	24	40.0
AGE OF MOTHER												
UNDER 15	0	0.0	1	1.5	0	0.0	0	0.0	0	0.0	0	0.0
15-17	29	4.2	0	0.0	1	0.9	19	5.4	5	1.7	6	10.0
18-19	51	7.4	4	6.0	7	6.2	33	9.4	26	9.0	8	13.3
20-24	228	33.0	30	44.8	32	28.3	133	37.9	87	30.0	21	35.0
25-29	204	29.6	17	25.4	40	35.4	94	26.8	99	34.1	13	21.7
30-34	124	18.0	8	11.9	22	19.5	47	13.4	44	15.2	7	11.7
35-39	44	6.4	5	7.5	9	8.0	22	6.3	24	8.3	4	6.7
40 AND OVER	10	1.4	2	3.0	2	1.8	3	0.9	5	1.7	1	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	RIPLEY		ST. CHARLES		ST. CLAIR		ST. FRANCOIS		STE. GENEVIEVE		ST. LOUIS CITY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	179	100.0	4,488	100.0	100	100.0	761	100.0	174	100.0	5,077	100.0
UNDER 2500 GRAMS	27	15.1	312	7.0	10	10.0	59	7.8	8	4.6	609	12.0
OVER 4499 GRAMS	3	1.7	35	0.8	3	3.0	11	1.4	2	1.1	53	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	37	21.1	271	6.1	6	6.0	69	9.1	20	11.6	545	11.0
LESS THAN 37 WEEKS GESTATION*	46	25.7	547	12.2	9	9.0	111	14.6	26	14.9	1,001	19.7
APGAR SCORE LESS THAN 8	12	6.7	97	2.2	6	6.0	20	2.6	6	3.4	193	3.8
CONGENITAL ANOMALIES	3	1.7	93	2.1	2	2.0	9	1.2	4	2.3	51	1.0
ABNORMAL CONDITIONS OF NEWBORN	13	7.3	674	15.0	6	6.0	51	6.7	10	5.7	248	4.9
INFANT TRANSFERS	10	5.6	59	1.3	0	0.0	22	2.9	7	4.0	91	1.8
MATERNAL TRANSFERS	2	1.1	29	0.6	3	3.0	13	1.7	2	1.1	115	2.3
HOME DELIVERIES	0	0.0	12	0.3	4	4.0	0	0.0	0	0.0	27	0.5
CESAREAN DELIVERIES	52	29.1	1,530	34.1	32	32.0	296	38.9	54	31.0	1,525	30.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	62	34.6	528	11.8	29	29.0	227	29.8	37	21.3	803	15.8
DRANK ALCOHOL DURING PREG	1	0.6	19	0.4	0	0.0	4	0.5	0	0.0	42	0.8
GT 15 PERCENT UNDERWEIGHT	9	5.7	203	4.7	4	4.1	42	5.6	7	4.0	237	5.0
GT 20 PERCENT OVERWEIGHT	69	43.7	1,496	34.3	41	42.3	343	45.5	66	38.2	2,016	42.4
GAINED LT 15 LBS DURING PREG*	11	9.9	273	7.2	7	8.2	78	12.1	13	9.0	333	9.0
GAINED 45+ LBS. DURING PREG*	22	19.8	713	18.8	12	14.1	142	22.1	31	21.4	791	21.4
MATERNAL EDUCATION UNDER 12	49	27.4	343	7.6	28	28.0	165	21.7	28	16.1	1,353	26.6
OUT-OF-WEDLOCK BIRTHS	72	40.2	986	22.0	31	31.0	302	39.7	55	31.6	3,379	66.6
LIVE BIRTH ORDER 4 OR MORE	17	9.5	421	9.4	10	10.0	65	8.5	19	10.9	810	16.0
LT 18 MOS SINCE LAST BIRTH	10	12.2	244	9.5	8	14.0	65	14.8	12	11.3	347	14.0
PRENATAL CARE												
1ST TRIMESTER	154	86.0	4,144	92.3	85	85.0	645	84.8	157	90.2	4,176	82.3
2ND TRIMESTER	17	9.5	258	5.7	12	12.0	84	11.0	11	6.3	579	11.4
3RD TRIMESTER	1	0.6	34	0.8	1	1.0	21	2.8	1	0.6	67	1.3
NO PRENATAL CARE	1	0.6	22	0.5	2	2.0	2	0.3	0	0.0	120	2.4
INADEQUATE PRENATAL CARE*	20	11.6	209	4.7	10	10.0	80	10.7	10	5.9	839	17.5
MOTHER MEDICAID PARTICIPANT	146	82.0	866	19.5	55	55.0	449	59.0	72	41.6	3,299	65.9
MOTHER WIC PARTICIPANT	129	72.5	653	14.7	59	59.0	481	63.2	82	47.4	2,852	57.0
MOTHER ON MEDICAID AND WIC	126	70.8	506	11.4	48	48.0	407	53.5	63	36.4	2,530	50.5
MOTHER FOOD STAMP RECIPIENT	83	46.6	352	7.9	29	29.0	257	33.8	38	22.0	2,276	45.5
AGE OF MOTHER												
UNDER 15	0	0.0	3	0.1	1	1.0	1	0.1	0	0.0	17	0.3
15-17	8	4.5	67	1.5	4	4.0	31	4.1	11	6.3	279	5.5
18-19	26	14.5	151	3.4	11	11.0	87	11.4	12	6.9	514	10.1
20-24	85	47.5	801	17.8	37	37.0	288	37.8	54	31.0	1,614	31.8
25-29	35	19.6	1,421	31.7	28	28.0	193	25.4	49	28.2	1,290	25.4
30-34	15	8.4	1,396	31.1	14	14.0	109	14.3	31	17.8	886	17.5
35-39	6	3.4	531	11.8	4	4.0	45	5.9	14	8.0	392	7.7
40 AND OVER	4	2.2	118	2.6	1	1.0	7	0.9	3	1.7	85	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	ST. LOUIS CO		SALINE		SCHUYLER		SCOTLAND		SCOTT		SHANNON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	11,998	100.0	297	100.0	46	100.0	65	100.0	624	100.0	108	100.0
UNDER 2500 GRAMS	1,041	8.7	22	7.4	3	6.5	7	10.8	48	7.7	7	6.5
OVER 4499 GRAMS	123	1.0	4	1.3	0	0.0	0	0.0	5	0.8	1	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	898	7.7	62	21.2	3	7.0	2	3.2	86	13.8	3	2.8
LESS THAN 37 WEEKS GESTATION*	1,732	14.4	45	15.2	2	4.3	7	10.8	101	16.2	22	20.4
APGAR SCORE LESS THAN 8	359	3.0	19	6.4	1	2.2	3	4.6	15	2.4	5	4.6
CONGENITAL ANOMALIES	169	1.4	8	2.7	0	0.0	0	0.0	6	1.0	3	2.8
ABNORMAL CONDITIONS OF NEWBORN	809	6.7	28	9.4	4	8.7	4	6.2	62	9.9	10	9.3
INFANT TRANSFERS	177	1.5	11	3.7	0	0.0	0	0.0	15	2.4	3	2.8
MATERNAL TRANSFERS	181	1.5	8	2.7	0	0.0	0	0.0	2	0.3	1	0.9
HOME DELIVERIES	44	0.4	1	0.3	5	10.9	12	18.5	4	0.6	1	0.9
CESAREAN DELIVERIES	3,918	32.7	110	37.0	17	37.0	14	21.5	229	36.7	25	23.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	1,011	8.4	74	24.9	11	23.9	9	13.8	160	25.6	29	26.9
DRANK ALCOHOL DURING PREG	90	0.8	2	0.7	0	0.0	1	1.5	3	0.5	0	0.0
GT 15 PERCENT UNDERWEIGHT	561	4.9	15	5.5	1	2.4	1	1.7	39	6.7	2	1.9
GT 20 PERCENT OVERWEIGHT	4,125	35.8	115	42.0	23	54.8	27	45.8	238	40.8	50	47.6
GAINED LT 15 LBS DURING PREG*	698	7.2	24	10.3	4	9.3	8	14.5	44	9.2	14	16.7
GAINED 45+ LBS. DURING PREG*	1,692	17.4	56	24.0	9	20.9	6	10.9	91	19.1	18	21.4
MATERNAL EDUCATION UNDER 12	1,292	10.8	63	21.2	9	19.6	25	38.5	156	25.0	27	25.0
OUT-OF-WEDLOCK BIRTHS	4,209	35.1	131	44.1	13	28.3	9	13.8	283	45.4	32	29.6
LIVE BIRTH ORDER 4 OR MORE	1,170	9.8	27	9.1	11	23.9	20	30.8	44	7.1	13	12.0
LT 18 MOS SINCE LAST BIRTH	676	10.4	14	8.6	6	20.0	3	6.0	49	14.0	10	15.4
PRENATAL CARE												
1ST TRIMESTER	10,904	90.9	250	84.2	37	80.4	48	73.8	547	87.7	95	88.0
2ND TRIMESTER	793	6.6	33	11.1	5	10.9	9	13.8	57	9.1	11	10.2
3RD TRIMESTER	99	0.8	4	1.3	3	6.5	8	12.3	14	2.2	1	0.9
NO PRENATAL CARE	69	0.6	0	0.0	1	2.2	0	0.0	2	0.3	1	0.9
INADEQUATE PRENATAL CARE*	810	6.9	31	11.2	8	17.4	25	38.5	63	10.2	17	15.7
MOTHER MEDICAID PARTICIPANT	3,938	33.3	192	65.1	24	55.8	19	30.6	386	61.9	85	78.7
MOTHER WIC PARTICIPANT	3,312	28.0	180	61.0	21	48.8	18	29.0	387	62.0	82	75.9
MOTHER ON MEDICAID AND WIC	2,726	23.0	162	54.9	16	37.2	13	21.0	339	54.3	78	72.2
MOTHER FOOD STAMP RECIPIENT	2,161	18.3	86	29.3	8	18.6	3	4.8	210	33.7	42	38.9
AGE OF MOTHER												
UNDER 15	16	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-17	283	2.4	8	2.7	1	2.2	0	0.0	26	4.2	3	2.8
18-19	652	5.4	29	9.8	7	15.2	1	1.5	72	11.5	14	13.0
20-24	2,480	20.7	108	36.4	8	17.4	13	20.0	226	36.2	47	43.5
25-29	3,297	27.5	100	33.7	12	26.1	20	30.8	168	26.9	19	17.6
30-34	3,228	26.9	39	13.1	8	17.4	16	24.6	85	13.6	14	13.0
35-39	1,680	14.0	11	3.7	7	15.2	12	18.5	42	6.7	9	8.3
40 AND OVER	361	3.0	2	0.7	3	6.5	3	4.6	5	0.8	2	1.9

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:							MISSOURI 2005					
	SHELBY		STODDARD		STONE		SULLIVAN		TANEY		TEXAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	92	100.0	374	100.0	297	100.0	92	100.0	561	100.0	297	100.0
UNDER 2500 GRAMS	6	6.5	36	9.6	23	7.7	2	2.2	40	7.1	13	4.4
OVER 4499 GRAMS	1	1.1	4	1.1	4	1.3	2	2.2	5	0.9	3	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	8	9.2	55	14.8	41	14.1	5	5.6	94	17.1	21	7.2
LESS THAN 37 WEEKS GESTATION*	10	10.9	57	15.2	38	12.8	7	7.6	73	13.0	31	10.4
APGAR SCORE LESS THAN 8	4	4.3	7	1.9	4	1.3	6	6.5	16	2.9	5	1.7
CONGENITAL ANOMALIES	2	2.2	1	0.3	1	0.3	4	4.3	5	0.9	6	2.0
ABNORMAL CONDITIONS OF NEWBORN	6	6.5	27	7.2	19	6.4	5	5.4	47	8.4	21	7.1
INFANT TRANSFERS	1	1.1	6	1.6	1	0.3	2	2.2	10	1.8	6	2.0
MATERNAL TRANSFERS	0	0.0	5	1.3	4	1.3	2	2.2	8	1.4	8	2.7
HOME DELIVERIES	1	1.1	0	0.0	4	1.3	0	0.0	5	0.9	5	1.7
CESAREAN DELIVERIES	22	23.9	128	34.2	95	32.0	35	38.0	176	31.4	61	20.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	20	21.7	119	31.8	89	30.0	14	15.2	143	25.5	92	31.0
DRANK ALCOHOL DURING PREG	1	1.1	1	0.3	2	0.7	0	0.0	5	0.9	1	0.3
GT 15 PERCENT UNDERWEIGHT	4	4.8	30	8.5	20	7.0	2	2.2	29	5.3	21	7.4
GT 20 PERCENT OVERWEIGHT	40	47.6	139	39.4	110	38.3	38	42.7	183	33.5	120	42.1
GAINED LT 15 LBS DURING PREG*	7	8.9	18	6.1	30	12.0	10	11.8	44	9.2	26	10.2
GAINED 45+ LBS. DURING PREG*	13	16.5	62	21.0	54	21.5	10	11.8	96	20.2	63	24.7
MATERNAL EDUCATION UNDER 12	13	14.1	99	26.5	73	24.6	37	40.2	125	22.3	68	22.9
OUT-OF-WEDLOCK BIRTHS	21	22.8	134	35.8	107	36.0	42	45.7	197	35.1	87	29.3
LIVE BIRTH ORDER 4 OR MORE	20	21.7	31	8.3	28	9.4	8	8.7	68	12.1	30	10.1
LT 18 MOS SINCE LAST BIRTH	7	10.9	28	14.5	26	13.9	7	13.5	42	12.8	23	12.4
PRENATAL CARE												
1ST TRIMESTER	79	85.9	322	86.1	235	79.1	77	83.7	470	83.8	259	87.2
2ND TRIMESTER	11	12.0	32	8.6	45	15.2	14	15.2	74	13.2	26	8.8
3RD TRIMESTER	0	0.0	5	1.3	9	3.0	1	1.1	16	2.9	4	1.3
NO PRENATAL CARE	0	0.0	3	0.8	3	1.0	0	0.0	0	0.0	0	0.0
INADEQUATE PRENATAL CARE*	11	12.8	42	11.7	46	15.8	12	13.0	75	13.4	29	10.1
MOTHER MEDICAID PARTICIPANT	53	60.9	262	70.2	200	68.5	73	82.0	369	66.1	204	69.2
MOTHER WIC PARTICIPANT	47	54.0	236	63.3	171	58.6	69	77.5	348	62.4	188	63.7
MOTHER ON MEDICAID AND WIC	41	47.1	219	58.7	156	53.4	62	69.7	323	57.9	174	59.0
MOTHER FOOD STAMP RECIPIENT	19	21.8	114	30.6	103	35.3	22	24.7	160	28.7	106	35.9
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-17	0	0.0	9	2.4	13	4.4	6	6.5	17	3.0	11	3.7
18-19	3	3.3	48	12.8	28	9.4	10	10.9	48	8.6	32	10.8
20-24	32	34.8	150	40.1	99	33.3	36	39.1	163	29.1	107	36.0
25-29	35	38.0	94	25.1	69	23.2	23	25.0	167	29.8	81	27.3
30-34	16	17.4	47	12.6	49	16.5	12	13.0	103	18.4	42	14.1
35-39	4	4.3	21	5.6	34	11.4	5	5.4	50	8.9	21	7.1
40 AND OVER	2	2.2	5	1.3	5	1.7	0	0.0	13	2.3	3	1.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	VERNON		WARREN		WASHINGTON		WAYNE		WEBSTER		WORTH	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	268	100.0	444	100.0	356	100.0	145	100.0	563	100.0	16	100.0
UNDER 2500 GRAMS	14	5.2	43	9.7	34	9.6	7	4.8	51	9.1	0	0.0
OVER 4499 GRAMS	2	0.7	10	2.3	2	0.6	1	0.7	14	2.5	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	13	5.3	30	6.8	38	10.9	26	18.1	42	7.5	1	6.7
LESS THAN 37 WEEKS GESTATION*	27	10.1	55	12.4	52	14.6	29	20.0	72	12.8	2	12.5
APGAR SCORE LESS THAN 8	13	4.9	10	2.3	16	4.5	1	0.7	13	2.3	1	6.3
CONGENITAL ANOMALIES	10	3.7	12	2.7	2	0.6	2	1.4	6	1.1	0	0.0
ABNORMAL CONDITIONS OF NEWBORN	57	21.3	92	20.7	27	7.6	4	2.8	44	7.8	0	0.0
INFANT TRANSFERS	8	3.0	8	1.8	12	3.4	1	0.7	5	0.9	0	0.0
MATERNAL TRANSFERS	1	0.4	2	0.5	9	2.5	1	0.7	3	0.5	0	0.0
HOME DELIVERIES	9	3.4	0	0.0	2	0.6	0	0.0	109	19.4	0	0.0
CESAREAN DELIVERIES	101	37.7	130	29.3	160	44.9	42	29.0	129	22.9	5	31.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	73	27.2	114	25.7	132	37.1	50	34.5	95	16.9	2	12.5
DRANK ALCOHOL DURING PREG	0	0.0	4	0.9	1	0.3	0	0.0	3	0.5	0	0.0
GT 15 PERCENT UNDERWEIGHT	16	6.1	22	5.2	20	5.7	6	4.5	35	6.3	1	6.7
GT 20 PERCENT OVERWEIGHT	106	40.3	170	40.5	174	49.9	65	48.9	196	35.3	7	46.7
GAINED LT 15 LBS DURING PREG*	29	12.2	34	9.5	42	14.1	13	12.5	42	8.7	3	21.4
GAINED 45+ LBS. DURING PREG*	44	18.6	63	17.5	63	21.2	21	20.2	90	18.7	3	21.4
MATERNAL EDUCATION UNDER 12	42	15.7	91	20.5	114	32.0	40	27.6	189	33.6	2	12.5
OUT-OF-WEDLOCK BIRTHS	89	33.2	156	35.1	160	44.9	52	35.9	133	23.6	6	37.5
LIVE BIRTH ORDER 4 OR MORE	32	11.9	49	11.0	51	14.3	18	12.4	116	20.6	3	18.8
LT 18 MOS SINCE LAST BIRTH	20	11.7	34	13.3	34	15.9	10	12.3	68	19.5	1	10.0
PRENATAL CARE												
1ST TRIMESTER	223	83.2	390	87.8	298	83.7	127	87.6	436	77.4	16	100.0
2ND TRIMESTER	32	11.9	42	9.5	47	13.2	9	6.2	105	18.7	0	0.0
3RD TRIMESTER	3	1.1	7	1.6	7	2.0	4	2.8	21	3.7	0	0.0
NO PRENATAL CARE	4	1.5	2	0.5	1	0.3	2	1.4	1	0.2	0	0.0
INADEQUATE PRENATAL CARE*	25	9.6	30	6.9	38	10.8	15	10.7	137	24.3	1	6.3
MOTHER MEDICAID PARTICIPANT	154	57.9	186	41.9	260	73.4	107	74.3	245	43.6	10	66.7
MOTHER WIC PARTICIPANT	148	55.6	157	35.4	257	72.8	107	74.3	215	38.3	9	60.0
MOTHER ON MEDICAID AND WIC	126	47.4	131	29.5	227	64.1	94	65.3	196	34.9	8	53.3
MOTHER FOOD STAMP RECIPIENT	83	33.6	76	17.1	147	41.6	58	40.3	124	22.1	5	33.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-17	12	4.5	19	4.3	28	7.9	6	4.1	21	3.7	1	6.3
18-19	19	7.1	38	8.6	43	12.1	18	12.4	36	6.4	2	12.5
20-24	97	36.2	123	27.7	143	40.2	66	45.5	200	35.5	4	25.0
25-29	85	31.7	142	32.0	70	19.7	30	20.7	152	27.0	7	43.8
30-34	35	13.1	75	16.9	48	13.5	20	13.8	98	17.4	1	6.3
35-39	16	6.0	38	8.6	21	5.9	5	3.4	41	7.3	1	6.3
40 AND OVER	4	1.5	9	2.0	3	0.8	0	0.0	15	2.7	0	0.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2005

	WRIGHT	
	NUMBER	PERCENT
TOTAL LIVE BIRTHS	282	100.0
UNDER 2500 GRAMS	30	10.6
OVER 4499 GRAMS	3	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	25	9.1
LESS THAN 37 WEEKS GESTATION*	34	12.1
APGAR SCORE LESS THAN 8	4	1.4
CONGENITAL ANOMALIES	3	1.1
ABNORMAL CONDITIONS OF NEWBORN	28	9.9
INFANT TRANSFERS	6	2.1
MATERNAL TRANSFERS	0	0.0
HOME DELIVERIES	7	2.5
CESAREAN DELIVERIES	67	23.8
MATERNAL RISK FACTORS		
SMOKED DURING PREGNANCY	77	27.3
DRANK ALCOHOL DURING PREG	0	0.0
GT 15 PERCENT UNDERWEIGHT	17	6.3
GT 20 PERCENT OVERWEIGHT	104	38.5
GAINED LT 15 LBS DURING PREG*	26	11.0
GAINED 45+ LBS. DURING PREG*	43	18.2
MATERNAL EDUCATION UNDER 12	77	27.3
OUT-OF-WEDLOCK BIRTHS	97	34.4
LIVE BIRTH ORDER 4 OR MORE	38	13.5
LT 18 MOS SINCE LAST BIRTH	34	18.3
PRENATAL CARE		
1ST TRIMESTER	233	82.6
2ND TRIMESTER	35	12.4
3RD TRIMESTER	8	2.8
NO PRENATAL CARE	1	0.4
INADEQUATE PRENATAL CARE*	33	12.0
MOTHER MEDICAID PARTICIPANT	201	71.5
MOTHER WIC PARTICIPANT	181	64.4
MOTHER ON MEDICAID AND WIC	165	58.7
MOTHER FOOD STAMP RECIPIENT	105	37.4
AGE OF MOTHER		
UNDER 15	0	0.0
15-17	11	3.9
18-19	44	15.6
20-24	109	38.7
25-29	68	24.1
30-34	30	10.6
35-39	16	5.7
40 AND OVER	4	1.4

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C	RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION:										MISSOURI 2005	
	BALLWIN		BLUE SPRINGS		CAPE GIRARDEAU		CHESTERFIELD		COLUMBIA		FLORISSANT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	385	100.0	698	100.0	485	100.0	403	100.0	1,404	100.0	691	100.0
UNDER 2500 GRAMS	25	6.5	57	8.2	40	8.2	28	6.9	119	8.5	54	7.8
OVER 4499 GRAMS	6	1.6	5	0.7	2	0.4	3	0.7	20	1.4	7	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	14	3.7	66	10.4	65	13.4	29	7.4	130	9.3	51	7.6
LESS THAN 37 WEEKS GESTATION*	32	8.3	102	14.6	61	12.6	51	12.7	175	12.5	106	15.3
APGAR SCORE LESS THAN 8	9	2.3	25	3.6	13	2.7	10	2.5	57	4.1	17	2.5
CONGENITAL ANOMALIES	9	2.3	10	1.4	2	0.4	6	1.5	16	1.1	12	1.7
ABNORMAL CONDITIONS OF NEWBORN	39	10.1	92	13.2	16	3.3	39	9.7	108	7.7	44	6.4
INFANT TRANSFERS	1	0.3	11	1.6	3	0.6	4	1.0	4	0.3	12	1.7
MATERNAL TRANSFERS	0	0.0	11	1.6	3	0.6	5	1.2	9	0.6	19	2.7
HOME DELIVERIES	1	0.3	0	0.0	1	0.2	4	1.0	15	1.1	1	0.1
CESAREAN DELIVERIES	123	31.9	197	28.2	172	35.5	133	33.0	497	35.4	212	30.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	15	3.9	88	12.6	121	24.9	9	2.2	185	13.2	95	13.7
DRANK ALCOHOL DURING PREG	1	0.3	4	0.6	5	1.0	4	1.0	23	1.6	1	0.1
GT 15 PERCENT UNDERWEIGHT	21	5.7	34	5.1	31	6.5	28	7.1	63	5.3	39	5.8
GT 20 PERCENT OVERWEIGHT	100	27.2	255	37.9	189	39.7	79	20.2	390	32.8	292	43.4
GAINED LT 15 LBS DURING PREG*	19	5.7	39	6.8	37	9.3	11	3.3	79	7.4	49	8.5
GAINED 45+ LBS. DURING PREG*	50	15.1	97	16.9	78	19.5	51	15.4	226	21.2	97	16.9
MATERNAL EDUCATION UNDER 12	14	3.6	59	8.5	86	17.7	7	1.7	162	11.5	64	9.3
OUT-OF-WEDLOCK BIRTHS	38	9.9	190	27.2	217	44.7	30	7.4	475	33.8	254	36.8
LIVE BIRTH ORDER 4 OR MORE	28	7.3	61	8.7	42	8.7	37	9.2	107	7.6	69	10.0
LT 18 MOS SINCE LAST BIRTH	18	7.8	45	11.4	37	13.7	20	8.7	58	8.3	37	9.7
PRENATAL CARE												
1ST TRIMESTER	371	96.4	648	92.8	432	89.1	380	94.3	1,156	82.3	648	93.8
2ND TRIMESTER	12	3.1	35	5.0	40	8.2	17	4.2	152	10.8	36	5.2
3RD TRIMESTER	1	0.3	1	0.1	4	0.8	2	0.5	26	1.9	1	0.1
NO PRENATAL CARE	0	0.0	1	0.1	4	0.8	1	0.2	5	0.4	2	0.3
INADEQUATE PRENATAL CARE*	13	3.4	21	3.1	50	10.5	11	2.8	140	12.5	29	4.2
MOTHER MEDICAID PARTICIPANT	30	7.9	209	30.0	275	56.8	34	8.5	515	36.9	211	30.8
MOTHER WIC PARTICIPANT	14	3.7	184	26.5	259	53.5	15	3.8	400	28.7	174	25.4
MOTHER ON MEDICAID AND WIC	11	2.9	153	22.0	234	48.3	13	3.3	337	24.1	127	18.6
MOTHER FOOD STAMP RECIPIENT	13	3.4	77	12.1	159	32.9	10	2.5	286	20.5	98	14.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	0.1
15-17	2	0.5	13	1.9	16	3.3	2	0.5	34	2.4	12	1.7
18-19	3	0.8	34	4.9	50	10.3	5	1.2	68	4.8	42	6.1
20-24	26	6.8	163	23.4	151	31.1	32	7.9	344	24.5	169	24.5
25-29	115	29.9	228	32.7	126	26.0	92	22.8	419	29.8	249	36.0
30-34	141	36.6	187	26.8	105	21.6	144	35.7	336	23.9	139	20.1
35-39	83	21.6	58	8.3	32	6.6	108	26.8	169	12.0	62	9.0
40 AND OVER	15	3.9	15	2.1	5	1.0	20	5.0	32	2.3	17	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005											
	GLADSTONE		HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JOPLIN		KANSAS CITY TOTAL
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER PERCENT
TOTAL LIVE BIRTHS	321	100.0	320	100.0	1,616	100.0	585	100.0	874	100.0	7,582 100.0
UNDER 2500 GRAMS	26	8.1	25	7.8	130	8.0	42	7.2	70	8.0	718 9.5
OVER 4499 GRAMS	1	0.3	1	0.3	19	1.2	6	1.0	12	1.4	83 1.1
CROWN HEEL LT 47 CM (<18.5 IN)	22	7.3	27	8.6	212	13.9	71	12.2	60	6.9	830 12.3
LESS THAN 37 WEEKS GESTATION*	35	10.9	44	13.8	211	13.1	79	13.5	108	12.4	1,035 13.7
APGAR SCORE LESS THAN 8	7	2.2	6	1.9	52	3.2	20	3.4	27	3.1	210 2.8
CONGENITAL ANOMALIES	6	1.9	2	0.6	17	1.1	8	1.4	51	5.8	106 1.4
ABNORMAL CONDITIONS OF NEWBORN	28	8.7	19	5.9	134	8.3	62	10.6	198	22.7	539 7.1
INFANT TRANSFERS	7	2.2	3	0.9	21	1.3	16	2.7	10	1.1	61 0.8
MATERNAL TRANSFERS	6	1.9	7	2.2	25	1.5	10	1.7	0	0.0	131 1.7
HOME DELIVERIES	0	0.0	0	0.0	10	0.6	2	0.3	3	0.3	29 0.4
CESAREAN DELIVERIES	88	27.4	91	28.4	445	27.5	181	30.9	240	27.5	1,934 25.5
MATERNAL RISK FACTORS											
SMOKED DURING PREGNANCY	39	12.1	41	12.8	382	23.6	104	17.8	228	26.1	989 13.0
DRANK ALCOHOL DURING PREG	0	0.0	3	0.9	6	0.4	2	0.3	4	0.5	47 0.6
GT 15 PERCENT UNDERWEIGHT	20	6.5	9	2.9	96	6.2	27	5.0	62	7.2	414 6.1
GT 20 PERCENT OVERWEIGHT	116	37.9	118	38.3	670	43.3	213	39.2	313	36.1	2,570 37.7
GAINED LT 15 LBS DURING PREG*	24	8.9	28	10.8	141	10.5	26	5.5	63	8.4	529 8.9
GAINED 45+ LBS. DURING PREG*	50	18.5	51	19.6	291	21.7	112	23.5	177	23.5	1,162 19.5
MATERNAL EDUCATION UNDER 12	42	13.1	37	11.6	382	23.6	99	16.9	227	26.0	1,658 21.9
OUT-OF-WEDLOCK BIRTHS	110	34.3	149	46.6	746	46.2	226	38.6	412	47.1	3,785 49.9
LIVE BIRTH ORDER 4 OR MORE	29	9.0	28	8.8	175	10.8	57	9.7	89	10.2	938 12.4
LT 18 MOS SINCE LAST BIRTH	21	11.3	16	9.4	106	11.1	34	11.5	69	13.9	527 12.7
PRENATAL CARE											
1ST TRIMESTER	276	86.0	292	91.3	1,374	85.0	435	74.4	670	76.7	6,161 81.3
2ND TRIMESTER	31	9.7	21	6.6	139	8.6	83	14.2	168	19.2	802 10.6
3RD TRIMESTER	2	0.6	6	1.9	25	1.5	14	2.4	26	3.0	121 1.6
NO PRENATAL CARE	4	1.2	0	0.0	22	1.4	11	1.9	7	0.8	90 1.2
INADEQUATE PRENATAL CARE*	32	10.6	25	8.0	151	9.8	65	12.5	133	15.3	910 13.1
MOTHER MEDICAID PARTICIPANT	126	39.9	134	42.9	880	54.7	253	43.5	561	64.6	3,912 52.1
MOTHER WIC PARTICIPANT	106	33.4	124	39.7	812	50.5	253	43.5	439	50.5	3,709 49.3
MOTHER ON MEDICAID AND WIC	86	27.1	92	29.5	709	44.1	209	36.0	410	47.2	3,068 40.7
MOTHER FOOD STAMP RECIPIENT	47	15.6	66	21.2	425	27.8	143	24.6	302	34.8	1,924 28.7
AGE OF MOTHER											
UNDER 15	0	0.0	0	0.0	3	0.2	0	0.0	0	0.0	23 0.3
15-17	7	2.2	8	2.5	46	2.8	15	2.6	39	4.5	293 3.9
18-19	18	5.6	23	7.2	141	8.7	46	7.9	82	9.4	598 7.9
20-24	90	28.0	95	29.7	549	34.0	164	28.0	345	39.5	2,184 28.8
25-29	103	32.1	98	30.6	480	29.7	196	33.5	244	27.9	2,121 28.0
30-34	64	19.9	70	21.9	265	16.4	120	20.5	111	12.7	1,520 20.0
35-39	35	10.9	22	6.9	104	6.4	39	6.7	44	5.0	689 9.1
40 AND OVER	4	1.2	4	1.3	28	1.7	5	0.9	9	1.0	153 2.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	KANSAS CITY CASS COUNTY		KANSAS CITY CLAY COUNTY		KANSAS CITY JACKSON COUNTY		KANSAS CITY PLATTE COUNTY		KIRKWOOD		LEES SUMMIT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	5	100.0	1,679	100.0	5,317	100.0	581	100.0	310	100.0	1,182	100.0
UNDER 2500 GRAMS	0	0.0	124	7.4	552	10.4	42	7.2	13	4.2	65	5.5
OVER 4499 GRAMS	0	0.0	15	0.9	63	1.2	5	0.9	1	0.3	9	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	0	0.0	113	7.3	678	14.6	39	7.4	8	2.6	86	10.0
LESS THAN 37 WEEKS GESTATION*	0	0.0	213	12.7	746	14.0	76	13.1	25	8.1	122	10.3
APGAR SCORE LESS THAN 8	0	0.0	34	2.0	169	3.2	7	1.2	5	1.6	34	2.9
CONGENITAL ANOMALIES	0	0.0	24	1.4	73	1.4	9	1.5	7	2.3	19	1.6
ABNORMAL CONDITIONS OF NEWBORN	0	0.0	90	5.4	426	8.0	23	4.0	18	5.8	73	6.2
INFANT TRANSFERS	0	0.0	17	1.0	41	0.8	3	0.5	4	1.3	10	0.8
MATERNAL TRANSFERS	0	0.0	18	1.1	104	2.0	9	1.5	3	1.0	18	1.5
HOME DELIVERIES	0	0.0	6	0.4	22	0.4	1	0.2	1	0.3	6	0.5
CESAREAN DELIVERIES	0	0.0	495	29.5	1,280	24.1	159	27.4	90	29.0	327	27.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	0	0.0	233	13.9	701	13.2	55	9.5	8	2.6	103	8.7
DRANK ALCOHOL DURING PREG	0	0.0	5	0.3	40	0.8	2	0.3	5	1.6	2	0.2
GT 15 PERCENT UNDERWEIGHT	0	0.0	98	6.1	282	6.1	34	6.1	16	5.4	50	4.3
GT 20 PERCENT OVERWEIGHT	1	20.0	526	32.6	1,865	40.1	178	31.8	69	23.2	331	28.6
GAINED LT 15 LBS DURING PREG*	0	0.0	100	7.2	405	9.9	24	5.1	11	3.9	61	6.0
GAINED 45+ LBS. DURING PREG*	2	40.0	293	21.2	764	18.6	103	21.9	40	14.3	199	19.6
MATERNAL EDUCATION UNDER 12	0	0.0	156	9.3	1,451	27.3	51	8.8	11	3.5	74	6.3
OUT-OF-WEDLOCK BIRTHS	0	0.0	486	28.9	3,123	58.7	176	30.3	46	14.8	271	22.9
LIVE BIRTH ORDER 4 OR MORE	0	0.0	139	8.3	746	14.0	53	9.1	20	6.5	115	9.7
LT 18 MOS SINCE LAST BIRTH	0	0.0	109	11.7	387	13.3	31	9.8	13	7.8	78	11.4
PRENATAL CARE												
1ST TRIMESTER	3	60.0	1,508	89.8	4,138	77.8	512	88.1	296	95.5	1,060	89.7
2ND TRIMESTER	2	40.0	103	6.1	663	12.5	34	5.9	9	2.9	61	5.2
3RD TRIMESTER	0	0.0	14	0.8	102	1.9	5	0.9	1	0.3	10	0.8
NO PRENATAL CARE	0	0.0	10	0.6	72	1.4	8	1.4	0	0.0	7	0.6
INADEQUATE PRENATAL CARE*	1	20.0	101	6.3	771	16.0	37	6.8	8	2.6	52	4.6
MOTHER MEDICAID PARTICIPANT	2	40.0	490	29.6	3,249	61.6	171	29.9	38	12.4	253	21.4
MOTHER WIC PARTICIPANT	2	40.0	443	26.7	3,118	59.0	146	25.5	29	9.5	236	20.0
MOTHER ON MEDICAID AND WIC	2	40.0	354	21.3	2,594	49.0	118	20.6	27	8.8	176	14.9
MOTHER FOOD STAMP RECIPIENT	0	0.0	223	14.4	1,641	35.4	60	11.5	22	7.2	93	10.8
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.1	21	0.4	1	0.2	0	0.0	0	0.0
15-17	0	0.0	30	1.8	254	4.8	9	1.5	6	1.9	15	1.3
18-19	0	0.0	63	3.8	510	9.6	25	4.3	7	2.3	52	4.4
20-24	3	60.0	388	23.1	1,654	31.1	139	23.9	26	8.4	188	15.9
25-29	2	40.0	554	33.0	1,391	26.2	174	29.9	69	22.3	354	29.9
30-34	0	0.0	444	26.4	932	17.5	144	24.8	138	44.5	394	33.3
35-39	0	0.0	172	10.2	443	8.3	74	12.7	56	18.1	152	12.9
40 AND OVER	0	0.0	27	1.6	111	2.1	15	2.6	8	2.6	27	2.3

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005												
	LIBERTY		MARYLAND HGTS		OFALLON		RAYTOWN		ST. CHARLES		ST. JOSEPH	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	410	100.0	363	100.0	1,133	100.0	347	100.0	797	100.0	1,009	100.0
UNDER 2500 GRAMS	23	5.6	30	8.3	78	6.9	34	9.8	66	8.3	84	8.3
OVER 4499 GRAMS	2	0.5	1	0.3	10	0.9	1	0.3	5	0.6	4	0.4
CROWN HEEL LT 47 CM (<18.5 IN)	27	6.9	27	7.6	64	5.7	47	15.8	58	7.4	63	6.4
LESS THAN 37 WEEKS GESTATION*	46	11.2	51	14.0	142	12.5	52	15.0	103	12.9	122	12.1
APGAR SCORE LESS THAN 8	6	1.5	14	3.9	26	2.3	8	2.3	24	3.0	19	1.9
CONGENITAL ANOMALIES	6	1.5	4	1.1	30	2.6	8	2.3	14	1.8	14	1.4
ABNORMAL CONDITIONS OF NEWBORN	23	5.6	30	8.3	159	14.0	30	8.6	134	16.8	31	3.1
INFANT TRANSFERS	4	1.0	4	1.1	8	0.7	6	1.7	12	1.5	10	1.0
MATERNAL TRANSFERS	4	1.0	2	0.6	5	0.4	5	1.4	7	0.9	17	1.7
HOME DELIVERIES	2	0.5	1	0.3	2	0.2	0	0.0	2	0.3	2	0.2
CESAREAN DELIVERIES	123	30.0	125	34.4	410	36.2	97	28.0	263	33.0	244	24.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	40	9.8	17	4.7	101	8.9	69	19.9	148	18.6	303	30.0
DRANK ALCOHOL DURING PREG	2	0.5	3	0.8	3	0.3	4	1.2	2	0.3	0	0.0
GT 15 PERCENT UNDERWEIGHT	14	3.5	9	2.6	54	4.9	16	4.8	41	5.3	54	5.4
GT 20 PERCENT OVERWEIGHT	139	34.3	125	35.6	391	35.3	151	45.3	258	33.6	403	40.5
GAINED LT 15 LBS DURING PREG*	21	6.0	19	6.3	69	7.2	29	10.5	47	7.0	101	11.8
GAINED 45+ LBS. DURING PREG*	67	19.2	51	16.8	170	17.9	58	20.9	146	21.8	185	21.6
MATERNAL EDUCATION UNDER 12	46	11.2	30	8.3	62	5.5	49	14.1	111	13.9	192	19.0
OUT-OF-WEDLOCK BIRTHS	77	18.8	73	20.1	181	16.0	139	40.1	313	39.3	470	46.6
LIVE BIRTH ORDER 4 OR MORE	40	9.8	19	5.2	96	8.5	45	13.0	59	7.4	81	8.0
LT 18 MOS SINCE LAST BIRTH	25	10.5	19	11.1	69	10.3	21	10.2	45	11.0	84	14.5
PRENATAL CARE												
1ST TRIMESTER	362	88.3	333	91.7	1,057	93.3	299	86.2	713	89.5	909	90.1
2ND TRIMESTER	32	7.8	22	6.1	60	5.3	26	7.5	63	7.9	82	8.1
3RD TRIMESTER	5	1.2	3	0.8	3	0.3	7	2.0	12	1.5	7	0.7
NO PRENATAL CARE	2	0.5	1	0.3	2	0.2	2	0.6	6	0.8	1	0.1
INADEQUATE PRENATAL CARE*	30	7.5	22	6.1	45	4.0	22	6.7	58	7.4	61	6.1
MOTHER MEDICAID PARTICIPANT	104	25.7	69	19.3	153	13.6	141	40.8	274	34.7	595	59.1
MOTHER WIC PARTICIPANT	93	22.9	61	17.0	108	9.6	123	35.4	222	28.2	478	47.5
MOTHER ON MEDICAID AND WIC	78	19.2	47	13.1	81	7.2	99	28.5	177	22.4	437	43.4
MOTHER FOOD STAMP RECIPIENT	40	10.3	21	5.9	57	5.1	59	19.8	121	15.4	306	30.8
AGE OF MOTHER												
UNDER 15	1	0.2	0	0.0	0	0.0	1	0.3	2	0.3	1	0.1
15-17	7	1.7	5	1.4	14	1.2	11	3.2	18	2.3	36	3.6
18-19	20	4.9	12	3.3	29	2.6	16	4.6	47	5.9	112	11.1
20-24	76	18.5	60	16.5	162	14.3	97	28.0	203	25.5	362	35.9
25-29	116	28.3	125	34.4	354	31.2	109	31.4	228	28.6	288	28.5
30-34	127	31.0	101	27.8	409	36.1	71	20.5	195	24.5	151	15.0
35-39	56	13.7	47	12.9	135	11.9	34	9.8	84	10.5	48	4.8
40 AND OVER	7	1.7	13	3.6	30	2.6	8	2.3	20	2.5	11	1.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	ST. LOUIS CITY		ST. PETERS		SPRINGFIELD		UNIVERSITY CITY		WILDWOOD	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	5,077	100.0	647	100.0	2,289	100.0	498	100.0	292	100.0
UNDER 2500 GRAMS	609	12.0	44	6.8	173	7.6	38	7.6	14	4.8
OVER 4499 GRAMS	53	1.0	7	1.1	21	0.9	7	1.4	2	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	545	11.0	39	6.1	119	5.3	31	6.3	14	4.9
LESS THAN 37 WEEKS GESTATION*	1,001	19.7	82	12.7	307	13.4	68	13.7	33	11.3
APGAR SCORE LESS THAN 8	193	3.8	14	2.2	41	1.8	12	2.4	2	0.7
CONGENITAL ANOMALIES	51	1.0	7	1.1	11	0.5	4	0.8	5	1.7
ABNORMAL CONDITIONS OF NEWBORN	248	4.9	75	11.6	236	10.3	19	3.8	24	8.2
INFANT TRANSFERS	91	1.8	12	1.9	8	0.3	6	1.2	2	0.7
MATERNAL TRANSFERS	115	2.3	3	0.5	10	0.4	5	1.0	1	0.3
HOME DELIVERIES	27	0.5	2	0.3	19	0.8	3	0.6	0	0.0
CESAREAN DELIVERIES	1,525	30.0	216	33.4	681	29.8	162	32.5	87	29.8
MATERNAL RISK FACTORS										
SMOKED DURING PREGNANCY	803	15.8	63	9.7	507	22.1	17	3.4	4	1.4
DRANK ALCOHOL DURING PREG	42	0.8	5	0.8	30	1.3	7	1.4	4	1.4
GT 15 PERCENT UNDERWEIGHT	237	5.0	27	4.3	154	6.8	26	5.4	14	4.9
GT 20 PERCENT OVERWEIGHT	2,016	42.4	208	33.1	820	36.4	135	28.2	59	20.7
GAINED LT 15 LBS DURING PREG*	333	9.0	35	6.5	153	7.9	15	3.8	9	3.7
GAINED 45+ LBS. DURING PREG*	791	21.4	95	17.6	438	22.7	77	19.3	29	12.0
MATERNAL EDUCATION UNDER 12	1,353	26.6	40	6.2	456	19.9	35	7.0	1	0.3
OUT-OF-WEDLOCK BIRTHS	3,379	66.6	123	19.0	963	42.1	166	33.3	8	2.7
LIVE BIRTH ORDER 4 OR MORE	810	16.0	71	11.0	208	9.1	52	10.4	35	12.0
LT 18 MOS SINCE LAST BIRTH	347	14.0	25	7.1	143	12.1	23	9.3	7	3.4
PRENATAL CARE										
1ST TRIMESTER	4,176	82.3	607	93.8	1,956	85.5	445	89.4	280	95.9
2ND TRIMESTER	579	11.4	32	4.9	277	12.1	43	8.6	7	2.4
3RD TRIMESTER	67	1.3	4	0.6	38	1.7	3	0.6	0	0.0
NO PRENATAL CARE	120	2.4	2	0.3	9	0.4	2	0.4	0	0.0
INADEQUATE PRENATAL CARE*	839	17.5	23	3.6	240	10.5	33	6.8	2	0.7
MOTHER MEDICAID PARTICIPANT	3,299	65.9	101	15.8	1,393	61.0	132	26.9	5	1.7
MOTHER WIC PARTICIPANT	2,852	57.0	76	11.9	1,230	53.8	123	25.1	2	0.7
MOTHER ON MEDICAID AND WIC	2,530	50.5	53	8.3	1,092	47.8	94	19.2	1	0.3
MOTHER FOOD STAMP RECIPIENT	2,276	45.5	42	6.6	739	32.3	79	16.1	1	0.3
AGE OF MOTHER										
UNDER 15	17	0.3	0	0.0	2	0.1	1	0.2	0	0.0
15-17	279	5.5	6	0.9	82	3.6	9	1.8	0	0.0
18-19	514	10.1	18	2.8	226	9.9	26	5.2	2	0.7
20-24	1,614	31.8	113	17.5	788	34.4	68	13.7	11	3.8
25-29	1,290	25.4	221	34.2	641	28.0	107	21.5	41	14.0
30-34	886	17.5	200	30.9	373	16.3	175	35.1	135	46.2
35-39	392	7.7	73	11.3	141	6.2	93	18.7	84	28.8
40 AND OVER	85	1.7	16	2.5	36	1.6	19	3.8	19	6.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 11 RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 2005

	TOTAL PREGNANCIES							TOTAL PREGNANCIES					
	ABORTIONS			ABORTIONS				ABORTIONS			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
STATE TOTAL	10,696	3,335	7,361	1,925	658	1,267							
ADAIR	21	2	19	2	0	2	DAVISS	11	4	7	0	0	0
ANDREW	20	8	12	4	2	2	DE KALB	9	3	6	0	0	0
ATCHISON	5	0	5	1	0	1	DENT	30	9	21	2	2	0
AUDRAIN	56	13	43	6	1	5	DOUGLAS	28	5	23	1	1	0
BARRY	74	24	50	1	1	0	DUNKLIN	101	32	69	2	1	1
BARTON	26	9	17	3	1	2	FRANKLIN	148	45	103	12	5	7
BATES	43	16	27	2	2	0	GASCONADE	32	5	27	3	0	3
BENTON	32	14	18	4	1	3	GENTRY	19	4	15	1	0	1
BOLLINGER	26	5	21	0	0	0	GREENE	489	138	351	74	18	56
BOONE	211	64	147	66	14	52	GRUNDY	19	7	12	2	1	1
BUCHANAN	202	56	146	37	13	24	HARRISON	24	5	19	5	1	4
BUTLER	95	25	70	3	2	1	HENRY	35	8	27	4	0	4
CALDWELL	12	5	7	1	1	0	HICKORY	18	5	13	3	1	2
CALLAWAY	61	18	43	8	1	7	HOLT	6	1	5	0	0	0
CAMDEN	59	18	41	8	3	5	HOWARD	12	4	8	2	1	1
CAPE GIRARDEAU	125	33	92	12	4	8	HOWELL	92	28	64	5	4	1
CARROLL	13	3	10	0	0	0	IRON	17	5	12	2	2	0
CARTER	12	2	10	0	0	0	JACKSON	1,665	547	1,118	421	145	276
CASS	152	50	102	36	14	22	JASPER	274	74	200	24	7	17
CEDAR	26	11	15	1	0	1	JEFFERSON	291	76	215	62	20	42
CHARITON	5	1	4	2	1	1	JOHNSON	90	20	70	18	3	15
CHRISTIAN	103	31	72	8	4	4	KNOX	8	3	5	0	0	0
CLARK	10	6	4	0	0	0	LACLEDE	86	33	53	6	4	2
CLAY	286	98	188	86	39	47	LAFAYETTE	58	14	44	4	2	2
CLINTON	32	10	22	6	3	3	LAWRENCE	69	17	52	4	1	3
COLE	103	32	71	19	4	15	LEWIS	15	3	12	2	1	1
COOPER	17	6	11	2	1	1	LINCOLN	81	26	55	8	5	3
CRAWFORD	64	24	40	3	2	1	LINN	30	5	25	3	1	2
DADE	13	5	8	0	0	0	LIVINGSTON	28	9	19	0	0	0
DALLAS	32	10	22	1	1	0	MC DONALD	56	16	40	0	0	0


TABLE 11(CONT) RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 2005

	TOTAL PREGNANCIES							TOTAL PREGNANCIES					
	ABORTIONS			ABORTIONS				ABORTIONS			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
MACON	31	14	17	4	1	3	RIPLEY	35	8	27	1	0	1
MADISON	21	6	15	1	0	1	ST. CHARLES	317	91	226	95	21	74
MARIES	13	4	9	0	0	0	ST. CLAIR	18	6	12	2	1	1
MARION	51	18	33	1	0	1	ST. FRANCOIS	128	37	91	9	5	4
MERCER	4	1	3	0	0	0	STE. GENEVIEVE	24	12	12	1	1	0
MILLER	48	18	30	5	0	5	ST. LOUIS CITY	1,045	394	651	230	95	135
MISSISSIPPI	34	10	24	1	0	1	ST. LOUIS COUNTY	1,411	439	972	441	135	306
MONITEAU	25	8	17	1	0	1	SALINE	42	9	33	5	1	4
MONROE	11	5	6	1	0	1	SCHUYLER	8	1	7	0	0	0
MONTGOMERY	20	5	15	0	0	0	SCOTLAND	1	0	1	0	0	0
MORGAN	38	14	24	0	0	0	SCOTT	101	28	73	3	2	1
NEW MADRID	48	13	35	0	0	0	SHANNON	18	3	15	1	0	1
NEWTON	109	32	77	4	4	0	SHELBY	3	0	3	0	0	0
NODAWAY	24	5	19	4	0	4	STODDARD	66	15	51	9	6	3
OREGON	15	2	13	1	0	1	STONE	45	14	31	4	1	3
OSAGE	15	3	12	0	0	0	SULLIVAN	17	7	10	1	1	0
OZARK	17	3	14	1	0	1	TANEY	70	20	50	5	3	2
PEMISCOT	79	36	43	0	0	0	TEXAS	46	13	33	2	2	0
PERRY	22	6	16	1	1	0	VERNON	37	15	22	6	3	3
PETTIS	104	24	80	13	4	9	WARREN	60	21	39	3	2	1
PHELPS	87	30	57	7	3	4	WASHINGTON	77	29	48	5	1	4
PIKE	28	4	24	3	0	3	WAYNE	25	7	18	1	1	0
PLATTE	92	30	62	24	8	16	WEBSTER	58	21	37	1	0	1
POLK	49	17	32	5	2	3	WORTH	4	2	2	1	1	0
PULASKI	93	34	59	11	5	6	WRIGHT	56	11	45	1	0	1
PUTNAM	5	1	4	0	0	0							
RALLS	9	1	8	1	0	1							
RANDOLPH	55	22	33	2	2	0							
RAY	41	8	33	10	3	7							
REYNOLDS	14	6	8	0	0	0							

Graph D

Resident Abortion Ratios per 1,000 Live Births

Missouri 1971 - 2005



<i>Resident</i>				<i>Resident</i>				<i>Resident</i>				<i>Estimated* Resident</i>	
<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Number</i>	<i>Ratio</i>
<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>		<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>		<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>			
1971	NA	4,582	58.5	1983	19,199	20,024	265.5	1995	11,203	13,635	187.3	16,281	223.6
1972	NA	6,943	95.8	1984	20,204	20,037	269.2	1996	11,629	13,989	189.7	16,923	229.5
1973	NA	8,589	125.2	1985	19,482	19,210	250.5	1997	10,202	13,321	180.2	16,401	221.8
1974	NA	10,486	151.1	1986	19,039	18,824	250.6	1998	9,089	12,751	169.5	16,051	213.3
1975	10,245	11,077	161.8	1987	17,574	17,518	234.1	1999	8,113	12,600	167.2	15,855	210.4
1976	12,885	13,869	201.6	1988	17,382	18,379	241.5	2000	7,884	12,292	161.0	15,710	205.8
1977	13,533	14,762	202.3	1989	17,495	18,639	239.7	2001	7,797	12,266	162.9	15,512	206.0
1978	15,546	17,785	244.8	1990	16,366	17,947	226.8	2002	8,201	12,250	163.0	15,060	200.4
1979	17,787	21,267	279.6	1991	15,473	17,171	218.8	2003	8,350	12,476	162.1	15,056	195.6
1980	19,043	21,671	275.8	1992	13,390	16,240	213.7	2004	8,072	11,871	152.8	14,096	181.4
1981	18,604	20,738	270.2	1993	15,540	15,415	205.1	2005	7,977	11,619	147.9	13,955	177.7
1982	19,226	20,380	265.9	1994	11,879	14,119	192.7						

Source: 1971-1974 Centers for Disease Control; 1975-2005 Missouri Department of Health and Senior Services, Bureau of Health Informatics.

*Estimated Resident Abortions include estimates from Illinois clinics for 1988-2005 and Tennessee clinics in 1997-2005.

TABLE 12A RESIDENT ABORTIONS BY RACE, HISPANIC ORIGIN, AGE OF WOMAN AND TYPE OF PROCEDURE
BY WEEKS OF GESTATION: MISSOURI 2005
WEEKS OF GESTATION

RACE	TOTAL	UNDER 9	9-10	11-12	13-14	15-16	17-20	21 AND OVER	UNKNOWN
TOTAL	11,619	7,015	2,027	1,450	498	284	246	82	17
WHITE	6,677	4,308	1,088	698	263	142	123	51	4
BLACK	4,209	2,201	836	704	201	130	111	25	1
OTHER RACES	686	481	98	46	31	12	12	6	0
UNKNOWN	47	25	5	2	3	0	0	0	12
HISPANIC, ANY RACE	568	375	93	46	27	11	11	5	0
AGE									
TOTAL	11,619	7,015	2,027	1,450	498	284	246	82	17
UNDER 15	75	32	20	9	2	3	7	2	0
15	130	59	24	23	13	6	4	1	0
16	201	88	41	32	15	13	5	6	1
17	252	125	50	36	18	10	9	3	1
18	541	286	116	85	22	10	17	5	0
19	726	376	136	118	46	25	18	5	2
20-24	3,937	2,325	715	506	172	100	89	22	8
25-29	2,689	1,684	466	327	98	51	43	18	2
30-34	1,658	1,100	261	177	53	30	26	9	2
35-39	1,016	672	149	99	42	25	21	7	1
40 AND OVER	394	268	49	38	17	11	7	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0
TYPE OF PROCEDURE									
TOTAL	11,619	7,015	2,027	1,450	498	284	246	82	17
CURETTAGE	9,423	5,415	1,941	1,442	400	168	44	4	9
INTRAUTERINE INSTILLATION	0	0	0	0	0	0	0	0	0
HYSTEROTOMY/HYSTERECTOMY	2	0	0	0	0	0	2	0	0
LAMINARIA D & E	473	6	2	6	98	114	196	50	1
MEDICAL NONSURGICAL	1,687	1,592	83	1	0	2	3	6	0
OTHER	31	1	0	0	0	0	1	22	7
UNKNOWN	3	1	1	1	0	0	0	0	0

NOTE: WEEKS OF GESTATION IS CLINICAL ESTIMATE OF GESTATION UNLESS THE RESULT IS UNKNOWN;
THEN THE DATE OF LAST NORMAL MENSES IS USED.

TABLE 12B RECORDED ABORTIONS BY RACE, HISPANIC ORIGIN, AGE OF WOMAN AND TYPE OF PROCEDURE
BY WEEKS OF GESTATION: MISSOURI 2005
WEEKS OF GESTATION

RACE	TOTAL	UNDER 9	9-10	11-12	13-14	15-16	17-20	21 AND OVER	UNKNOWN
TOTAL	7,977	4,599	1,466	1,219	326	151	170	46	0
WHITE	4,492	2,829	763	554	165	79	77	25	0
BLACK	3,091	1,503	639	631	144	69	87	18	0
OTHER RACES	371	252	60	32	15	3	6	3	0
UNKNOWN	23	15	4	2	2	0	0	0	0
HISPANIC, ANY RACE	187	115	32	16	8	5	7	4	0
AGE									
TOTAL	7,977	4,599	1,466	1,219	326	151	170	46	0
UNDER 15	55	19	17	8	2	2	6	1	0
15	91	37	19	19	6	5	4	1	0
16	125	52	26	24	8	7	5	3	0
17	155	75	26	30	12	6	5	1	0
18	357	172	81	73	15	5	9	2	0
19	502	254	98	101	24	11	11	3	0
20-24	2,709	1,530	517	423	109	55	63	12	0
25-29	1,824	1,083	339	277	64	22	28	11	0
30-34	1,142	720	191	151	38	15	22	5	0
35-39	721	451	116	87	32	17	13	5	0
40 AND OVER	296	206	36	26	16	6	4	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0
TYPE OF PROCEDURE									
TOTAL	7,977	4,599	1,466	1,219	326	151	170	46	0
CURETTAGE	6,424	3,332	1,369	1,211	316	145	47	4	0
INTRAUTERINE INSTILLATION	0	0	0	0	0	0	0	0	0
HYSTEROTOMY/HYSTERECTOMY	2	0	0	0	0	0	2	0	0
LAMINARIA D & E	178	3	2	6	10	5	118	34	0
MEDICAL NONSURGICAL	1,367	1,262	93	1	0	1	3	7	0
OTHER	2	1	0	0	0	0	0	1	0
UNKNOWN	4	1	2	1	0	0	0	0	0

NOTE: WEEKS OF GESTATION IS CLINICAL ESTIMATE OF GESTATION UNLESS THE RESULT IS UNKNOWN;
THEN THE DATE OF LAST NORMAL MENSES IS USED.

TABLE 13

RESIDENT ABORTIONS BY AGE, MARITAL STATUS, AND EDUCATION, BY RACE AND HISPANIC ORIGIN: MISSOURI 2005
RACE

AGE	TOTAL	WHITE	BLACK	OTHER RACES	UNKNOWN	HISPANIC ANY RACE
TOTAL	11,619	6,677	4,209	686	47	568
UNDER 15	75	26	46	3	0	2
15	130	69	55	6	0	3
16	201	116	77	7	1	10
17	252	143	97	12	0	9
18	541	331	193	17	0	18
19	726	430	261	33	2	29
20-24	3,937	2,311	1,382	227	17	203
25-29	2,689	1,443	1,068	169	9	163
30-34	1,658	900	646	103	9	85
35-39	1,016	640	290	80	6	40
40 AND OVER	394	268	94	29	3	6
UNKNOWN	0	0	0	0	0	0
MARITAL STATUS						
TOTAL	11,619	6,677	4,209	686	47	568
NEVER MARRIED	5,110	2,595	2,333	171	11	113
CURRENTLY MARRIED	1,971	1,289	439	238	5	112
FORMERLY MARRIED	725	551	152	19	3	15
UNMARRIED, UNSPECIFIED	3,679	2,197	1,214	254	14	320
UNKNOWN	134	45	71	4	14	8
YEARS OF EDUCATION						
TOTAL	11,619	6,677	4,209	686	47	568
0-8	231	128	76	25	2	41
9-11	1,694	1,015	593	82	4	105
12	5,468	2,939	2,239	276	14	222
13-15	2,705	1,608	929	157	11	141
16 OR MORE	1,386	917	331	136	2	38
UNKNOWN	135	70	41	10	14	21

TABLE 14A COUNTIES	RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY COUNTY OF RESIDENCE: MISSOURI 2005							
	NUMBER	RATIO	COUNTIES	NUMBER	RATIO	COUNTIES	NUMBER	RATIO
STATE TOTAL	11,619	147.9	GRUNDY	10	85.5	PETTIS	46	75.0
ADAIR	14	52.2	HARRISON	7	66.0	PHelps	38	65.5
ANDREW	22	112.8	HENRY	19	65.1	PIKE	11	51.9
ATCHISON	1	15.2	HICKORY	6	69.0	PLATTE	150	134.9
AUDRAIN	23	59.9	HOLT	3	51.7	POLK	17	46.7
BARRY	10	18.7	HOWARD	10	92.6	PULASKI	52	75.4
BARTON	5	32.3	HOWELL	22	44.3	PUTNAM	0	0.0
BATES	6	26.1	IRON	4	32.0	RALLS	8	70.8
BENTON	15	87.2	JACKSON	2,646	255.6	RANDOLPH	19	54.1
BOLLINGER	4	26.7	JASPER	103	56.1	RAY	33	113.8
BOONE	357	183.7	JEFFERSON	293	100.5	REYNOLDS	1	16.7
BUCHANAN	159	141.3	JOHNSON	87	125.4	RIPLEY	10	55.9
BUTLER	21	35.1	KNOX	2	42.6	ST. CHARLES	594	132.4
CALDWELL	2	14.3	LACLEDE	26	50.3	ST. CLAIR	9	90.0
CALLAWAY	49	94.4	LAFAYETTE	40	93.7	ST. FRANCOIS	45	59.1
CAMDEN	49	118.4	LAWRENCE	30	61.0	STE. GENEVIEVE	11	63.2
CAPE GIRARDEAU	74	78.4	LEWIS	5	50.5	ST. LOUIS CITY	1,556	306.5
CARROLL	3	29.1	LINCOLN	65	91.4	ST. LOUIS COUNTY	2,951	246.0
CARTER	2	25.3	LINN	11	58.8	SALINE	37	124.6
CASS	169	135.4	LIVINGSTON	9	50.3	SCHUYLER	3	65.2
CEDAR	6	36.6	MC DONALD	5	13.9	SCOTLAND	0	0.0
CHARITON	7	76.1	MACON	14	72.2	SCOTT	7	11.2
CHRISTIAN	76	69.5	MADISON	8	58.0	SHANNON	3	27.8
CLARK	0	0.0	MARIES	2	20.8	SHELBY	1	10.9
CLAY	439	143.8	MARION	14	35.9	STODDARD	30	80.2
CLINTON	36	133.3	MERCER	0	0.0	STONE	15	50.5
COLE	107	111.6	MILLER	23	70.3	SULLIVAN	4	43.5
COOPER	14	78.2	MISSISSIPPI	4	21.7	TANEY	35	62.4
CRAWFORD	5	14.9	MONITEAU	7	31.5	TEXAS	14	47.1
DADE	1	11.8	MONROE	5	42.0	VERNON	16	59.7
DALLAS	6	29.3	MONTGOMERY	4	25.8	WARREN	23	51.8
DAVIESS	4	32.3	MORGAN	10	38.0	WASHINGTON	27	75.8
DE KALB	1	8.4	NEW MADRID	2	8.0	WAYNE	5	34.5
DENT	6	33.3	NEWTON	19	25.1	WEBSTER	22	39.1
DOUGLAS	4	25.2	NODAWAY	19	78.5	WORTH	3	187.5
DUNKLIN	5	10.6	OREGON	1	8.6	WRIGHT	15	53.2
FRANKLIN	104	80.9	OSAGE	4	21.6			
GASCONADE	13	72.6	OZARK	5	40.0			
GENTRY	7	79.5	PEMISCOT	2	6.4			
GREENE	394	114.3	PERRY	7	33.8			

TABLE 14B RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY REGIONAL PLANNING COMMISSION					
OF RESIDENCE: MISSOURI 2005					
REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO	REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO
MAJOR METRO REGIONS			BOONSLICK	92	70.2
EAST-WEST GATEWAY	5,498	213.4	KAYSINGER BASIN	77	58.6
MID-AMERICA	3,437	214.1	PIONEER TRAILS	210	103.4
MINOR METRO REGIONS			SOUTH CENTRAL OZARK	64	40.4
SOUTHWEST MISSOURI	606	79.3	MERAMEC	95	49.7
MID-MISSOURI	544	138.4	LAKE OF THE OZARKS	160	72.4
MO-KAN	218	127.6			
HARRY S TRUMAN	132	42.5	SOUTHEAST MISSOURI	153	61.2
			BOOTHEEL	50	22.5
NONMETRO REGIONS			OZARK FOOTHILLS	39	36.7
NORTHWEST MISSOURI	33	70.2			
GREEN HILLS	57	45.6	MAJOR METRO TOTAL	8,935	213.7
			MINOR METRO TOTAL	1,500	91.5
			NONMETRO TOTAL	1,149	56.5
NORTHEAST MISSOURI	24	38.6			
MARK TWAIN	95	51.2	STATE TOTAL	11,619	147.9

TABLE 15

RESIDENT ABORTIONS BY AGE AND MARITAL STATUS OF WOMAN: MISSOURI 2005
AGE

MARITAL STATUS	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	11,619	75	583	1,267	3,937	2,689	1,658	1,016	375	19	0
NEVER MARRIED	5,110	48	332	754	2,154	1,098	490	187	46	1	0
CURRENTLY MARRIED	1,971	1	2	29	330	562	488	382	171	6	0
FORMERLY MARRIED	725	0	1	3	75	163	202	193	84	4	0
UNMARRIED, UNSPECIFIED	3,679	26	240	467	1,336	837	453	242	70	8	0
UNKNOWN	134	0	8	14	42	29	25	12	4	0	0

TABLE 16
NUMBER OF
LIVING CHILDREN

TOTAL	11,619
0	4,531
1	3,236
2	2,369
3	993
4	338
5	95
6+	57
UNKNOWN	0

RESIDENT ABORTIONS BY NUMBER OF LIVING CHILDREN AND NUMBER OF PREVIOUS ABORTIONS: MISSOURI 2005
FREQUENCY
OF PATIENTS

NUMBER OF
PREVIOUS ABORTIONS
FREQUENCY
OF PATIENTS

TOTAL	11,619
0	6,591
1	3,025
2	1,292
3	451
4	153
5	60
6+	44
UNKNOWN	3

TABLE 17 RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POPULATION	RESIDENT			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
STATE TOTAL	5,800,310	78,547	54,324	24,223	79,525	56,091	13.5	9.4	4.2
ADAIR	24,509	268	244	24	466	297	10.9	10.0	1.0
ANDREW	16,899	195	171	24	0	124	11.5	10.1	1.4
ATCHISON	6,246	66	76	-10	58	70	10.6	12.2	-1.6
AUDRAIN	25,759	384	314	70	352	315	14.9	12.2	2.7
BARRY	35,599	536	412	124	413	326	15.1	11.6	3.5
BARTON	13,057	155	147	8	0	114	11.9	11.3	0.6
BATES	17,027	230	189	41	66	146	13.5	11.1	2.4
BENTON	18,854	172	246	-74	1	144	9.1	13.0	-3.9
BOLLINGER	12,325	150	136	14	1	73	12.2	11.0	1.1
BOONE	143,326	1,943	860	1,083	3,614	1,604	13.6	6.0	7.6
BUCHANAN	84,904	1,125	973	152	1,641	1,096	13.3	11.5	1.8
BUTLER	41,338	599	554	45	1,452	700	14.5	13.4	1.1
CALDWELL	9,307	140	86	54	0	45	15.0	9.2	5.8
CALLAWAY	42,541	519	308	211	134	184	12.2	7.2	5.0
CAMDEN	39,432	414	390	24	761	452	10.5	9.9	0.6
CAPE GIRARDEAU	71,161	944	753	191	1,832	1,204	13.3	10.6	2.7
CARROLL	10,193	103	125	-22	3	97	10.1	12.3	-2.2
CARTER	5,910	79	79	0	0	34	13.4	13.4	0.0
CASS	94,232	1,248	799	449	7	622	13.2	8.5	4.8
CEDAR	14,160	164	218	-54	97	170	11.6	15.4	-3.8
CHARITON	8,124	92	118	-26	0	74	11.3	14.5	-3.2
CHRISTIAN	67,266	1,094	481	613	10	303	16.3	7.2	9.1
CLARK	7,323	97	73	24	4	49	13.2	10.0	3.3
CLAY	202,078	3,052	1,456	1,596	3,177	1,793	15.1	7.2	7.9
CLINTON	20,715	270	272	-2	39	309	13.0	13.1	-0.1
COLE	72,757	959	593	366	1,641	828	13.2	8.2	5.0
COOPER	17,294	179	178	1	3	158	10.4	10.3	0.1
CRAWFORD	23,932	335	273	62	252	249	14.0	11.4	2.6
DADE	7,830	85	128	-43	1	91	10.9	16.3	-5.5
DALLAS	16,437	205	172	33	12	110	12.5	10.5	2.0
DAVIESS	8,121	124	90	34	10	43	15.3	11.1	4.2
DE KALB	12,342	119	116	3	2	70	9.6	9.4	0.2
DENT	15,083	180	172	8	4	123	11.9	11.4	0.5
DOUGLAS	13,594	159	128	31	3	86	11.7	9.4	2.3
DUNKLIN	32,545	473	468	5	496	364	14.5	14.4	0.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		RESIDENT	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	RESIDENT	NATURAL INCREASE	
		LIVE BIRTHS					DEATHS		
FRANKLIN	99,090	1,285	808	477	1,029	721	13.0	8.2	4.8
GASCONADE	15,745	179	209	-30	1	167	11.4	13.3	-1.9
GENTRY	6,555	88	93	-5	10	80	13.4	14.2	-0.8
GREENE	250,784	3,448	2,345	1,103	6,534	3,542	13.7	9.4	4.4
GRUNDY	10,327	117	144	-27	222	137	11.3	13.9	-2.6
HARRISON	8,876	106	132	-26	3	96	11.9	14.9	-2.9
HENRY	22,577	292	301	-9	324	288	12.9	13.3	-0.4
HICKORY	9,271	87	135	-48	2	83	9.4	14.6	-5.2
HOLT	5,081	58	74	-16	0	50	11.4	14.6	-3.1
HOWARD	9,957	108	105	3	2	59	10.8	10.5	0.3
HOWELL	38,400	497	476	21	683	525	12.9	12.4	0.5
IRON	10,273	125	157	-32	0	94	12.2	15.3	-3.1
JACKSON	662,959	10,353	6,000	4,353	11,846	6,598	15.6	9.1	6.6
JASPER	110,624	1,835	1,098	737	954	1,151	16.6	9.9	6.7
JEFFERSON	213,669	2,915	1,622	1,293	848	1,143	13.6	7.6	6.1
JOHNSON	50,784	694	348	346	795	308	13.7	6.9	6.8
KNOX	4,171	47	50	-3	5	26	11.3	12.0	-0.7
LACLEDE	34,492	517	374	143	447	338	15.0	10.8	4.1
LAFAYETTE	33,108	427	382	45	1	270	12.9	11.5	1.4
LAWRENCE	37,127	492	391	101	242	330	13.3	10.5	2.7
LEWIS	10,186	99	124	-25	11	87	9.7	12.2	-2.5
LINCOLN	47,727	711	338	373	2	286	14.9	7.1	7.8
LINN	13,133	187	183	4	5	139	14.2	13.9	0.3
LIVINGSTON	14,291	179	195	-16	147	169	12.5	13.6	-1.1
MC DONALD	22,844	361	187	174	1	107	15.8	8.2	7.6
MACON	15,600	194	225	-31	8	180	12.4	14.4	-2.0
MADISON	12,151	138	137	1	0	111	11.4	11.3	0.1
MARIES	8,989	96	89	7	3	43	10.7	9.9	0.8
MARION	28,375	390	342	48	601	412	13.7	12.1	1.7
MERCER	3,595	43	50	-7	0	19	12.0	13.9	-1.9
MILLER	24,712	327	294	33	3	154	13.2	11.9	1.3
MISSISSIPPI	13,599	184	174	10	0	81	13.5	12.8	0.7
MONITEAU	15,084	222	139	83	7	94	14.7	9.2	5.5
MONROE	9,379	119	117	2	3	68	12.7	12.5	0.2
MONTGOMERY	12,166	155	172	-17	2	124	12.7	14.1	-1.4

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		RESIDENT	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	RESIDENT		NATURAL INCREASE
		LIVE BIRTHS					DEATHS		
MORGAN	20,436	263	252	11	36	182	12.9	12.3	0.5
NEW MADRID	18,566	251	235	16	0	138	13.5	12.7	0.9
NEWTON	55,554	757	505	252	2,556	860	13.6	9.1	4.5
NODAWAY	21,710	242	192	50	294	170	11.1	8.8	2.3
OREGON	10,403	116	130	-14	3	79	11.2	12.5	-1.3
OSAGE	13,485	185	118	67	3	61	13.7	8.8	5.0
OZARK	9,490	125	121	4	2	65	13.2	12.8	0.4
PEMISCOT	19,412	313	241	72	142	179	16.1	12.4	3.7
PERRY	18,571	207	193	14	105	158	11.1	10.4	0.8
PETTIS	40,121	613	406	207	626	408	15.3	10.1	5.2
PHELPS	42,125	580	414	166	915	482	13.8	9.8	3.9
PIKE	18,762	212	195	17	9	155	11.3	10.4	0.9
PLATTE	82,085	1,112	487	625	967	365	13.5	5.9	7.6
POLK	28,892	364	323	41	470	282	12.6	11.2	1.4
PULASKI	44,187	690	271	419	417	161	15.6	6.1	9.5
PUTNAM	5,168	67	73	-6	13	55	13.0	14.1	-1.2
RALLS	9,761	113	81	32	0	40	11.6	8.3	3.3
RANDOLPH	25,336	351	275	76	304	248	13.9	10.9	3.0
RAY	24,101	290	214	76	4	149	12.0	8.9	3.2
REYNOLDS	6,585	60	89	-29	1	61	9.1	13.5	-4.4
RIPLEY	13,851	179	190	-11	0	123	12.9	13.7	-0.8
ST. CHARLES	329,940	4,488	1,991	2,497	2,713	1,853	13.6	6.0	7.6
ST. CLAIR	9,686	100	131	-31	4	110	10.3	13.5	-3.2
ST. FRANCOIS	61,661	761	700	61	877	670	12.3	11.4	1.0
STE. GENEVIEVE	18,198	174	166	8	86	127	9.6	9.1	0.4
ST. LOUIS CITY	344,362	5,077	3,489	1,588	4,460	4,706	14.7	10.1	4.6
ST. LOUIS COUNTY	1,004,666	11,998	9,161	2,837	20,910	10,610	11.9	9.1	2.8
SALINE	23,075	297	283	14	306	247	12.9	12.3	0.6
SCHUYLER	4,308	46	57	-11	5	34	10.7	13.2	-2.6
SCOTLAND	4,928	65	61	4	77	59	13.2	12.4	0.8
SCOTT	41,143	624	416	208	607	442	15.2	10.1	5.1
SHANNON	8,367	108	90	18	1	51	12.9	10.8	2.2
SHELBY	6,744	92	88	4	1	55	13.6	13.0	0.6
STODDARD	29,714	374	356	18	0	290	12.6	12.0	0.6
STONE	30,931	297	304	-7	4	206	9.6	9.8	-0.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
SULLIVAN	6,907	92	98	-6	0	70	13.3	14.2	-0.9
TANEY	42,985	561	436	125	570	453	13.1	10.1	2.9
TEXAS	24,614	297	295	2	293	246	12.1	12.0	0.1
VERNON	20,441	268	231	37	332	183	13.1	11.3	1.8
WARREN	28,764	444	186	258	0	94	15.4	6.5	9.0
WASHINGTON	24,032	356	254	102	3	201	14.8	10.6	4.2
WAYNE	13,097	145	181	-36	0	87	11.1	13.8	-2.7
WEBSTER	34,745	563	289	274	107	176	16.2	8.3	7.9
WORTH	2,174	16	26	-10	0	15	7.4	12.0	-4.6
WRIGHT	18,306	282	221	61	9	138	15.4	12.1	3.3
CITIES OVER 25,000 POPULATION									
BALLWIN	30,481	385	153	232	3	153	12.6	5.0	7.6
BLUE SPRINGS	53,099	698	286	412	1,482	366	13.1	5.4	7.8
CAPE GIRARDEAU	36,204	485	483	2	1,830	1,075	13.4	13.3	0.1
CHESTERFIELD	47,020	403	432	-29	2,188	944	8.6	9.2	-0.6
COLUMBIA	91,814	1,404	572	832	3,611	1,501	15.3	6.2	9.1
FLORISSANT	51,812	691	490	201	1	604	13.3	9.5	3.9
GLADSTONE	27,306	321	248	73	0	171	11.8	9.1	2.7
HAZELWOOD	25,535	320	165	155	0	42	12.5	6.5	6.1
INDEPENDENCE	110,208	1,616	1,213	403	1,522	1,241	14.7	11.0	3.7
JEFFERSON CITY	39,062	585	422	163	1,640	811	15.0	10.8	4.2
KIRKWOOD	27,038	310	259	51	965	338	11.5	9.6	1.9
LEES SUMMIT	80,338	1,182	584	598	5	603	14.7	7.3	7.4
LIBERTY	29,042	410	211	199	1,053	478	14.1	7.3	6.9
MARYLAND HEIGHTS	26,544	363	190	173	1	225	13.7	7.2	6.5
OFALLON	69,694	1,133	299	834	4	267	16.3	4.3	12.0
RAYTOWN	28,923	347	406	-59	0	231	12.0	14.0	-2.0
ST. CHARLES	62,304	797	557	240	687	873	12.8	8.9	3.9
ST. JOSEPH	72,661	1,009	895	114	1,637	1,071	13.9	12.3	1.6
ST. LOUIS CITY	344,662	5,077	3,489	1,588	4,460	4,706	14.7	10.1	4.6
ST. PETERS	54,209	647	325	322	802	343	11.9	6.0	5.9
SPRINGFIELD	150,298	2,289	1,706	583	6,522	3,281	15.2	11.4	3.9
UNIVERSITY CITY	37,170	498	344	154	0	127	13.4	9.3	4.1
WILDWOOD	34,831	292	92	200	0	20	8.4	2.6	5.7

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		RESIDENT	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	RESIDENT	DEATHS	NATURAL INCREASE
MULTI-COUNTY CITIES		LIVE BIRTHS					LIVE BIRTHS		
JOPLIN	47,183	874	595	279	3,495	1,384	18.5	12.6	5.9
JASPER CO. PART	41,719	776	510	266	944	794	18.6	12.2	6.4
NEWTON CO. PART	5,464	98	85	13	2,551	590	17.9	15.6	2.4
KANSAS CITY	444,965	7,582	3,784	3,798	9,802	4,400	17.0	8.5	8.5
JACKSON CO. PART	315,381	5,317	3,000	2,317	8,831	3,914	16.9	9.5	7.3
CLAY CO. PART	91,483	1,679	544	1,135	5	288	18.4	5.9	12.4
PLATTE CO. PART	37,971	581	240	341	966	198	15.3	6.3	9.0
CASS CO. PART	130	5	0	5	0	0	38.5	0.0	38.5

TABLE 18 RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2005

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS
CITIES WITH 10,000 TO 24,999 POPULATION					CITIES WITH 10,000 TO 24,999 POPULATION				
ARNOLD	247	201	1	166	MANCHESTER	249	76	1	29
BELLEFONTAINE NGHS.	119	147	1	66	MARSHALL	197	138	306	176
BELTON	382	171	1	190	MARYVILLE	110	96	294	146
BERKELEY	165	83	0	28	MEXICO	181	196	337	255
BRIDGETON	130	164	1,804	756	MOBERLY	204	188	302	218
CARTHAGE	302	187	2	201	NEOSHO	223	107	2	176
CLAYTON	88	70	3	69	NIXA	307	123	2	99
CRESTWOOD	126	98	0	15	OVERLAND	219	157	1	67
CREVE COEUR	137	166	7,561	860	POPLAR BLUFF	317	287	1,452	657
EXCELSIOR SPRINGS	172	140	0	133	RAYMORE	240	161	0	126
CLAY CO. PART	170	137	0	127	ROLLA	279	178	915	386
RAY CO. PART	2	3	0	6	ST. ANN	178	132	0	39
FARMINGTON	191	254	877	430	SEDALIA	363	263	621	391
FERGUSON	321	183	1	79	SIKESTON	284	221	604	381
FULTON	147	112	134	123	NEW MADRID CO. PART	10	5	0	5
GRANDVIEW	425	190	2	123	SCOTT CO. PART	274	216	604	376
HANNIBAL	288	227	600	341	TOWN AND COUNTRY	47	184	4,268	633
MARION CO. PART	283	224	600	337	WARRENSBURG	231	157	789	247
RALLS CO. PART	5	3	0	4	WASHINGTON	218	121	1,025	341
JACKSON	230	141	2	98	WEBSTER GROVES	269	217	0	137
JENNINGS	238	132	0	47	WEST PLAINS	185	192	682	382
KENNETT	183	179	496	203					
KIRKSVILLE	197	175	459	286					
LAKE ST. LOUIS	159	83	962	167					
LEBANON	323	204	447	310					

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2005

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS
CITIES WITH 2,500 TO 9,999 POPULATION					CITIES WITH 2,500 TO 9,999 POPULATION				
AURORA	114	94	227	102	DES PERES	59	56	1	265
BEL RIDGE	61	27	0	4	DEXTER	128	117	0	194
BETHANY	49	81	0	82	EAST PRAIRIE	44	45	0	37
BLACK JACK	71	122	0	11	MISSISSIPPI CO. PART	44	45	0	37
BOLIVAR	130	125	465	201	NEW MADRID CO. PART	0	0	0	0
BONNE TERRE	83	80	0	101	ELDON	83	93	0	82
BOONVILLE	88	91	1	55	ELDORADO SPRINGS	30	44	86	84
BOWLING GREEN	57	55	0	51	CEDAR CO. PART	30	44	86	84
BRANSON	138	89	566	270	VERNON CO. PART	0	0	0	0
BRECKENRIDGE HILLS	92	33	0	2	ELLISVILLE	91	115	0	107
BRENTWOOD	84	45	0	14	EUREKA	122	71	0	79
BROOKFIELD	62	78	2	105	FAYETTE	22	34	1	27
BUCKNER	48	22	0	13	FENTON	63	35	0	184
BUFFALO	47	66	1	65	JEFFERSON CO. PART	18	6	0	66
BUTLER	74	66	63	107	ST. LOUIS CO. PART	45	29	0	118
CALIFORNIA	81	66	0	56	FESTUS	236	124	0	114
CAMDENTON	62	51	0	70	FREDERICKTOWN	57	66	0	99
CAMERON	107	152	40	240	FRONTENAC	17	22	0	7
CALDWELL CO. PART	0	0	0	0	GLENDALE	88	29	0	3
CLINTON CO. PART	85	112	39	208	GRAIN VALLEY	210	32	0	19
DE KALB CO. PART	22	40	1	32	GREENWOOD	112	20	0	8
CARL JUNCTION	97	30	0	19	HARRISONVILLE	125	138	4	180
CARROLLTON	53	68	0	86	HAYTI	67	47	142	98
CARUTHERSVILLE	116	82	0	36	HERCULANEUM	44	46	0	48
CASSVILLE	58	59	2	113	HERMANN	35	55	0	73
CENTRALIA	43	38	0	29	HIGGINSVILLE	76	64	0	41
AUDRAIN CO. PART	0	0	0	7	HOLDEN	39	37	0	31
BOONE CO. PART	43	38	0	22	HOLLISTER	60	35	1	61
CHAFFEE	47	40	0	29	HOLT SUMMIT	63	27	0	16
CHARLESTON	80	63	0	26	KEARNEY	129	42	0	31
CHILLICOTHE	118	155	146	164	LADUE	64	70	0	20
CLINTON	134	168	323	229	LAMAR	73	82	0	101
CRYSTAL CITY	61	86	840	317	LEXINGTON	67	69	0	94
CUBA	57	56	1	66	LOUISIANA	53	61	1	74
DARDENNE PRAIRIE TOWN	125	54	0	5	MACON	80	99	0	131
DELLWOOD	56	34	0	13	MALDEN	70	81	0	59
DESLOGE	49	61	0	51	MAPLEWOOD	155	74	0	23
DESOTO	107	72	1	128	MARCELINE	49	34	0	12

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2005

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS
CITIES WITH 2,500 TO 9,999 POPULATION					CITIES WITH 2,500 TO 9,999 POPULATION				
MARSHFIELD	107	99	2	94	REPUBLIC	204	97	0	104
MOLINE ACRES	41	17	0	6	RICHMOND	96	92	2	99
MONETT	179	111	409	132	RICHMOND HEIGHTS	110	82	2,649	469
BARRY CO. PART	142	93	409	121	RIVERSIDE	59	41	0	77
LAWRENCE CO. PART	37	18	0	11	RIVERVIEW	54	20	0	2
MONROE CITY	42	42	0	25	ROCK HILL	85	40	0	14
MARION CO. PART	4	18	0	17	ST. CLAIR	99	55	0	65
MONROE CO. PART	38	24	0	8	ST. JOHN	87	78	1	20
MOUNTAIN GROVE	92	65	1	62	ST. ROBERT	86	16	0	12
MOUNT VERNON	54	82	1	129	STE. GENEVIEVE	56	85	86	99
NEVADA	128	144	324	165	SALEM	96	90	1	64
NEW MADRID	53	44	0	38	SAVANNAH	84	66	0	79
NORMANDY	54	40	0	17	SCOTT CITY	61	40	1	19
NORTH KANSAS CITY	42	50	2,116	615	CAPE GIRARDEAU CO. PART	1	0	0	0
NORTHWOODS	52	56	0	8	SCOTT CO. PART	60	40	1	19
OAK GROVE	109	60	0	49	SHREWSBURY	47	95	0	10
ODESSA	102	63	0	55	SMITHVILLE	97	45	2	41
OLIVETTE	84	57	0	11	SUGAR CREEK	42	29	0	9
OSAGE BEACH	33	36	760	303	SULLIVAN	122	92	248	152
OWENSVILLE	51	55	1	76	CRAWFORD CO. PART	35	25	248	112
OZARK	318	141	3	143	FRANKLIN CO. PART	87	67	0	40
PACIFIC	93	63	0	63	SUNSET HILLS	55	143	1	18
FRANKLIN CO. PART	93	63	0	62	TIPTON	39	34	1	31
ST. LOUIS CO. PART	0	0	0	1	TRENTON	78	105	217	134
PAGEDALE	58	41	0	7	TROY	195	101	1	179
PALMYRA	41	58	0	52	UNION	168	74	2	46
PARK HILLS	139	93	0	55	VALLEY PARK	124	82	0	83
PARKVILLE	64	24	0	21	VANDALIA	101	44	2	34
PECULIAR	66	23	1	15	VERSAILLES	42	47	11	68
PERRYVILLE	106	125	105	151	WARRENTON	127	50	0	41
PEVELY	62	27	0	21	WAYNESVILLE	95	43	0	49
PINE LAWN	67	53	0	8	WEBB CITY	181	109	0	72
PLATTE CITY	78	37	1	36	WELDON SPRING	24	44	0	4
PLEASANT HILL	129	71	1	65	WENTZVILLE	439	115	257	146
PLEASANT VALLEY	45	31	0	24	WILLARD	87	23	0	27
PORTAGEVILLE	57	33	0	17	WINDSOR	51	40	0	28
POTOSI	52	65	0	90	WOODSON TERRACE	64	30	0	10

TABLE 19

TWELVE LEADING CAUSES OF DEATH (**) BY RACE AND HISPANIC ORIGIN WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 2005

RANK (ALL RACES)		NUMBER	CRUDE RATE	AGE-ADJ RATE*	PERCENT OF TOTAL
1.	DISEASES OF HEART	14,818	255.5	233.0	27.3
2.	MALIGNANT NEOPLASMS	12,381	213.5	197.1	22.8
3.	CEREBROVASCULAR DISEASE	3,316	57.2	52.1	6.1
4.	CHRONIC LOWER RESPIRATORY DISEASES	3,063	52.8	48.8	5.6
5.	UNINTENTIONAL INJURIES	2,807	48.4	46.8	5.2
6.	ALZHEIMER'S DISEASE	1,631	28.1	25.3	3.0
7.	DIABETES MELLITUS	1,549	26.7	24.7	2.9
8.	INFLUENZA & PNEUMONIA	1,546	26.7	24.2	2.8
9.	NEPHRITIS & NEPHROSIS	1,154	19.9	18.3	2.1
10.	SEPTICEMIA	761	13.1	12.1	1.4
11.	SUICIDE	731	12.6	12.4	1.3
12.	ESSENTIAL HYPERTENSION	461	7.9	7.2	0.8
	ALL OTHER CAUSES	10,106	174.2	162.0	18.6
	TOTAL (ALL CAUSES)	54,324	936.6	864.0	100.0

RANK (WHITE)	NUMBER	PERCENT OF TOTAL	RANK (BLACK)	NUMBER	PERCENT OF TOTAL		
1.	DISEASES OF HEART	13,346	27.6	1.	DISEASES OF HEART	1,396	25.1
2.	MALIGNANT NEOPLASMS	11,074	22.9	2.	MALIGNANT NEOPLASMS	1,216	21.9
3.	CEREBROVASCULAR DISEASE	2,960	6.1	3.	CEREBROVASCULAR DISEASE	335	6.0
4.	CHRONIC LOWER RESPIRATORY DISEASES	2,908	6.0	4.	UNINTENTIONAL INJURIES	284	5.1
5.	UNINTENTIONAL INJURIES	2,494	5.2	5.	DIABETES MELLITUS	247	4.4
6.	ALZHEIMER'S DISEASE	1,537	3.2	6.	HOMICIDE	238	4.3
7.	INFLUENZA & PNEUMONIA	1,435	3.0	7.	NEPHRITIS & NEPHROSIS	146	2.6
8.	DIABETES MELLITUS	1,293	2.7	8.	CHRONIC LOWER RESPIRATORY DISEASES	143	2.6
9.	NEPHRITIS & NEPHROSIS	995	2.1	9.	SEPTICEMIA	104	1.9
10.	SUICIDE	676	1.4	9.	INFLUENZA & PNEUMONIA	104	1.9
11.	SEPTICEMIA	652	1.3	11.	CONDITIONS ORIG. IN PERINATAL PERIOD	98	1.8
12.	PARKINSON'S DISEASE	397	0.8	12.	ESSENTIAL HYPERTENSION	89	1.6
	ALL OTHER CAUSES	8,639	17.8		ALL OTHER CAUSES	1,153	20.8
	TOTAL (ALL CAUSES)	48,406	100.0		TOTAL (ALL CAUSES)	5,553	100.0

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 19 (CONT)

TWELVE LEADING CAUSES OF DEATH (**) BY RACE AND HISPANIC ORIGIN WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 2005

RANK	(OTHER RACES)	NUMBER	PERCENT OF TOTAL	RANK	(HISPANIC, ANY RACE)	NUMBER	PERCENT OF TOTAL
1.	MALIGNANT NEOPLASMS	85	25.5	1.	MALIGNANT NEOPLASMS	88	20.4
2.	DISEASES OF HEART	66	19.8	2.	DISEASES OF HEART	74	17.1
3.	UNINTENTIONAL INJURIES	25	7.5	3.	UNINTENTIONAL INJURIES	52	12.0
4.	CEREBROVASCULAR DISEASE	20	6.0	4.	DIABETES MELLITUS	21	4.9
5.	NEPHRITIS & NEPHROSIS	13	3.9	4.	CEREBROVASCULAR DISEASE	21	4.9
6.	CHRONIC LOWER RESPIRATORY DISEASES	11	3.3	6.	HOMICIDE	18	4.2
7.	SUICIDE	10	3.0	7.	CONDITIONS ORIG. IN PERINATAL PERIOD	11	2.5
8.	DIABETES MELLITUS	8	2.4	8.	CHRONIC LIVER DISEASE & CIRRHOSIS	10	2.3
8.	ALZHEIMER'S DISEASE	8	2.4	9.	SEPTICEMIA	9	2.1
8.	HOMICIDE	8	2.4	9.	ALZHEIMER'S DISEASE	9	2.1
11.	INFLUENZA & PNEUMONIA	7	2.1	9.	CHRONIC LOWER RESPIRATORY DISEASES	9	2.1
12.	SEPTICEMIA	5	1.5	12.	INFLUENZA & PNEUMONIA	8	1.9
	ALL OTHER CAUSES	67	20.1		ALL OTHER CAUSES	102	23.6
	TOTAL (ALL CAUSES)	333	100.0		TOTAL (ALL CAUSES)	432	100.0

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 20

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS
WITH PERCENTAGES, RESIDENT DATA: MISSOURI 2005

CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL	CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL
UNDER 1 YEAR			45-54 YEARS		
1. CONDITIONS ORIG. IN PERINATAL PERIOD	273	46.4	1. MALIGNANT NEOPLASMS	1,107	27.7
2. CONGENITAL ANOMALIES	125	21.3	2. DISEASES OF HEART	916	22.9
3. UNINTENTIONAL INJURIES	34	5.8	3. UNINTENTIONAL INJURIES	430	10.8
4. DISEASES OF HEART	11	1.9	4. SUICIDE	163	4.1
5. HOMICIDE	11	1.9	5. CEREBROVASCULAR DISEASE	146	3.7
TOTAL (ALL CAUSES)	588	100.0	TOTAL (ALL CAUSES)	3,997	100.0
1-4 YEARS			55-64 YEARS		
1. UNINTENTIONAL INJURIES	32	34.4	1. MALIGNANT NEOPLASMS	2,197	37.5
2. HOMICIDE	9	9.7	2. DISEASES OF HEART	1,437	24.5
3. CONGENITAL ANOMALIES	8	8.6	3. CHRONIC LOWER RESPIRATORY DISEASES	307	5.2
4. DISEASES OF HEART	7	7.5	4. UNINTENTIONAL INJURIES	252	4.3
5. MALIGNANT NEOPLASMS	3	3.2	5. CEREBROVASCULAR DISEASE	231	3.9
TOTAL (ALL CAUSES)	93	100.0	TOTAL (ALL CAUSES)	5,863	100.0
5-14 YEARS			65-74 YEARS		
1. UNINTENTIONAL INJURIES	48	36.1	1. MALIGNANT NEOPLASMS	3,164	34.9
2. MALIGNANT NEOPLASMS	16	12.0	2. DISEASES OF HEART	2,209	24.4
3. SUICIDE	9	6.8	3. CHRONIC LOWER RESPIRATORY DISEASES	747	8.2
4. HOMICIDE	9	6.8	4. CEREBROVASCULAR DISEASE	421	4.6
5. DISEASES OF HEART	7	5.3	5. DIABETES MELLITUS	339	3.7
TOTAL (ALL CAUSES)	133	100.0	TOTAL (ALL CAUSES)	9,059	100.0
15-24 YEARS			75-84 YEARS		
1. UNINTENTIONAL INJURIES	433	53.7	1. DISEASES OF HEART	4,249	27.7
2. HOMICIDE	123	15.2	2. MALIGNANT NEOPLASMS	3,684	24.0
3. SUICIDE	88	10.9	3. CHRONIC LOWER RESPIRATORY DISEASES	1,203	7.8
4. MALIGNANT NEOPLASMS	44	5.5	4. CEREBROVASCULAR DISEASE	1,068	7.0
5. DISEASES OF HEART	22	2.7	5. ALZHEIMER'S DISEASE	527	3.4
TOTAL (ALL CAUSES)	807	100.0	TOTAL (ALL CAUSES)	15,349	100.0
25-34 YEARS			85-YEARS & OVER		
1. UNINTENTIONAL INJURIES	296	34.2	1. DISEASES OF HEART	5,587	35.5
2. SUICIDE	98	11.3	2. MALIGNANT NEOPLASMS	1,750	11.1
3. HOMICIDE	95	11.0	3. CEREBROVASCULAR DISEASE	1,384	8.8
4. MALIGNANT NEOPLASMS	84	9.7	4. ALZHEIMER'S DISEASE	993	6.3
5. DISEASES OF HEART	83	9.6	5. INFLUENZA & PNEUMONIA	781	5.0
TOTAL (ALL CAUSES)	866	100.0	TOTAL (ALL CAUSES)	15,719	100.0
35-44 YEARS					
1. UNINTENTIONAL INJURIES	411	22.3			
2. MALIGNANT NEOPLASMS	329	17.8			
3. DISEASES OF HEART	290	15.7			
4. SUICIDE	181	9.8			
5. HOMICIDE	82	4.4			
TOTAL (ALL CAUSES)	1,844	100.0			

TABLE 21

AGE AT DEATH	RESIDENT DEATHS, AGE GROUPS BY RACE BY SEX WITH AGE-SPECIFIC RATES PER 1,000 BY SEX: MISSOURI 2005											
	A L L R A C E S			W H I T E			B L A C K					
	NUMBER			AGE-SPECIFIC RATE			NUMBER			NUMBER		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
ALL AGES	54,324	26,543	27,781	9.4	9.4	9.4	48,406	23,504	24,902	5,553	2,859	2,694
UNDER 1 YEAR	588	328	260	7.5	8.2	6.8	405	223	182	170	93	77
1-4 YEARS	93	62	31	0.3	0.4	0.2	73	51	22	16	10	6
5-9 YEARS	51	27	24	0.1	0.1	0.1	42	21	21	8	5	3
10-14 YEARS	82	54	28	0.2	0.3	0.1	58	35	23	23	18	5
15-19 YEARS	343	245	98	0.8	1.1	0.5	260	180	80	77	61	16
20-24 YEARS	464	371	93	1.1	1.7	0.4	354	281	73	106	87	19
25-29 YEARS	411	300	111	1.1	1.6	0.6	305	220	85	101	75	26
30-34 YEARS	455	296	159	1.2	1.6	0.8	348	231	117	97	60	37
35-39 YEARS	685	440	245	1.8	2.3	1.3	553	349	204	122	86	36
40-44 YEARS	1,159	710	449	2.6	3.2	2.0	938	584	354	208	115	93
45-49 YEARS	1,758	1,081	677	3.9	4.9	3.0	1,420	881	539	322	191	131
50-54 YEARS	2,239	1,397	842	5.6	7.2	4.1	1,832	1,148	684	383	240	143
55-59 YEARS	2,639	1,594	1,045	7.6	9.6	5.8	2,214	1,338	876	387	237	150
60-64 YEARS	3,224	1,892	1,332	11.9	14.7	9.4	2,750	1,632	1,118	447	246	201
65-69 YEARS	3,793	2,183	1,610	18.0	22.1	14.5	3,301	1,917	1,384	464	254	210
70-74 YEARS	5,266	2,922	2,344	28.3	35.2	22.7	4,713	2,650	2,063	522	257	265
75-79 YEARS	6,962	3,612	3,350	44.6	55.2	36.9	6,343	3,314	3,029	573	276	297
80-84 YEARS	8,387	3,909	4,478	71.9	85.8	62.9	7,758	3,626	4,132	597	270	327
85 AND OVER	15,719	5,116	10,603	151.5	166.7	145.1	14,735	4,820	9,915	929	278	651
UNKNOWN AGE	6	4	2				4	3	1	1	0	1

TABLE 22A

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	54,324	588	93	51	82	343	464	411	455	685	1,159
CAUSES OF DEATH											
TUBERCULOSIS	13	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	761	6	2	0	3	3	2	4	3	9	11
SYPHILIS	1	0	0	0	0	0	0	0	0	0	0
AIDS	128	0	0	0	0	0	2	6	9	19	20
MALIGNANT NEOPLASMS	12,381	1	3	9	7	21	23	31	53	80	249
STOMACH	185	0	0	0	0	0	0	1	0	1	6
COLON, RECTUM & ANUS	1,154	0	0	0	0	1	1	2	4	4	21
PANCREAS	707	0	0	0	0	0	0	1	1	5	11
TRACHEA, BRONCHUS & LUNG	3,882	0	0	0	0	0	0	0	2	9	57
BREAST	981	0	0	0	0	0	1	4	13	18	45
CERVIX UTERI, CORPUS UTERI & OVARY	480	0	0	0	1	0	0	1	6	2	12
PROSTATE	561	0	0	0	0	0	0	0	0	0	2
URINARY TRACT	570	0	0	1	1	1	0	2	0	4	4
NON-HODGKIN'S LYMPHOMA	408	0	0	1	0	0	5	2	2	4	7
LEUKEMIA	485	0	1	0	1	5	7	4	7	0	9
OTHER MALIGNANT NEOPLASMS	2,968	1	2	7	4	14	9	14	18	33	75
DIABETES MELLITUS	1,549	0	0	0	1	1	2	5	9	20	29
ALZHEIMER'S DISEASE	1,631	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	19,398	14	9	6	4	11	15	40	57	119	238
DISEASES OF HEART	14,818	11	7	3	4	9	13	31	52	100	190
HYPERTENSIVE HEART DISEASE	480	0	0	0	0	0	1	7	11	7	21
ISCHEMIC HEART DISEASES	10,159	0	0	0	0	0	5	7	15	53	117
OTHER HEART DISEASES	4,179	11	7	3	4	9	7	17	26	40	52
ESSENTIAL HYPERTENSION	461	0	0	0	0	0	1	0	0	5	3
CEREBROVASCULAR DISEASES	3,316	3	2	3	0	2	0	9	3	12	32
ATHEROSCLEROSIS	262	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	541	0	0	0	0	0	1	0	2	2	13
INFLUENZA AND PNEUMONIA	1,546	2	1	0	4	0	3	2	8	9	17
CHRONIC LOWER RESPIRATORY DISEASES	3,063	0	2	0	0	2	3	4	4	5	16
PEPTIC ULCER	62	0	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	416	0	0	0	0	0	0	1	4	5	24
NEPHRITIS & NEPHROSIS	1,154	2	0	1	0	0	0	8	0	8	12
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0	0	0	0	0	3	3	3	1	3
CONDITIONS ORIG. IN PERINATAL PERIOD	273	273	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	223	125	8	2	5	5	1	8	7	4	8
SUDDEN INFANT DEATH SYNDROME	49	48	1	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	243	26	2	0	2	1	4	1	7	7	11
ALL OTHER DISEASES	7,346	42	22	10	9	27	28	35	51	77	143
UNINTENTIONAL INJURIES	2,807	34	32	21	27	193	240	155	141	180	231
MOTOR VEHICLE CRASHES	1,188	2	12	10	19	164	171	80	73	82	104
OTHER UNINTENTIONAL INJURIES	1,619	32	20	11	8	29	69	75	68	98	127
SUICIDE	731	0	0	0	9	27	61	47	51	87	94
HOMICIDE	429	11	9	2	7	49	74	56	39	45	37
ALL OTHER EXTERNAL CAUSES	107	4	2	0	4	3	3	5	9	10	15

TABLE 22A (CONT)

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	1,758	2,239	2,639	3,224	3,793	5,266	6,962	8,387	15,719	6
CAUSES OF DEATH										
TUBERCULOSIS	1	1	1	1	1	1	3	0	4	0
SEPTICEMIA	22	32	40	49	56	75	111	122	211	0
SYPHILIS	0	0	0	0	0	0	0	1	0	0
AIDS	27	25	8	8	1	2	0	0	1	0
MALIGNANT NEOPLASMS	421	686	955	1,242	1,390	1,774	1,923	1,761	1,750	2
STOMACH	14	11	11	15	16	22	31	27	30	0
COLON, RECTUM & ANUS	21	61	84	97	130	149	162	191	225	1
PANCREAS	20	32	45	74	76	106	119	106	111	0
TRACHEA, BRONCHUS & LUNG	123	200	299	457	541	681	677	509	327	0
BREAST	67	84	108	90	66	113	109	133	130	0
CERVIX UTERI, CORPUS UTERI & OVARY	25	28	40	55	53	58	77	57	65	0
PROSTATE	0	5	22	27	38	70	107	120	170	0
URINARY TRACT	19	38	35	55	51	82	85	81	111	0
NON-HODGKIN'S LYMPHOMA	5	18	24	28	38	66	68	61	79	0
LEUKEMIA	11	18	33	34	53	48	76	71	107	0
OTHER MALIGNANT NEOPLASMS	116	191	254	310	328	379	412	405	395	1
DIABETES MELLITUS	47	60	90	117	136	203	221	272	336	0
ALZHEIMER'S DISEASE	1	0	4	8	26	72	181	346	993	0
MAJOR CARDIOVASCULAR DISEASES	469	633	774	991	1,162	1,665	2,407	3,294	7,490	0
DISEASES OF HEART	383	533	637	800	930	1,279	1,818	2,431	5,587	0
HYPERTENSIVE HEART DISEASE	35	36	24	37	26	25	38	65	147	0
ISCHEMIC HEART DISEASES	253	370	454	574	690	932	1,289	1,664	3,736	0
OTHER HEART DISEASES	95	127	159	189	214	322	491	702	1,704	0
ESSENTIAL HYPERTENSION	11	4	19	24	26	45	46	73	204	0
CEREBROVASCULAR DISEASES	64	82	95	136	151	270	419	649	1,384	0
ATHEROSCLEROSIS	2	1	3	8	13	11	25	37	162	0
OTHER MAJOR CARDIOVASCULAR DIS.	9	13	20	23	42	60	99	104	153	0
INFLUENZA AND PNEUMONIA	19	33	27	44	52	88	172	283	781	1
CHRONIC LOWER RESPIRATORY DISEASES	31	54	126	181	313	434	619	584	684	1
PEPTIC ULCER	2	3	3	3	3	7	4	17	19	0
CHRONIC LIVER DISEASE & CIRRHOSIS	59	56	51	43	36	50	35	32	20	0
NEPHRITIS & NEPHROSIS	19	36	44	51	70	123	170	215	395	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	9	6	9	5	3	5	4	2	7	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	15	7	8	11	5	10	17	34	74	1
ALL OTHER DISEASES	237	302	286	314	412	609	919	1,219	2,604	0
UNINTENTIONAL INJURIES	239	191	145	107	96	112	143	186	333	1
MOTOR VEHICLE CRASHES	79	79	66	59	40	44	45	29	30	0
OTHER UNINTENTIONAL INJURIES	160	112	79	48	56	68	98	157	303	1
SUICIDE	89	74	52	39	22	27	28	13	11	0
HOMICIDE	33	27	13	6	7	7	4	1	2	0
ALL OTHER EXTERNAL CAUSES	18	13	3	4	2	2	1	5	4	0

TABLE 22B

MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	26,543	328	62	27	54	245	371	300	296	440	710
CAUSES OF DEATH											
TUBERCULOSIS	5	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	355	5	2	0	2	2	2	2	1	6	6
SYPHILIS	1	0	0	0	0	0	0	0	0	0	0
AIDS	102	0	0	0	0	0	1	4	6	16	18
MALIGNANT NEOPLASMS	6,514	1	2	5	4	12	15	20	17	32	106
STOMACH	119	0	0	0	0	0	0	1	0	1	2
COLON, RECTUM & ANUS	570	0	0	0	0	1	0	2	2	2	12
PANCREAS	349	0	0	0	0	0	0	0	0	3	5
TRACHEA, BRONCHUS & LUNG	2,293	0	0	0	0	0	0	0	2	1	31
BREAST	10	0	0	0	0	0	0	0	0	0	0
CERVIX UTERI, CORPUS UTERI & OVARY	0	0	0	0	0	0	0	0	0	0	0
PROSTATE	561	0	0	0	0	0	0	0	0	0	2
URINARY TRACT	382	0	0	0	1	0	0	1	0	2	2
NON-HODGKIN'S LYMPHOMA	217	0	0	1	0	0	2	1	1	3	4
LEUKEMIA	284	0	1	0	1	3	4	4	3	0	4
OTHER MALIGNANT NEOPLASMS	1,729	1	1	4	2	8	9	11	9	20	44
DIABETES MELLITUS	738	0	0	0	1	0	1	3	7	13	17
ALZHEIMER'S DISEASE	436	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	8,979	7	5	2	2	6	12	27	36	76	162
DISEASES OF HEART	7,180	7	4	1	2	5	10	22	33	65	136
HYPERTENSIVE HEART DISEASE	212	0	0	0	0	0	0	4	6	4	14
ISCHEMIC HEART DISEASES	5,159	0	0	0	0	0	4	4	11	38	92
OTHER HEART DISEASES	1,809	7	4	1	2	5	6	14	16	23	30
ESSENTIAL HYPERTENSION	177	0	0	0	0	0	1	0	0	4	1
CEREBROVASCULAR DISEASES	1,241	0	1	1	0	1	0	5	1	6	16
ATHEROSCLEROSIS	87	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	294	0	0	0	0	0	1	0	2	1	9
INFLUENZA AND PNEUMONIA	671	2	1	0	2	0	2	1	6	4	8
CHRONIC LOWER RESPIRATORY DISEASES	1,521	0	1	0	0	1	1	2	1	4	9
PEPTIC ULCER	23	0	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	271	0	0	0	0	0	0	1	2	3	14
NEPHRITIS & NEPHROSIS	551	1	0	0	0	0	0	3	0	6	8
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	152	152	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	124	66	5	1	4	4	1	4	4	1	5
SUDDEN INFANT DEATH SYNDROME	26	26	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	118	9	2	0	0	1	3	1	3	4	9
ALL OTHER DISEASES	3,135	25	14	5	8	19	13	18	24	46	80
UNINTENTIONAL INJURIES	1,820	25	22	13	17	137	197	120	105	120	157
MOTOR VEHICLE CRASHES	821	2	8	7	11	114	140	65	55	52	65
OTHER UNINTENTIONAL INJURIES	999	23	14	6	6	23	57	55	50	68	92
SUICIDE	592	0	0	0	7	21	54	41	42	65	71
HOMICIDE	344	7	7	1	4	40	67	49	35	37	30
ALL OTHER EXTERNAL CAUSES	65	2	1	0	3	2	2	4	7	7	9

TABLE 22B (CONT) MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	1,081	1,397	1,594	1,892	2,183	2,922	3,612	3,909	5,116	4
CAUSES OF DEATH										
TUBERCULOSIS	0	1	1	1	1	0	1	0	0	0
SEPTICEMIA	10	12	22	26	28	43	57	52	77	0
SYPHILIS	0	0	0	0	0	0	0	1	0	0
AIDS	21	21	6	6	0	2	0	0	1	0
MALIGNANT NEOPLASMS	199	373	517	688	800	991	1,045	915	771	1
STOMACH	9	8	9	11	13	21	21	13	18	0
COLON, RECTUM & ANUS	9	29	44	53	75	87	86	92	75	1
PANCREAS	12	19	26	37	44	58	66	45	34	0
TRACHEA, BRONCHUS & LUNG	74	127	187	284	325	409	392	294	167	0
BREAST	0	0	0	2	1	2	3	0	2	0
CERVIX UTERI, CORPUS UTERI & OVARY	0	0	0	0	0	0	0	0	0	0
PROSTATE	0	5	22	27	38	70	107	120	170	0
URINARY TRACT	12	30	24	40	34	55	57	53	71	0
NON-HODGKIN'S LYMPHOMA	4	10	16	20	24	36	36	27	32	0
LEUKEMIA	7	13	20	21	39	32	50	38	44	0
OTHER MALIGNANT NEOPLASMS	72	132	169	193	207	229	227	233	158	0
DIABETES MELLITUS	25	26	50	65	66	119	108	124	113	0
ALZHEIMER'S DISEASE	0	0	3	2	11	28	72	121	199	0
MAJOR CARDIOVASCULAR DISEASES	300	434	538	637	724	944	1,288	1,488	2,291	0
DISEASES OF HEART	260	378	465	528	579	764	1,005	1,132	1,784	0
HYPERTENSIVE HEART DISEASE	22	23	18	21	11	17	19	20	33	0
ISCHEMIC HEART DISEASES	184	275	339	401	449	580	736	810	1,236	0
OTHER HEART DISEASES	54	80	108	106	119	167	250	302	515	0
ESSENTIAL HYPERTENSION	6	2	8	16	18	20	17	30	54	0
CEREBROVASCULAR DISEASES	27	42	50	74	91	120	196	259	351	0
ATHEROSCLEROSIS	0	1	1	4	6	5	10	19	41	0
OTHER MAJOR CARDIOVASCULAR DIS.	7	11	14	15	30	35	60	48	61	0
INFLUENZA AND PNEUMONIA	11	21	16	26	33	43	83	139	272	1
CHRONIC LOWER RESPIRATORY DISEASES	18	30	60	98	173	243	300	292	288	0
PEPTIC ULCER	2	2	2	2	1	2	2	8	1	0
CHRONIC LIVER DISEASE & CIRRHOSIS	43	43	32	29	26	33	19	16	10	0
NEPHRITIS & NEPHROSIS	13	21	26	30	37	55	80	109	162	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	6	3	6	3	1	2	3	1	4	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	11	5	5	5	4	4	11	17	23	1
ALL OTHER DISEASES	149	182	153	163	198	313	437	520	768	0
UNINTENTIONAL INJURIES	165	140	104	73	58	72	76	93	125	1
MOTOR VEHICLE CRASHES	57	60	42	41	24	27	21	12	18	0
OTHER UNINTENTIONAL INJURIES	108	80	62	32	34	45	55	81	107	1
SUICIDE	75	54	43	31	18	23	27	11	9	0
HOMICIDE	24	19	8	4	4	4	3	1	0	0
ALL OTHER EXTERNAL CAUSES	9	10	2	3	0	1	0	1	2	0

TABLE 22C


FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	27,781	260	31	24	28	98	93	111	159	245	449
CAUSES OF DEATH											
TUBERCULOSIS	8	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	406	1	0	0	1	1	0	2	2	3	5
SYPHILIS	0	0	0	0	0	0	0	0	0	0	0
AIDS	26	0	0	0	0	0	1	2	3	3	2
MALIGNANT NEOPLASMS	5,867	0	1	4	3	9	8	11	36	48	143
STOMACH	66	0	0	0	0	0	0	0	0	0	4
COLON, RECTUM & ANUS	584	0	0	0	0	0	1	0	2	2	9
PANCREAS	358	0	0	0	0	0	0	1	1	2	6
TRACHEA, BRONCHUS & LUNG	1,589	0	0	0	0	0	0	0	0	8	26
BREAST	971	0	0	0	0	0	1	4	13	18	45
CERVIX UTERI, CORPUS UTERI & OVARY	480	0	0	0	1	0	0	1	6	2	12
PROSTATE	0	0	0	0	0	0	0	0	0	0	0
URINARY TRACT	188	0	0	1	0	1	0	1	0	2	2
NON-HODGKIN'S LYMPHOMA	191	0	0	0	0	0	3	1	1	1	3
LEUKEMIA	201	0	0	0	0	2	3	0	4	0	5
OTHER MALIGNANT NEOPLASMS	1,239	0	1	3	2	6	0	3	9	13	31
DIABETES MELLITUS	811	0	0	0	0	1	1	2	2	7	12
ALZHEIMER'S DISEASE	1,195	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	10,419	7	4	4	2	5	3	13	21	43	76
DISEASES OF HEART	7,638	4	3	2	2	4	3	9	19	35	54
HYPERTENSIVE HEART DISEASE	268	0	0	0	0	0	1	3	5	3	7
ISCHEMIC HEART DISEASES	5,000	0	0	0	0	0	1	3	4	15	25
OTHER HEART DISEASES	2,370	4	3	2	2	4	1	3	10	17	22
ESSENTIAL HYPERTENSION	284	0	0	0	0	0	0	0	0	1	2
CEREBROVASCULAR DISEASES	2,075	3	1	2	0	1	0	4	2	6	16
ATHEROSCLEROSIS	175	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	247	0	0	0	0	0	0	0	0	1	4
INFLUENZA AND PNEUMONIA	875	0	0	0	2	0	1	1	2	5	9
CHRONIC LOWER RESPIRATORY DISEASES	1,542	0	1	0	0	1	2	2	3	1	7
PEPTIC ULCER	39	0	0	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	145	0	0	0	0	0	0	0	2	2	10
NEPHRITIS & NEPHROSIS	603	1	0	1	0	0	0	5	0	2	4
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0	0	0	0	0	3	3	3	1	3
CONDITIONS ORIG. IN PERINATAL PERIOD	121	121	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	99	59	3	1	1	1	0	4	3	3	3
SUDDEN INFANT DEATH SYNDROME	23	22	1	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	125	17	0	0	2	0	1	0	4	3	2
ALL OTHER DISEASES	4,211	17	8	5	1	8	15	17	27	31	63
UNINTENTIONAL INJURIES	987	9	10	8	10	56	43	35	36	60	74
MOTOR VEHICLE CRASHES	367	0	4	3	8	50	31	15	18	30	39
OTHER UNINTENTIONAL INJURIES	620	9	6	5	2	6	12	20	18	30	35
SUICIDE	139	0	0	0	2	6	7	6	9	22	23
HOMICIDE	85	4	2	1	3	9	7	7	4	8	7
ALL OTHER EXTERNAL CAUSES	42	2	1	0	1	1	1	1	2	3	6

TABLE 22C (CONT) FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2005

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	677	842	1,045	1,332	1,610	2,344	3,350	4,478	10,603	2
CAUSES OF DEATH										
TUBERCULOSIS	1	0	0	0	0	1	2	0	4	0
SEPTICEMIA	12	20	18	23	28	32	54	70	134	0
SYPHILIS	0	0	0	0	0	0	0	0	0	0
AIDS	6	4	2	2	1	0	0	0	0	0
MALIGNANT NEOPLASMS	222	313	438	554	590	783	878	846	979	1
STOMACH	5	3	2	4	3	9	10	14	12	0
COLON, RECTUM & ANUS	12	32	40	44	55	62	76	99	150	0
PANCREAS	8	13	19	37	32	48	53	61	77	0
TRACHEA, BRONCHUS & LUNG	49	73	112	173	216	272	285	215	160	0
BREAST	67	84	108	88	65	111	106	133	128	0
CERVIX UTERI, CORPUS UTERI & OVARY	25	28	40	55	53	58	77	57	65	0
PROSTATE	0	0	0	0	0	0	0	0	0	0
URINARY TRACT	7	8	11	15	17	27	28	28	40	0
NON-HODGKIN'S LYMPHOMA	1	8	8	8	14	30	32	34	47	0
LEUKEMIA	4	5	13	13	14	16	26	33	63	0
OTHER MALIGNANT NEOPLASMS	44	59	85	117	121	150	185	172	237	1
DIABETES MELLITUS	22	34	40	52	70	84	113	148	223	0
ALZHEIMER'S DISEASE	1	0	1	6	15	44	109	225	794	0
MAJOR CARDIOVASCULAR DISEASES	169	199	236	354	438	721	1,119	1,806	5,199	0
DISEASES OF HEART	123	155	172	272	351	515	813	1,299	3,803	0
HYPERTENSIVE HEART DISEASE	13	13	6	16	15	8	19	45	114	0
ISCHEMIC HEART DISEASES	69	95	115	173	241	352	553	854	2,500	0
OTHER HEART DISEASES	41	47	51	83	95	155	241	400	1,189	0
ESSENTIAL HYPERTENSION	5	2	11	8	8	25	29	43	150	0
CEREBROVASCULAR DISEASES	37	40	45	62	60	150	223	390	1,033	0
ATHEROSCLEROSIS	2	0	2	4	7	6	15	18	121	0
OTHER MAJOR CARDIOVASCULAR DIS.	2	2	6	8	12	25	39	56	92	0
INFLUENZA AND PNEUMONIA	8	12	11	18	19	45	89	144	509	0
CHRONIC LOWER RESPIRATORY DISEASES	13	24	66	83	140	191	319	292	396	1
PEPTIC ULCER	0	1	1	1	2	5	2	9	18	0
CHRONIC LIVER DISEASE & CIRRHOSIS	16	13	19	14	10	17	16	16	10	0
NEPHRITIS & NEPHROSIS	6	15	18	21	33	68	90	106	233	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	3	3	3	2	2	3	1	1	3	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	4	2	3	6	1	6	6	17	51	0
ALL OTHER DISEASES	88	120	133	151	214	296	482	699	1,836	0
UNINTENTIONAL INJURIES	74	51	41	34	38	40	67	93	208	0
MOTOR VEHICLE CRASHES	22	19	24	18	16	17	24	17	12	0
OTHER UNINTENTIONAL INJURIES	52	32	17	16	22	23	43	76	196	0
SUICIDE	14	20	9	8	4	4	1	2	2	0
HOMICIDE	9	8	5	2	3	3	1	0	2	0
ALL OTHER EXTERNAL CAUSES	9	3	1	1	2	1	1	4	2	0

Graph E
Resident Infant Death Rates per 1,000 Live Births
Missouri 1960 - 2005



	<i>Infant Deaths</i>	<i>Rate</i>
1960	2,414	24.7
1965	2,060	25.4
1970	1,580	19.6
1975	1,123	16.4
1980	970	12.3
1985	784	10.2
1990	746	9.4

	<i>Infant Deaths</i>	<i>Rate</i>
1991	798	10.2
1992	647	8.5
1993	630	8.4
1994	597	8.1
1995	539	7.4
1996	558	7.6
1997	562	7.6

	<i>Infant Deaths</i>	<i>Rate</i>
1998	573	7.6
1999	581	7.7
2000	547	7.2
2001	555	7.4
2002	638	8.5
2003	599	7.8
2004	583	7.5
2005	588	7.5

TABLE 23A

 RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
 BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	PERI-	INFANT	FETAL	NEO-	POST-	MATER-	COUNTIES CONT.	PERI-	INFANT	FETAL	NEO-	POST-	MATER-
	NATAL	DEATHS	DEATHS	NATAL	NATAL	NAL		NATAL	DEATHS	DEATHS	NATAL	NATAL	NAL
DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS		DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS
STATE TOTAL	831	588	461	370	218	13							
ADAIR	1	2	0	1	1	0	FRANKLIN	13	8	6	7	1	0
ANDREW	1	1	0	1	0	0	GASCONADE	2	0	2	0	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0
AUDRAIN	2	3	2	0	3	0	GREENE	25	15	15	10	5	0
BARRY	5	5	3	2	3	0	GRUNDY	0	0	0	0	0	0
BARTON	3	1	2	1	0	0	HARRISON	1	0	1	0	0	0
BATES	1	0	1	0	0	0	HENRY	2	2	1	1	1	0
BENTON	1	2	0	1	1	0	HICKORY	1	1	0	1	0	0
BOLLINGER	4	4	2	2	2	0	HOLT	0	0	0	0	0	0
BOONE	19	13	13	6	7	1	HOWARD	1	0	1	0	0	0
BUCHANAN	14	9	9	5	4	0	HOWELL	6	2	5	1	1	0
BUTLER	5	4	1	4	0	0	IRON	0	0	0	0	0	0
CALDWELL	0	0	0	0	0	0	JACKSON	108	87	55	53	34	1
CALLAWAY	6	9	1	5	4	0	JASPER	22	11	14	8	3	0
CAMDEN	8	4	5	3	1	0	JEFFERSON	18	11	10	8	3	0
CAPE GIRARDEAU	9	5	5	4	1	0	JOHNSON	1	0	1	0	0	1
CARROLL	2	2	2	0	2	0	KNOX	1	0	1	0	0	0
CARTER	1	0	1	0	0	0	LACLEDE	10	9	4	6	3	0
CASS	10	12	4	6	6	0	LAFAYETTE	5	4	2	3	1	0
CEDAR	1	1	0	1	0	0	LAWRENCE	5	3	3	2	1	0
CHARITON	0	1	0	0	1	0	LEWIS	1	0	1	0	0	0
CHRISTIAN	10	8	6	4	4	1	LINCOLN	10	4	6	4	0	0
CLARK	1	0	1	0	0	0	LINN	0	0	0	0	0	0
CLAY	15	11	8	7	4	0	LIVINGSTON	2	0	2	0	0	0
CLINTON	2	2	1	1	1	0	MC DONALD	9	4	6	3	1	0
COLE	8	3	6	2	1	0	MACON	1	0	1	0	0	0
COOPER	1	0	1	0	0	0	MADISON	0	0	0	0	0	0
CRAWFORD	8	4	4	4	0	0	MARIES	2	0	2	0	0	0
DADE	0	0	0	0	0	0	MARION	7	3	5	2	1	1
DALLAS	0	2	0	0	2	0	MERCER	1	1	0	1	0	0
DAVIESS	4	4	1	3	1	0	MILLER	1	2	0	1	1	0
DE KALB	2	0	2	0	0	0	MISSISSIPPI	1	0	1	0	0	0
DENT	0	0	0	0	0	0	MONITEAU	4	2	2	2	0	0
DOUGLAS	2	1	1	1	0	0	MONROE	1	0	1	0	0	0
DUNKLIN	6	9	1	5	4	0	MONTGOMERY	3	0	3	0	0	0

TABLE 23A (CONT)

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	POST-						COUNTIES CONT.	POST-					
	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS	MATER- NAL DEATHS		PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	1	1	0	1	0	0	WASHINGTON	5	4	2	3	1	1
NEW MADRID	2	2	2	0	2	0	WAYNE	0	1	0	0	1	0
NEWTON	9	6	4	5	1	0	WEBSTER	4	3	2	2	1	0
NODAWAY	7	3	4	3	0	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	6	2	5	1	1	0
OSAGE	2	2	1	1	1	0	CITIES OVER						
OZARK	1	1	1	0	1	0	25,000 POP.						
PEMISCOT	4	5	2	2	3	0	BALLWIN	1	0	1	0	0	0
PERRY	0	1	0	0	1	0	BLUE SPRINGS	4	6	2	2	4	0
PETTIS	9	10	2	7	3	0	CAPE GIRARDEAU	5	3	2	3	0	0
PHELPS	6	2	4	2	0	0	CHESTERFIELD	3	2	1	2	0	0
PIKE	2	4	0	2	2	0	COLUMBIA	15	11	10	5	6	1
PLATTE	9	4	6	3	1	0	FLORISSANT	4	4	1	3	1	0
POLK	4	5	2	2	3	1	GLADSTONE	1	0	1	0	0	0
PULASKI	9	5	4	5	0	0	HAZELWOOD	1	0	1	0	0	0
PUTNAM	0	0	0	0	0	0	INDEPENDENCE	17	17	10	7	10	0
RALLS	1	1	1	0	1	0	JEFFERSON CITY	4	1	4	0	1	0
RANDOLPH	6	4	4	2	2	0	KIRKWOOD	3	2	1	2	0	0
RAY	4	2	2	2	0	0	LEES SUMMIT	8	7	1	7	0	0
REYNOLDS	2	1	1	1	0	0	LIBERTY	3	2	3	0	2	0
RIPLEY	4	3	1	3	0	0	MARYLAND HEIGHTS	2	2	0	2	0	1
ST. CHARLES	38	28	22	16	12	0	OFALLON	9	8	5	4	4	0
ST. CLAIR	0	0	0	0	0	0	RAYTOWN	3	4	0	3	1	0
ST. FRANCOIS	10	10	5	5	5	1	ST. CHARLES	6	7	2	4	3	0
STE. GENEVIEVE	2	0	2	0	0	0	ST. JOSEPH	14	9	9	5	4	0
ST. LOUIS CITY	79	63	42	37	26	0	ST. LOUIS CITY	79	63	42	37	26	0
ST. LOUIS COUNTY	159	105	86	73	32	5	ST. PETERS	4	3	2	2	1	0
SALINE	3	3	1	2	1	0	SPRINGFIELD	19	10	12	7	3	0
SCHUYLER	2	1	1	1	0	0	UNIVERSITY CITY	4	3	1	3	0	0
SCOTLAND	4	1	3	1	0	0	WILDWOOD	0	1	0	0	1	0
SCOTT	7	4	6	1	3	0	MULTI-COUNTY						
SHANNON	0	0	0	0	0	0	CITIES						
SHELBY	1	1	1	0	1	0	JOPLIN	11	6	7	4	2	0
STODDARD	2	1	1	1	0	0	JASPER CO. PART	10	5	7	3	2	0
STONE	3	2	2	1	1	0	NEWTON CO. PART	1	1	0	1	0	0
SULLIVAN	0	0	0	0	0	0	KANSAS CITY	79	55	43	36	19	1
TANEY	3	1	2	1	0	0	JACKSON CO. PAR	65	46	36	29	17	1
TEXAS	3	4	1	2	2	0	CLAY CO. PART	7	6	2	5	1	0
VERNON	1	0	1	0	0	0	PLATTE CO. PART	7	3	5	2	1	0
WARREN	1	1	1	0	1	0	CASS CO. PART	0	0	0	0	0	0

TABLE 23B WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	PERI-	INFANT	FETAL	POST-		MATER-		COUNTIES CONT.	PERI-	INFANT	FETAL	POST-		MATER-
	NATAL			NEO-	NEO-				NATAL			NEO-	NEO-	
	DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL			DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL
				DEATHS	DEATHS	DEATHS						DEATHS	DEATHS	DEATHS
STATE TOTAL	569	405	314	255	150	6								
ADAIR	1	2	0	1	1	0	FRANKLIN	12	8	5	7	1	0	
ANDREW	1	1	0	1	0	0	GASCONADE	2	0	2	0	0	0	
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0	
AUDRAIN	2	3	2	0	3	0	GREENE	25	15	15	10	5	0	
BARRY	5	4	3	2	2	0	GRUNDY	0	0	0	0	0	0	
BARTON	3	1	2	1	0	0	HARRISON	1	0	1	0	0	0	
BATES	1	0	1	0	0	0	HENRY	2	2	1	1	1	0	
BENTON	0	1	0	0	1	0	HICKORY	1	1	0	1	0	0	
BOLLINGER	4	4	2	2	2	0	HOLT	0	0	0	0	0	0	
BOONE	13	10	9	4	6	0	HOWARD	1	0	1	0	0	0	
BUCHANAN	10	8	6	4	4	0	HOWELL	6	2	5	1	1	0	
BUTLER	5	4	1	4	0	0	IRON	0	0	0	0	0	0	
CALDWELL	0	0	0	0	0	0	JACKSON	56	45	28	28	17	0	
CALLAWAY	4	7	1	3	4	0	JASPER	21	10	13	8	2	0	
CAMDEN	7	3	5	2	1	0	JEFFERSON	16	11	8	8	3	0	
CAPE GIRARDEAU	9	5	5	4	1	0	JOHNSON	0	0	0	0	0	1	
CARROLL	2	2	2	0	2	0	KNOX	1	0	1	0	0	0	
CARTER	1	0	1	0	0	0	LACLEDE	10	9	4	6	3	0	
CASS	10	12	4	6	6	0	LAFAYETTE	5	4	2	3	1	0	
CEDAR	1	1	0	1	0	0	LAWRENCE	5	3	3	2	1	0	
CHARITON	0	1	0	0	1	0	LEWIS	1	0	1	0	0	0	
CHRISTIAN	10	8	6	4	4	1	LINCOLN	8	3	5	3	0	0	
CLARK	1	0	1	0	0	0	LINN	0	0	0	0	0	0	
CLAY	14	10	8	6	4	0	LIVINGSTON	2	0	2	0	0	0	
CLINTON	1	1	1	0	1	0	MC DONALD	9	3	6	3	0	0	
COLE	7	2	5	2	0	0	MACON	1	0	1	0	0	0	
COOPER	1	0	1	0	0	0	MADISON	0	0	0	0	0	0	
CRAWFORD	8	4	4	4	0	0	MARIES	2	0	2	0	0	0	
DADE	0	0	0	0	0	0	MARION	5	3	3	2	1	0	
DALLAS	0	2	0	0	2	0	MERCER	1	1	0	1	0	0	
DAVIESS	4	4	1	3	1	0	MILLER	1	2	0	1	1	0	
DE KALB	2	0	2	0	0	0	MISSISSIPPI	1	0	1	0	0	0	
DENT	0	0	0	0	0	0	MONITEAU	4	2	2	2	0	0	
DOUGLAS	2	1	1	1	0	0	MONROE	1	0	1	0	0	0	
DUNKLIN	3	6	0	3	3	0	MONTGOMERY	3	0	3	0	0	0	

TABLE 23B (CONT) WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	PERI-	INFANT	FETAL	POST-			COUNTIES CONT.	PERI-	INFANT	FETAL	POST-		
	NATAL			NEO-	NEO-	MATER-		NATAL			NEO-	NEO-	MATER-
	DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL		DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL
MORGAN	1	1	0	1	0	0	WASHINGTON	5	4	2	3	1	1
NEW MADRID	1	1	1	0	1	0	WAYNE	0	1	0	0	1	0
NEWTON	9	6	4	5	1	0	WEBSTER	4	3	2	2	1	0
NODAWAY	7	3	4	3	0	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	6	2	5	1	1	0
OSAGE	2	2	1	1	1	0	CITIES OVER						
OZARK	1	1	1	0	1	0	25,000 POP.						
PEMISCOT	1	1	1	0	1	0	BALLWIN	1	0	1	0	0	0
PERRY	0	1	0	0	1	0	BLUE SPRINGS	4	6	2	2	4	0
PETTIS	9	10	2	7	3	0	CAPE GIRARDEAU	5	3	2	3	0	0
PHELPS	4	1	3	1	0	0	CHESTERFIELD	3	2	1	2	0	0
PIKE	2	4	0	2	2	0	COLUMBIA	9	8	6	3	5	0
PLATTE	6	4	3	3	1	0	FLORISSANT	1	2	0	1	1	0
POLK	4	5	2	2	3	1	GLADSTONE	1	0	1	0	0	0
PULASKI	8	4	4	4	0	0	HAZELWOOD	0	0	0	0	0	0
PUTNAM	0	0	0	0	0	0	INDEPENDENCE	14	13	9	5	8	0
RALLS	1	1	1	0	1	0	JEFFERSON CITY	3	0	3	0	0	0
RANDOLPH	5	3	4	1	2	0	KIRKWOOD	1	1	0	1	0	0
RAY	4	2	2	2	0	0	LEES SUMMIT	8	7	1	7	0	0
REYNOLDS	2	1	1	1	0	0	LIBERTY	3	2	3	0	2	0
RIPLEY	4	3	1	3	0	0	MARYLAND HEIGHTS	2	2	0	2	0	1
ST. CHARLES	31	21	21	10	11	0	OFALLON	8	7	5	3	4	0
ST. CLAIR	0	0	0	0	0	0	RAYTOWN	2	3	0	2	1	0
ST. FRANCOIS	10	10	5	5	5	1	ST. CHARLES	4	4	2	2	2	0
STE. GENEVIEVE	2	0	2	0	0	0	ST. JOSEPH	10	8	6	4	4	0
ST. LOUIS CITY	14	11	7	7	4	0	ST. LOUIS CITY	14	11	7	7	4	0
ST. LOUIS COUNTY	62	52	25	37	15	1	ST. PETERS	3	2	2	1	1	0
SALINE	3	2	1	2	0	0	SPRINGFIELD	19	10	12	7	3	0
SCHUYLER	2	1	1	1	0	0	UNIVERSITY CITY	1	1	0	1	0	0
SCOTLAND	4	1	3	1	0	0	WILDWOOD	0	1	0	0	1	0
SCOTT	7	3	6	1	2	0	MULTI-COUNTY						
SHANNON	0	0	0	0	0	0	CITIES						
SHELBY	1	1	1	0	1	0	JOPLIN	11	6	7	4	2	0
STODDARD	1	0	1	0	0	0	JASPER CO. PART	10	5	7	3	2	0
STONE	3	2	2	1	1	0	NEWTON CO. PART	1	1	0	1	0	0
SULLIVAN	0	0	0	0	0	0	KANSAS CITY	34	21	18	16	5	0
TANEY	3	1	2	1	0	0	JACKSON CO. PAR	23	13	13	10	3	0
TEXAS	3	4	1	2	2	0	CLAY CO. PART	6	5	2	4	1	0
VERNON	1	0	1	0	0	0	PLATTE CO. PART	5	3	3	2	1	0
WARREN	1	1	1	0	1	0	CASS CO. PART	0	0	0	0	0	0

TABLE 23C

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	POST- NEO- NATAL			COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	POST- NEO- NATAL		
				DEATHS	DEATHS	DEATHS					DEATHS	DEATHS	DEATHS
STATE TOTAL	240	170	131	109	61	7							
ADAIR	0	0	0	0	0	0	FRANKLIN	0	0	0	0	0	0
ANDREW	0	0	0	0	0	0	GASCONADE	0	0	0	0	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0
AUDRAIN	0	0	0	0	0	0	GREENE	0	0	0	0	0	0
BARRY	0	0	0	0	0	0	GRUNDY	0	0	0	0	0	0
BARTON	0	0	0	0	0	0	HARRISON	0	0	0	0	0	0
BATES	0	0	0	0	0	0	HENRY	0	0	0	0	0	0
BENTON	1	1	0	1	0	0	HICKORY	0	0	0	0	0	0
BOLLINGER	0	0	0	0	0	0	HOLT	0	0	0	0	0	0
BOONE	6	3	4	2	1	1	HOWARD	0	0	0	0	0	0
BUCHANAN	3	1	2	1	0	0	HOWELL	0	0	0	0	0	0
BUTLER	0	0	0	0	0	0	IRON	0	0	0	0	0	0
CALDWELL	0	0	0	0	0	0	JACKSON	48	39	25	23	16	1
CALLAWAY	1	1	0	1	0	0	JASPER	0	0	0	0	0	0
CAMDEN	0	0	0	0	0	0	JEFFERSON	0	0	0	0	0	0
CAPE GIRARDEAU	0	0	0	0	0	0	JOHNSON	1	0	1	0	0	0
CARROLL	0	0	0	0	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	0	LACLEDE	0	0	0	0	0	0
CASS	0	0	0	0	0	0	LAFAYETTE	0	0	0	0	0	0
CEDAR	0	0	0	0	0	0	LAWRENCE	0	0	0	0	0	0
CHARITON	0	0	0	0	0	0	LEWIS	0	0	0	0	0	0
CHRISTIAN	0	0	0	0	0	0	LINCOLN	2	1	1	1	0	0
CLARK	0	0	0	0	0	0	LINN	0	0	0	0	0	0
CLAY	1	1	0	1	0	0	LIVINGSTON	0	0	0	0	0	0
CLINTON	1	1	0	1	0	0	MC DONALD	0	0	0	0	0	0
COLE	0	1	0	0	1	0	MACON	0	0	0	0	0	0
COOPER	0	0	0	0	0	0	MADISON	0	0	0	0	0	0
CRAWFORD	0	0	0	0	0	0	MARIES	0	0	0	0	0	0
DADE	0	0	0	0	0	0	MARION	1	0	1	0	0	1
DALLAS	0	0	0	0	0	0	MERCER	0	0	0	0	0	0
DAVIESS	0	0	0	0	0	0	MILLER	0	0	0	0	0	0
DE KALB	0	0	0	0	0	0	MISSISSIPPI	0	0	0	0	0	0
DENT	0	0	0	0	0	0	MONITEAU	0	0	0	0	0	0
DOUGLAS	0	0	0	0	0	0	MONROE	0	0	0	0	0	0
DUNKLIN	3	3	1	2	1	0	MONTGOMERY	0	0	0	0	0	0

TABLE 23C (CONT)

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	POST- NEO- NATAL			COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	POST- NEO- NATAL		
				NATAL	NATAL	MATER- NAL					NATAL	NATAL	MATER- NAL
MORGAN	0	0	0	0	0	0	WASHINGTON	0	0	0	0	0	0
NEW MADRID	1	1	1	0	1	0	WAYNE	0	0	0	0	0	0
NEWTON	0	0	0	0	0	0	WEBSTER	0	0	0	0	0	0
NODAWAY	0	0	0	0	0	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	0	0	0	0	0	0
OSAGE	0	0	0	0	0	0	CITIES OVER						
OZARK	0	0	0	0	0	0	25,000 POP.						
PEMISCOT	3	4	1	2	2	0	BALLWIN	0	0	0	0	0	0
PERRY	0	0	0	0	0	0	BLUE SPRINGS	0	0	0	0	0	0
PETTIS	0	0	0	0	0	0	CAPE GIRARDEAU	0	0	0	0	0	0
PHELPS	2	1	1	1	0	0	CHESTERFIELD	0	0	0	0	0	0
PIKE	0	0	0	0	0	0	COLUMBIA	6	3	4	2	1	1
PLATTE	1	0	1	0	0	0	FLORISSANT	3	2	1	2	0	0
POLK	0	0	0	0	0	0	GLADSTONE	0	0	0	0	0	0
PULASKI	0	0	0	0	0	0	HAZELWOOD	1	0	1	0	0	0
PUTNAM	0	0	0	0	0	0	INDEPENDENCE	2	3	1	1	2	0
RALLS	0	0	0	0	0	0	JEFFERSON CITY	0	1	0	0	1	0
RANDOLPH	1	1	0	1	0	0	KIRKWOOD	2	1	1	1	0	0
RAY	0	0	0	0	0	0	LEES SUMMIT	0	0	0	0	0	0
REYNOLDS	0	0	0	0	0	0	LIBERTY	0	0	0	0	0	0
RIPLEY	0	0	0	0	0	0	MARYLAND HEIGHTS	0	0	0	0	0	0
ST. CHARLES	5	6	0	5	1	0	OFALLON	1	1	0	1	0	0
ST. CLAIR	0	0	0	0	0	0	RAYTOWN	0	0	0	0	0	0
ST. FRANCOIS	0	0	0	0	0	0	ST. CHARLES	2	3	0	2	1	0
STE. GENEVIEVE	0	0	0	0	0	0	ST. JOSEPH	3	1	2	1	0	0
ST. LOUIS CITY	64	49	34	30	19	0	ST. LOUIS CITY	64	49	34	30	19	0
ST. LOUIS COUNTY	94	53	58	36	17	4	ST. PETERS	1	1	0	1	0	0
SALINE	0	1	0	0	1	0	SPRINGFIELD	0	0	0	0	0	0
SCHUYLER	0	0	0	0	0	0	UNIVERSITY CITY	3	2	1	2	0	0
SCOTLAND	0	0	0	0	0	0	WILDWOOD	0	0	0	0	0	0
SCOTT	0	1	0	0	1	0	MULTI-COUNTY						
SHANNON	0	0	0	0	0	0	CITIES						
SHELBY	0	0	0	0	0	0	JOPLIN	0	0	0	0	0	0
STODDARD	1	1	0	1	0	0	JASPER CO. PART	0	0	0	0	0	0
STONE	0	0	0	0	0	0	NEWTON CO. PART	0	0	0	0	0	0
SULLIVAN	0	0	0	0	0	0	KANSAS CITY	43	34	23	20	14	1
TANEY	0	0	0	0	0	0	JACKSON CO. PAR	41	33	22	19	14	1
TEXAS	0	0	0	0	0	0	CLAY CO. PART	1	1	0	1	0	0
VERNON	0	0	0	0	0	0	PLATTE CO. PART	1	0	1	0	0	0
WARREN	0	0	0	0	0	0	CASS CO. PART	0	0	0	0	0	0

TABLE 23D

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
BY REGIONAL PLANNING COMMISSION WITH RATES PER 1,000 LIVE BIRTHS: MISSOURI 2005

REGIONAL PLANNING COMMISSIONS	NUMBER			POST-			RATES			POST-	
	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS	MATER- NAL DEATHS	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS
MAJOR METRO REGIONS											
EAST-WEST GATEWAY	307	215	166	141	74	5	11.9	8.3	6.4	5.5	2.9
MID-AMERICA	146	116	75	71	45	1	9.1	7.2	4.7	4.4	2.8
MINOR METRO REGIONS											
SOUTHWEST MISSOURI	59	44	35	24	20	2	7.7	5.8	4.6	3.1	2.6
MID-MISSOURI	39	27	24	15	12	1	9.9	6.9	6.1	3.8*	3.1*
MO-KAN	19	12	12	7	5	0	11.1*	7.0*	7.0*	4.1*	2.9*
HARRY S TRUMAN	43	22	26	17	5	0	13.8	7.1	8.4	5.5*	1.6*
NONMETRO REGIONS											
NORTHWEST MISSOURI	7	3	4	3	0	0	14.9*	6.4*	8.5*	6.4*	0.0*
GREEN HILLS	10	8	6	4	4	0	8.0*	6.4*	4.8*	3.2*	3.2*
NORTHEAST MISSOURI	10	4	7	3	1	0	16.1*	6.4*	11.3*	4.8*	1.6*
MARK TWAIN	21	16	15	6	10	1	11.3	8.6*	8.1*	3.2*	5.4*
BOONSLICK	14	5	10	4	1	0	10.7*	3.8*	7.6*	3.1*	0.8*
KAYSINGER BASIN	7	6	3	4	2	0	5.3*	4.6*	2.3*	3.0*	1.5*
PIONEER TRAILS	18	17	6	12	5	1	8.9*	8.4*	3.0*	5.9*	2.5*
SOUTH CENTRAL OZARK	18	10	13	5	5	0	11.4*	6.3*	8.2*	3.2*	3.2*
MERAMEC	25	12	15	10	2	1	13.1	6.3*	7.8*	5.2*	1.0*
LAKE OF THE OZARKS	29	21	13	16	5	0	13.1	9.5	5.9*	7.2*	2.3*
SOUTHEAST MISSOURI	25	20	14	11	9	1	10.0	8.0	5.6*	4.4*	3.6*
BOOTHEEL	22	21	13	9	12	0	9.9	9.5	5.9*	4.1*	5.4*
OZARK FOOTHILLS	12	9	4	8	1	0	11.3*	8.5*	3.8*	7.5*	0.9*
MAJOR METRO TOTAL	453	331	241	212	119	6	10.8	7.9	5.8	5.1	2.8
MINOR METRO TOTAL	160	105	97	63	42	3	9.8	6.4	5.9	3.8	2.6
NONMETRO TOTAL	218	152	123	95	57	4	10.7	7.5	6.0	4.7	2.8
STATE TOTAL	831	588	461	370	218	13	10.6	7.5	5.9	4.7	2.8

*RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 23E WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 2005

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	135	103	66	69	34	1
MID-AMERICA	90	73	45	45	28	0
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	59	43	35	24	19	2
MID-MISSOURI	30	21	19	11	10	0
MO-KAN	14	10	9	5	5	0
HARRY S TRUMAN	42	20	25	17	3	0
NONMETRO REGIONS						
NORTHWEST MISSOURI	7	3	4	3	0	0
GREEN HILLS	10	8	6	4	4	0
NORTHEAST MISSOURI	10	4	7	3	1	0
MARK TWAIN	18	15	13	5	10	0
BOONSLICK	12	4	9	3	1	0
KAYSINGER BASIN	6	5	3	3	2	0
PIONEER TRAILS	17	16	5	12	4	1
SOUTH CENTRAL OZARK	18	10	13	5	5	0
MERAMEC	23	11	14	9	2	1
LAKE OF THE OZARKS	27	19	13	14	5	0
SOUTHEAST MISSOURI	25	20	14	11	9	1
BOOTHEEL	14	11	10	4	7	0
OZARK FOOTHILLS	12	9	4	8	1	0
MAJOR METRO TOTAL	225	176	111	114	62	1
MINOR METRO TOTAL	103	74	63	40	34	2
NONMETRO TOTAL	241	155	140	101	54	3
STATE TOTAL	569	405	314	255	150	6

TABLE 23F BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 2005

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	163	108	92	71	37	4
MID-AMERICA	50	40	26	24	16	1
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	0	0	0	0	0	0
MID-MISSOURI	7	5	4	3	2	1
MO-KAN	4	2	2	2	0	0
HARRY S TRUMAN	0	0	0	0	0	0
NONMETRO REGIONS						
NORTHWEST MISSOURI	0	0	0	0	0	0
GREEN HILLS	0	0	0	0	0	0
NORTHEAST MISSOURI	0	0	0	0	0	0
MARK TWAIN	2	1	1	1	0	1
BOONSLICK	2	1	1	1	0	0
KAYSINGER BASIN	1	1	0	1	0	0
PIONEER TRAILS	1	1	1	0	1	0
SOUTH CENTRAL OZARK	0	0	0	0	0	0
MERAMEC	2	1	1	1	0	0
LAKE OF THE OZARKS	0	0	0	0	0	0
SOUTHEAST MISSOURI	0	0	0	0	0	0
BOOTHEEL	8	10	3	5	5	0
OZARK FOOTHILLS	0	0	0	0	0	0
MAJOR METRO TOTAL	213	148	118	95	53	5
MINOR METRO TOTAL	11	7	6	5	2	1
NONMETRO TOTAL	16	15	7	9	6	1
STATE TOTAL	240	170	131	109	61	7

TABLE 24

RESIDENT INFANT DEATHS BY AGE CAUSE AND RACE WITH RATES PER 1,000
LIVE BIRTHS BY CAUSE AND RACE: MISSOURI 2005

CAUSE	RACE	NUMBER	RATE	NEO-	POST-	OVER		OVER	OVER	OVER	OVER	OVER	OVER	UNDER
				NATAL	NEO-	1 HR	1 DAY	7 DAYS	28 DAYS	3 MOS	6 MOS	1 YEAR	UNKNOWN	
				DEATHS	NATAL	1 HR	1 DAY	7 DAYS	28 DAYS	3 MOS	6 MOS	1 YEAR	UNITS	
ALL CAUSES	WHITE	405	6.3	255	150	61	100	47	46	76	48	26	1	
	BLACK	170	14.8	109	61	28	44	14	23	29	19	13	0	
	TOTAL	588	7.5	370	218	91	145	62	71	108	68	42	1	
INFECTIOUS DISEASES (A00-B99, P35-P39)	WHITE	16	0.2	6	10	0	0	2	4	6	2	2	0	
	BLACK	9	0.8	5	4	0	1	0	4	4	0	0	0	
	TOTAL	25	0.3	11	14	0	1	2	8	10	2	2	0	
NERVOUS SYSTEM DISEASES (G00-G98)	WHITE	8	0.1	1	7	0	0	0	1	4	2	1	0	
	BLACK	0	0.0	0	0	0	0	0	0	0	0	0	0	
	TOTAL	8	0.1	1	7	0	0	0	1	4	2	1	0	
CIRCULATORY SYSTEM DISEASES (I00-I99)	WHITE	11	0.2	3	8	0	1	2	0	2	5	1	0	
	BLACK	4	0.3	1	3	0	0	1	0	1	2	0	0	
	TOTAL	15	0.2	4	11	0	1	3	0	3	7	1	0	
RESPIRATORY SYSTEM DISEASES (J00-J98)	WHITE	4	0.1	0	4	0	0	0	0	1	2	1	0	
	BLACK	4	0.3	1	3	0	1	0	0	0	0	3	0	
	TOTAL	8	0.1	1	7	0	1	0	0	1	2	4	0	
PERINATAL CONDITIONS (P00-P34, P40-P96)	WHITE	166	2.6	161	5	46	68	34	12	3	1	1	1	
	BLACK	93	8.1	85	8	26	40	9	10	4	2	2	0	
	TOTAL	262	3.3	249	13	73	109	43	23	7	3	3	1	
CONGENITAL ANOMALIES (Q00-Q99)	WHITE	101	1.6	68	33	13	29	6	20	15	12	6	0	
	BLACK	18	1.6	13	5	2	1	4	6	3	0	2	0	
	TOTAL	125	1.6	84	41	16	30	11	27	19	13	9	0	
SUDDEN INFANT DEATH SYNDROME (R95)	WHITE	37	0.6	4	33	0	0	1	3	23	9	1	0	
	BLACK	11	1.0	0	11	0	0	0	0	5	5	1	0	
	TOTAL	48	0.6	4	44	0	0	1	3	28	14	2	0	
UNINTENTIONAL INJURIES (V01-X59)	WHITE	22	0.3	2	20	1	0	0	1	8	8	4	0	
	BLACK	10	0.9	0	10	0	0	0	0	5	4	1	0	
	TOTAL	34	0.4	2	32	1	0	0	1	14	12	6	0	
HOMICIDE (X85-Y09)	WHITE	7	0.1	1	6	0	0	0	1	2	1	3	0	
	BLACK	3	0.3	0	3	0	0	0	0	0	1	2	0	
	TOTAL	11	0.1	1	10	0	0	0	1	2	2	6	0	
ALL OTHER CAUSES RESIDUAL	WHITE	33	0.5	9	24	1	2	2	4	12	6	6	0	
	BLACK	18	1.6	4	14	0	1	0	3	7	5	2	0	
	TOTAL	52	0.7	13	39	1	3	2	7	20	11	8	0	

NUMBER IN PARENTHESIS REFERS TO CODE NUMBERS IN THE 10TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES

TABLE 25 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY AGE OF MOTHER BY BIRTH ORDER:
MISSOURI 2005

AGE OF MOTHER	NUMBER BIRTH ORDER					RATES BIRTH ORDER				
	ALL BIRTHS ORDERS	1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE	ALL BIRTH ORDERS	1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE
ALL AGES	593	184	266	109	34	7.5	7.1	7.2	9.3	8.9
UNDER 18	27	20	7	0	0	10.2	8.7	20.1*	0.0*	---
18-19	61	34	26	1	0	10.1	8.1	14.8	11.2*	0.0*
20-24	202	62	101	36	3	8.9	6.9	8.9	16.0	9.6*
25-29	145	26	69	36	14	6.4	4.1	6.0	9.5	13.8*
30-34	105	29	46	21	9	6.6	10.0	5.4	6.3	7.8*
35-39	38	8	13	13	4	5.5	8.4*	4.1*	7.0*	4.3*
40 AND OVER	13	3	4	2	4	8.6*	15.2*	7.8*	4.7*	10.8*

TABLE 26 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY BIRTH WEIGHT BY RACE OF MOTHER:
MISSOURI 2005

BIRTH WEIGHT (GRAMS)	NUMBER			RATES		
	ALL RACES	WHITE	BLACK	ALL RACES	WHITE	BLACK
ALL WEIGHTS	593	411	163	7.5	6.4	14.2
UNDER 500	137	81	52	889.6	852.6	945.5
500-999	129	83	45	282.9	280.4	300.0
1,000-1,499	34	22	12	58.0	58.0	62.5*
1,500-1,999	47	33	12	37.9	37.6	37.6*
2,000-2,499	50	41	9	12.7	14.3	9.6*
2,500-2,999	61	45	13	4.3	4.3	4.5*
3,000-3,499	78	60	15	2.6	2.4	3.4*
3,500-3,999	36	29	4	1.7	1.5	2.0*
4,000 AND OVER	14	14	0	2.2*	2.4*	0.0*

TOTALS IN TABLES 25 AND 26 DO NOT AGREE WITH THE TOTALS IN TABLES 23 AND 24 BECAUSE TABLES 25 AND 26 INCLUDE ONLY INFANT DEATHS WHICH HAVE BEEN MATCHED WITH THEIR CORRESPONDING BIRTH RECORD.

* RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 27A

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2005

	ALL RACES	CRUDE RATE	AGE-ADJ RATE*	S T A T E T O T A L		OTHER RACES	HISPANIC ANY RACE	EAST- WEST GATEWAY	MID- AMERICA
				WHITE	BLACK				
ALL CAUSES	54,324	936.6	864.0	48,406	5,553	333	432	17,071	8,956
TUBERCULOSIS	13	0.2	0.2	10	3	0	0	5	3
SEPTICEMIA	761	13.1	12.1	652	104	5	9	253	135
SYPHILIS	1	0.0	0.0	1	0	0	0	0	0
AIDS	128	2.2	2.2	69	58	1	4	37	48
MALIGNANT NEOPLASMS	12,381	213.5	197.1	11,074	1,216	85	88	3,904	2,146
STOMACH	185	3.2	3.0	148	34	3	3	58	47
COLON, RECTUM & ANUS	1,154	19.9	18.3	1,021	124	7	10	375	192
PANCREAS	707	12.2	11.2	620	79	8	9	254	110
TRACHEA, BRONCHUS & LUNG	3,882	66.9	61.9	3,504	353	21	11	1,172	670
BREAST	981	16.9	15.7	864	114	3	9	340	178
CERVIX UTERI, CORPUS UTERI & OVARY	480	8.3	7.6	424	52	4	5	175	73
PROSTATE	561	9.7	8.9	482	78	1	6	165	104
URINARY TRACT	570	9.8	9.0	519	44	7	1	150	110
NON-HODGKIN'S LYMPHOMA	408	7.0	6.5	381	24	3	4	112	62
LEUKEMIA	485	8.4	7.7	445	40	0	4	154	80
OTHER MALIGNANT NEOPLASMS	2,968	51.2	47.3	2,666	274	28	26	949	520
DIABETES MELLITUS	1,549	26.7	24.7	1,293	247	8	21	530	226
ALZHEIMER'S DISEASE	1,631	28.1	25.3	1,537	85	8	9	352	400
MAJOR CARDIOVASCULAR DISEASES	19,398	334.4	304.9	17,396	1,901	90	100	6,240	2,785
DISEASES OF HEART	14,818	255.5	233.0	13,346	1,396	66	74	4,892	2,081
HYPERTENSIVE HEART DISEASE	480	8.3	7.6	329	147	4	2	242	94
ISCHEMIC HEART DISEASES	10,159	175.1	159.6	9,227	888	37	50	3,647	1,245
OTHER HEART DISEASES	4,179	72.0	65.7	3,790	361	25	22	1,003	742
ESSENTIAL HYPERTENSION	461	7.9	7.2	372	89	0	4	124	100
CEREBROVASCULAR DISEASES	3,316	57.2	52.1	2,960	335	20	21	1,027	438
ATHEROSCLEROSIS	262	4.5	4.0	227	34	1	0	34	97
OTHER MAJOR CARDIOVASCULAR DIS.	541	9.3	8.6	491	47	3	1	163	69
INFLUENZA AND PNEUMONIA	1,546	26.7	24.2	1,435	104	7	8	538	205
CHRONIC LOWER RESPIRATORY DISEASES	3,063	52.8	48.8	2,908	143	11	9	770	540
PEPTIC ULCER	62	1.1	1.0	55	7	0	0	22	9
CHRONIC LIVER DISEASE & CIRRHOSIS	416	7.2	6.6	369	43	4	10	145	65
NEPHRITIS & NEPHROSIS	1,154	19.9	18.3	995	146	13	8	326	227
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0.2	0.2	6	7	0	0	5	1
CONDITIONS ORIG. IN PERINATAL PERIOD	273	4.7	4.8	172	98	3	11	116	53
CONGENITAL ANOMALIES	223	3.8	3.9	185	32	5	7	66	48
SUDDEN INFANT DEATH SYNDROME	49	0.8	0.9	37	12	0	4	8	20
SYMPTOMS & ILL-DEFINED CONDITIONS	243	4.2	3.9	209	29	1	2	51	35
ALL OTHER DISEASES	7,346	126.6	116.4	6,560	736	48	63	2,447	1,293
UNINTENTIONAL INJURIES	2,807	48.4	46.8	2,494	284	25	52	828	442
MOTOR VEHICLE CRASHES	1,188	20.5	20.1	1,072	104	10	31	257	175
OTHER UNINTENTIONAL INJURIES	1,619	27.9	26.8	1,422	180	15	21	571	267
SUICIDE	731	12.6	12.4	676	44	10	8	217	136
HOMICIDE	429	7.4	7.4	183	238	8	18	179	133
ALL OTHER EXTERNAL CAUSES	107	1.8	1.8	90	16	1	1	32	6

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2005

	SOUTHWEST MISSOURI	MID- MISSOURI	MO-KAN	NORTHWEST MISSOURI	GREEN HILLS	NORTHEAST MISSOURI	MARK TWIN	BOONSLICK	HARRY S TRUMAN
ALL CAUSES	5,281	2,183	1,532	461	1,294	609	1,637	696	1,937
TUBERCULOSIS	2	1	0	0	0	0	0	0	1
SEPTICEMIA	65	22	15	6	22	13	19	8	24
SYPHILIS	0	0	0	0	0	0	0	0	0
AIDS	17	3	1	0	0	1	5	1	3
MALIGNANT NEOPLASMS	1,174	468	314	107	258	146	387	154	439
STOMACH	24	3	5	0	6	3	4	0	1
COLON, RECTUM & ANUS	106	39	33	16	26	10	33	23	36
PANCREAS	57	28	7	7	10	6	22	14	28
TRACHEA, BRONCHUS & LUNG	392	139	85	29	69	55	112	48	148
BREAST	68	44	26	8	19	16	28	11	24
CERVIX UTERI, CORPUS UTERI & OVAR	45	22	13	2	7	4	14	2	24
PROSTATE	49	14	18	7	10	5	23	6	14
URINARY TRACT	60	24	20	3	19	8	23	3	29
NON-HODGKIN'S LYMPHOMA	51	20	12	4	8	7	16	9	13
LEUKEMIA	37	16	12	4	22	4	27	10	11
OTHER MALIGNANT NEOPLASMS	285	119	83	27	62	28	85	28	111
DIABETES MELLITUS	139	56	57	14	32	23	59	17	52
ALZHEIMER'S DISEASE	194	72	53	21	41	14	45	16	64
MAJOR CARDIOVASCULAR DISEASES	1,860	750	562	163	508	221	573	257	712
DISEASES OF HEART	1,456	542	392	119	403	144	437	213	577
HYPERTENSIVE HEART DISEASE	14	12	1	2	3	5	11	6	7
ISCHEMIC HEART DISEASES	1,002	315	236	72	269	76	267	164	452
OTHER HEART DISEASES	440	215	155	45	131	63	159	43	118
ESSENTIAL HYPERTENSION	45	18	15	0	7	10	14	6	9
CEREBROVASCULAR DISEASES	301	144	124	37	72	56	99	26	110
ATHEROSCLEROSIS	10	19	10	0	7	2	5	0	1
OTHER MAJOR CARDIOVASCULAR DIS.	48	27	21	7	19	9	18	12	15
INFLUENZA AND PNEUMONIA	128	65	37	19	40	21	59	23	66
CHRONIC LOWER RESPIRATORY DISEASES	283	134	127	30	73	45	98	33	151
PEPTIC ULCER	7	2	3	1	0	0	4	2	2
CHRONIC LIVER DISEASE & CIRRHOSIS	37	26	8	3	10	1	5	2	15
NEPHRITIS & NEPHROSIS	120	31	28	12	37	15	25	16	33
PREGNANCY, CHILDBIRTH & PUERPERIUM	2	1	0	0	0	0	1	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	15	12	6	2	4	2	4	1	5
CONGENITAL ANOMALIES	19	9	2	2	4	2	5	4	11
SUDDEN INFANT DEATH SYNDROME	5	1	2	0	1	0	3	0	3
SYMPTOMS & ILL-DEFINED CONDITIONS	43	17	6	6	7	1	9	6	13
ALL OTHER DISEASES	732	316	207	55	165	69	221	99	223
UNINTENTIONAL INJURIES	330	131	75	17	68	28	88	45	79
MOTOR VEHICLE CRASHES	149	61	42	7	31	13	34	28	48
OTHER UNINTENTIONAL INJURIES	181	70	33	10	37	15	54	17	31
SUICIDE	79	43	22	3	18	6	25	5	20
HOMICIDE	15	23	4	0	4	0	1	4	15
ALL OTHER EXTERNAL CAUSES	15	0	3	0	2	1	1	3	6

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2005

	KAYSIN- GER BASIN	PIONEER TRAILS	SOUTH CEN. OZARK	MERAMEC	LAKE OF THE OZARKS	SOUTHEAST MISSOURI	BOOTHEEL	OZARK FOOTHILLS
ALL CAUSES	1,451	1,419	1,461	1,529	1,581	2,242	1,890	1,093
TUBERCULOSIS	0	0	0	0	0	0	1	0
SEPTICEMIA	18	23	19	20	14	31	31	23
SYPHILIS	0	0	0	0	1	0	0	0
AIDS	3	0	1	1	1	1	5	0
MALIGNANT NEOPLASMS	368	326	355	356	371	481	393	234
STOMACH	3	4	2	6	4	4	9	2
COLON, RECTUM & ANUS	31	26	34	27	32	54	36	25
PANCREAS	20	19	18	26	21	33	18	9
TRACHEA, BRONCHUS & LUNG	129	89	129	120	123	157	132	84
BREAST	21	31	24	32	30	32	32	17
CERVIX UTERI, CORPUS UTERI & OVAR	8	12	12	14	12	18	12	11
PROSTATE	22	18	20	14	11	31	19	11
URINARY TRACT	17	22	16	9	17	15	19	6
NON-HODGKIN'S LYMPHOMA	15	11	9	8	10	17	14	10
LEUKEMIA	9	16	13	17	14	18	12	9
OTHER MALIGNANT NEOPLASMS	93	78	78	83	97	102	90	50
DIABETES MELLITUS	38	44	34	29	45	78	47	29
ALZHEIMER'S DISEASE	44	22	48	30	30	100	43	42
MAJOR CARDIOVASCULAR DISEASES	513	528	509	591	612	884	749	381
DISEASES OF HEART	388	381	386	455	468	640	569	275
HYPERTENSIVE HEART DISEASE	8	11	1	8	11	25	13	6
ISCHEMIC HEART DISEASES	269	267	256	332	252	430	433	175
OTHER HEART DISEASES	111	103	129	115	205	185	123	94
ESSENTIAL HYPERTENSION	14	17	6	10	20	23	17	6
CEREBROVASCULAR DISEASES	95	101	96	106	103	157	140	84
ATHEROSCLEROSIS	6	12	10	2	7	32	4	4
OTHER MAJOR CARDIOVASCULAR DIS.	10	17	11	18	14	32	19	12
INFLUENZA AND PNEUMONIA	45	41	41	48	40	52	39	39
CHRONIC LOWER RESPIRATORY DISEASES	101	81	90	85	96	121	124	81
PEPTIC ULCER	1	0	1	1	4	2	1	0
CHRONIC LIVER DISEASE & CIRRHOSIS	8	14	12	11	14	15	14	11
NEPHRITIS & NEPHROSIS	27	28	34	37	39	43	46	30
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	1	0	1	0	1	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	4	8	4	4	11	8	8	6
CONGENITAL ANOMALIES	1	10	3	7	13	9	7	1
SUDDEN INFANT DEATH SYNDROME	1	0	1	0	0	1	3	0
SYMPTOMS & ILL-DEFINED CONDITIONS	10	2	5	3	2	13	13	1
ALL OTHER DISEASES	172	196	187	171	174	260	238	121
UNINTENTIONAL INJURIES	69	70	90	103	87	103	93	60
MOTOR VEHICLE CRASHES	33	34	58	54	43	43	58	20
OTHER UNINTENTIONAL INJURIES	36	36	32	49	44	60	35	40
SUICIDE	20	15	18	21	20	23	22	18
HOMICIDE	6	4	5	8	6	2	8	12
ALL OTHER EXTERNAL CAUSES	2	6	4	2	1	14	5	4

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27B

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	ADAIR	ANDREW	ATCHISON	AUDRAIN	BARRY	BARTON	BATES	BENTON
ALL CAUSES	244	171	76	314	412	147	189	246
TUBERCULOSIS	0	0	0	0	0	1	0	0
SEPTICEMIA	3	0	2	3	5	0	1	2
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	1	1	0	0	2
MALIGNANT NEOPLASMS	56	34	15	78	86	20	55	71
STOMACH	2	1	0	1	0	0	1	0
COLON, RECTUM & ANUS	2	4	0	6	11	0	4	4
PANCREAS	3	0	0	6	2	2	4	3
TRACHEA, BRONCHUS & LUNG	25	6	3	19	28	7	17	28
BREAST	8	3	2	5	5	1	4	7
CERVIX UTERI, CORPUS UTERI & OVAR	2	3	0	1	1	4	2	3
PROSTATE	3	3	3	6	2	1	5	6
URINARY TRACT	3	2	0	11	3	0	4	3
NON-HODGKIN'S LYMPHOMA	2	3	0	5	4	2	0	2
LEUKEMIA	1	1	1	5	4	0	3	1
OTHER MALIGNANT NEOPLASMS	5	8	6	13	26	3	11	14
DIABETES MELLITUS	4	5	2	6	8	2	3	7
ALZHEIMER'S DISEASE	7	7	8	11	14	11	6	11
MAJOR CARDIOVASCULAR DISEASES	86	65	23	106	157	55	59	79
DISEASES OF HEART	59	46	14	76	110	40	38	61
HYPERTENSIVE HEART DISEASE	2	0	0	2	0	0	0	2
ISCHEMIC HEART DISEASES	35	18	9	45	82	29	27	40
OTHER HEART DISEASES	22	28	5	29	28	11	11	19
ESSENTIAL HYPERTENSION	4	2	0	5	0	1	0	0
CEREBROVASCULAR DISEASES	17	15	9	21	40	12	16	17
ATHEROSCLEROSIS	0	1	0	1	2	0	4	0
OTHER MAJOR CARDIOVASCULAR DIS.	6	1	0	3	5	2	1	1
INFLUENZA AND PNEUMONIA	9	5	4	7	8	7	11	3
CHRONIC LOWER RESPIRATORY DISEASES	18	13	6	23	17	7	15	23
PEPTIC ULCER	0	1	0	1	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	1	2	0	5	1	1	3
NEPHRITIS & NEPHROSIS	5	3	1	6	10	2	5	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	1	0	0	0	1	0	1
CONGENITAL ANOMALIES	0	0	0	1	2	0	0	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	2	1	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	1	1	2	3	1	0	0
ALL OTHER DISEASES	37	24	9	44	50	27	19	28
UNINTENTIONAL INJURIES	14	9	3	18	38	6	10	8
MOTOR VEHICLE CRASHES	6	6	3	5	17	2	6	4
OTHER UNINTENTIONAL INJURIES	8	3	0	13	21	4	4	4
SUICIDE	4	2	0	5	5	4	3	4
HOMICIDE	0	0	0	0	2	2	1	1
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	BOLLINGER	BOONE	BUCHANAN	BUTLER	CALDWELL	CALLAWAY	CAMDEN	CAPE GIRARDEAU
ALL CAUSES	136	860	973	554	86	308	390	753
TUBERCULOSIS	0	1	0	0	0	0	0	0
SEPTICEMIA	4	10	15	14	2	0	2	8
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	1	1	0	0	1	0	0
MALIGNANT NEOPLASMS	27	182	206	126	20	61	102	154
STOMACH	0	1	3	1	0	0	1	1
COLON, RECTUM & ANUS	4	16	23	16	0	6	16	19
PANCREAS	1	9	6	5	0	1	3	11
TRACHEA, BRONCHUS & LUNG	7	50	51	41	7	22	35	52
BREAST	0	18	16	10	3	6	7	13
CERVIX UTERI, CORPUS UTERI & OVAR	2	12	8	4	0	1	4	6
PROSTATE	5	7	11	4	2	1	1	7
URINARY TRACT	1	9	12	3	2	3	3	5
NON-HODGKIN'S LYMPHOMA	2	9	8	8	0	2	0	5
LEUKEMIA	0	7	8	4	1	1	5	5
OTHER MALIGNANT NEOPLASMS	5	44	60	30	5	18	27	30
DIABETES MELLITUS	2	24	43	15	3	6	7	17
ALZHEIMER'S DISEASE	2	39	26	29	2	6	10	53
MAJOR CARDIOVASCULAR DISEASES	61	278	358	186	31	94	150	314
DISEASES OF HEART	50	202	246	130	25	70	110	211
HYPERTENSIVE HEART DISEASE	1	5	1	0	0	0	4	4
ISCHEMIC HEART DISEASES	36	131	155	86	16	44	53	146
OTHER HEART DISEASES	13	66	90	44	9	26	53	61
ESSENTIAL HYPERTENSION	0	6	10	3	2	1	4	5
CEREBROVASCULAR DISEASES	9	55	79	46	3	21	32	70
ATHEROSCLEROSIS	2	6	9	2	0	1	2	17
OTHER MAJOR CARDIOVASCULAR DIS.	0	9	14	5	1	1	2	11
INFLUENZA AND PNEUMONIA	2	30	22	15	1	7	5	22
CHRONIC LOWER RESPIRATORY DISEASES	7	52	82	33	2	25	21	30
PEPTIC ULCER	0	1	2	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	1	7	5	6	2	3	5	6
NEPHRITIS & NEPHROSIS	1	7	16	15	2	9	6	19
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	1	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	5	4	2	0	5	2	2
CONGENITAL ANOMALIES	2	5	2	0	0	2	2	4
SUDDEN INFANT DEATH SYNDROME	0	0	2	0	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	5	4	1	0	4	0	10
ALL OTHER DISEASES	13	117	117	68	12	44	45	81
UNINTENTIONAL INJURIES	11	62	52	26	7	31	28	18
MOTOR VEHICLE CRASHES	8	23	28	6	4	15	11	8
OTHER UNINTENTIONAL INJURIES	3	39	24	20	3	16	17	10
SUICIDE	1	22	10	9	2	7	5	8
HOMICIDE	0	11	3	9	0	2	0	0
ALL OTHER EXTERNAL CAUSES	1	0	3	0	0	0	0	7

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	CARROLL	CARTER	CASS	CEDAR	CHARITON	CHRISTIAN	CLARK	CLAY
ALL CAUSES	125	79	799	218	118	481	73	1,456
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	3	2	9	2	1	8	0	20
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	1	1	0	0	0	3
MALIGNANT NEOPLASMS	25	14	210	49	26	110	18	369
STOMACH	1	0	4	0	0	3	1	3
COLON, RECTUM & ANUS	2	2	17	6	2	10	0	33
PANCREAS	1	0	11	2	0	6	0	15
TRACHEA, BRONCHUS & LUNG	7	5	60	18	4	38	6	121
BREAST	1	1	18	1	2	6	3	32
CERVIX UTERI, CORPUS UTERI & OVAR	2	0	5	0	2	6	0	12
PROSTATE	0	0	13	0	2	4	1	19
URINARY TRACT	1	1	7	4	0	8	1	24
NON-HODGKIN'S LYMPHOMA	2	1	8	2	1	1	0	6
LEUKEMIA	3	0	9	1	4	2	0	9
OTHER MALIGNANT NEOPLASMS	5	4	58	15	9	26	6	95
DIABETES MELLITUS	4	2	16	2	1	10	3	33
ALZHEIMER'S DISEASE	1	2	26	2	5	22	2	60
MAJOR CARDIOVASCULAR DISEASES	63	31	257	71	47	160	37	407
DISEASES OF HEART	55	25	192	51	41	128	22	317
HYPERTENSIVE HEART DISEASE	0	0	6	0	2	3	0	13
ISCHEMIC HEART DISEASES	23	16	112	38	22	76	10	195
OTHER HEART DISEASES	32	9	74	13	17	49	12	109
ESSENTIAL HYPERTENSION	0	1	10	2	0	7	3	9
CEREBROVASCULAR DISEASES	6	3	45	16	4	21	11	65
ATHEROSCLEROSIS	0	0	1	1	1	1	0	1
OTHER MAJOR CARDIOVASCULAR DIS.	2	2	9	1	1	3	1	15
INFLUENZA AND PNEUMONIA	2	1	21	17	5	14	0	38
CHRONIC LOWER RESPIRATORY DISEASES	6	9	47	18	5	37	5	108
PEPTIC ULCER	0	0	2	0	0	1	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	2	1	3	2	0	4	0	16
NEPHRITIS & NEPHROSIS	2	1	32	6	2	4	2	28
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	1	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	4	1	0	3	0	4
CONGENITAL ANOMALIES	1	0	5	0	1	4	0	10
SUDDEN INFANT DEATH SYNDROME	1	0	2	0	0	0	0	2
SYMPTOMS & ILL-DEFINED CONDITIONS	0	0	3	6	1	1	0	4
ALL OTHER DISEASES	9	7	101	29	12	76	1	238
UNINTENTIONAL INJURIES	4	4	41	11	9	20	4	80
MOTOR VEHICLE CRASHES	1	2	24	4	3	10	2	32
OTHER UNINTENTIONAL INJURIES	3	2	17	7	6	10	2	48
SUICIDE	0	3	14	1	2	3	1	27
HOMICIDE	1	1	5	0	1	1	0	8
ALL OTHER EXTERNAL CAUSES	1	1	0	0	0	2	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	CLINTON	COLE	COOPER	CRAWFORD	DADE	DALLAS	DAVIESS	DE KALB
ALL CAUSES	272	593	178	273	128	172	90	116
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	0	7	2	1	1	4	1	0
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS	49	139	37	65	27	46	20	25
STOMACH	1	2	0	2	0	1	1	0
COLON, RECTUM & ANUS	3	10	3	4	2	2	1	3
PANCREAS	0	13	3	6	1	3	0	1
TRACHEA, BRONCHUS & LUNG	18	42	13	22	6	15	5	10
BREAST	7	13	2	4	1	4	3	0
CERVIX UTERI, CORPUS UTERI & OVAR	0	6	0	5	0	0	1	2
PROSTATE	3	1	3	2	1	0	1	1
URINARY TRACT	4	10	0	0	4	1	2	2
NON-HODGKIN'S LYMPHOMA	1	4	3	1	1	4	0	0
LEUKEMIA	1	5	2	3	1	2	2	2
OTHER MALIGNANT NEOPLASMS	11	33	8	16	10	14	4	4
DIABETES MELLITUS	7	20	1	4	8	7	5	2
ALZHEIMER'S DISEASE	19	18	6	3	5	2	2	1
MAJOR CARDIOVASCULAR DISEASES	91	194	75	110	36	56	27	48
DISEASES OF HEART	67	136	54	85	21	48	18	33
HYPERTENSIVE HEART DISEASE	0	5	0	1	1	0	0	0
ISCHEMIC HEART DISEASES	37	70	25	70	9	36	14	26
OTHER HEART DISEASES	30	61	29	14	11	12	4	7
ESSENTIAL HYPERTENSION	2	6	1	0	2	2	1	1
CEREBROVASCULAR DISEASES	19	37	15	22	12	5	6	11
ATHEROSCLEROSIS	0	8	1	0	1	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	3	7	4	3	0	1	2	3
INFLUENZA AND PNEUMONIA	8	15	9	15	3	5	2	2
CHRONIC LOWER RESPIRATORY DISEASES	24	40	6	11	8	6	7	8
PEPTIC ULCER	0	1	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	9	1	2	1	1	1	2
NEPHRITIS & NEPHROSIS	5	6	7	7	3	3	4	4
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	0	1	0	0	3	0
CONGENITAL ANOMALIES	0	2	0	2	1	1	1	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	4	1	0	0	5	0	0
ALL OTHER DISEASES	51	102	19	30	22	26	12	15
UNINTENTIONAL INJURIES	7	18	9	14	10	5	5	7
MOTOR VEHICLE CRASHES	4	10	4	10	6	5	4	4
OTHER UNINTENTIONAL INJURIES	3	8	5	4	4	0	1	3
SUICIDE	8	9	5	5	2	3	0	2
HOMICIDE	1	9	0	3	0	0	0	0
ALL OTHER EXTERNAL CAUSES	0	0	0	0	1	2	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	DENT	DOUGLAS	DUNKLIN	FRANKLIN	GASCONADE	GENTRY	GREENE	GRUNDY
ALL CAUSES	172	128	468	808	209	93	2,345	144
TUBERCULOSIS	0	0	0	0	0	0	2	0
SEPTICEMIA	4	1	10	5	2	0	28	3
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	1	1	0	12	0
MALIGNANT NEOPLASMS	44	28	94	176	58	23	514	31
STOMACH	1	0	2	1	2	0	12	1
COLON, RECTUM & ANUS	4	2	7	21	7	3	50	3
PANCREAS	4	4	5	5	4	1	25	1
TRACHEA, BRONCHUS & LUNG	13	10	30	58	18	7	172	11
BREAST	3	1	4	13	6	1	33	3
CERVIX UTERI, CORPUS UTERI & OVARY	2	1	5	8	1	0	21	1
PROSTATE	2	0	6	9	3	1	21	1
URINARY TRACT	1	5	6	10	2	2	27	0
NON-HODGKIN'S LYMPHOMA	0	1	2	7	2	1	25	1
LEUKEMIA	2	0	4	4	5	1	12	3
OTHER MALIGNANT NEOPLASMS	12	4	23	40	8	6	116	6
DIABETES MELLITUS	5	6	14	27	3	1	61	2
ALZHEIMER'S DISEASE	6	4	14	17	9	0	106	6
MAJOR CARDIOVASCULAR DISEASES	68	44	184	291	78	40	817	60
DISEASES OF HEART	47	35	138	238	61	33	654	44
HYPERTENSIVE HEART DISEASE	1	0	11	7	2	0	8	0
ISCHEMIC HEART DISEASES	39	23	100	171	37	18	466	33
OTHER HEART DISEASES	7	12	27	60	22	15	180	11
ESSENTIAL HYPERTENSION	1	0	5	4	3	0	20	2
CEREBROVASCULAR DISEASES	17	7	38	41	12	4	117	11
ATHEROSCLEROSIS	1	1	1	0	0	0	0	2
OTHER MAJOR CARDIOVASCULAR DIS.	2	1	2	8	2	3	26	1
INFLUENZA AND PNEUMONIA	7	6	7	24	5	1	47	2
CHRONIC LOWER RESPIRATORY DISEASES	10	10	35	48	10	4	134	8
PEPTIC ULCER	0	0	0	3	1	1	2	0
CHRONIC LIVER DISEASE & CIRRHOSIS	1	2	1	3	0	0	16	1
NEPHRITIS & NEPHROSIS	2	4	13	10	6	4	61	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	1	4	4	0	0	7	0
CONGENITAL ANOMALIES	0	0	2	5	0	1	4	0
SUDDEN INFANT DEATH SYNDROME	0	0	1	0	0	0	2	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	1	5	1	0	0	16	0
ALL OTHER DISEASES	11	13	48	105	19	13	330	19
UNINTENTIONAL INJURIES	14	5	25	69	12	4	140	8
MOTOR VEHICLE CRASHES	5	4	18	26	5	2	47	4
OTHER UNINTENTIONAL INJURIES	9	1	7	43	7	2	93	4
SUICIDE	0	2	8	14	3	1	30	1
HOMICIDE	0	1	1	3	2	0	8	0
ALL OTHER EXTERNAL CAUSES	0	0	2	2	0	0	8	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	HARRISON	HENRY	HICKORY	HOLT	HOWARD	HOWELL	IRON	JACKSON
ALL CAUSES	132	301	135	74	105	476	157	6,000
TUBERCULOSIS	0	0	0	0	0	0	0	2
SEPTICEMIA	4	5	3	2	2	5	5	96
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	43
MALIGNANT NEOPLASMS	22	63	38	13	22	117	33	1,396
STOMACH	0	0	1	0	0	0	1	36
COLON, RECTUM & ANUS	1	7	4	1	3	7	2	123
PANCREAS	2	5	2	0	1	5	1	79
TRACHEA, BRONCHUS & LUNG	9	26	9	4	6	42	10	435
BREAST	0	2	2	1	3	10	0	117
CERVIX UTERI, CORPUS UTERI & OVAR	1	2	0	1	1	5	1	53
PROSTATE	0	3	2	1	1	4	3	65
URINARY TRACT	1	2	1	0	0	5	2	68
NON-HODGKIN'S LYMPHOMA	0	1	3	0	1	3	1	43
LEUKEMIA	0	2	2	0	0	7	2	55
OTHER MALIGNANT NEOPLASMS	8	13	12	5	6	29	10	322
DIABETES MELLITUS	4	9	3	1	1	12	8	164
ALZHEIMER'S DISEASE	9	11	2	4	3	27	8	283
MAJOR CARDIOVASCULAR DISEASES	51	125	48	27	45	153	50	1,902
DISEASES OF HEART	42	100	34	17	36	109	31	1,399
HYPERTENSIVE HEART DISEASE	0	2	2	1	1	0	1	73
ISCHEMIC HEART DISEASES	35	66	22	11	18	76	18	847
OTHER HEART DISEASES	7	32	10	5	17	33	12	479
ESSENTIAL HYPERTENSION	1	1	4	0	0	2	1	79
CEREBROVASCULAR DISEASES	3	23	7	9	8	30	9	290
ATHEROSCLEROSIS	2	0	0	0	0	9	4	92
OTHER MAJOR CARDIOVASCULAR DIS.	3	1	3	1	1	3	5	42
INFLUENZA AND PNEUMONIA	3	2	3	5	3	9	6	128
CHRONIC LOWER RESPIRATORY DISEASES	11	16	7	8	5	33	15	340
PEPTIC ULCER	0	0	1	0	0	1	0	5
CHRONIC LIVER DISEASE & CIRRHOSIS	1	1	1	1	0	1	0	39
NEPHRITIS & NEPHROSIS	2	5	0	3	1	8	2	151
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	1
CONDITIONS ORIG. IN PERINATAL PERIOD	0	1	1	0	0	1	0	41
CONGENITAL ANOMALIES	0	1	0	0	0	0	0	32
SUDDEN INFANT DEATH SYNDROME	0	1	0	0	0	1	0	14
SYMPTOMS & ILL-DEFINED CONDITIONS	1	2	0	2	1	1	1	24
ALL OTHER DISEASES	17	40	20	2	17	74	19	853
UNINTENTIONAL INJURIES	4	11	6	4	5	26	7	283
MOTOR VEHICLE CRASHES	3	7	2	1	4	13	2	100
OTHER UNINTENTIONAL INJURIES	1	4	4	3	1	13	5	183
SUICIDE	2	5	2	2	0	5	3	83
HOMICIDE	1	3	0	0	0	1	0	116
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	1	0	4

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	JASPER	JEFFERSON	JOHNSON	KNOX	LACLEDE	LAFAYETTE	LAWRENCE	LEWIS
ALL CAUSES	1,098	1,622	348	50	374	382	391	124
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	14	26	9	3	5	7	3	3
SYPHILIS	0	0	0	0	1	0	0	0
AIDS	3	1	0	0	0	0	2	1
MALIGNANT NEOPLASMS	248	383	80	10	85	92	88	39
STOMACH	1	3	0	0	2	1	2	0
COLON, RECTUM & ANUS	23	39	7	3	7	10	4	3
PANCREAS	18	32	4	0	3	4	4	2
TRACHEA, BRONCHUS & LUNG	85	136	18	3	25	27	36	12
BREAST	14	31	6	0	6	9	7	3
CERVIX UTERI, CORPUS UTERI & OVAR	14	9	4	1	2	4	2	0
PROSTATE	6	14	8	0	3	4	7	1
URINARY TRACT	15	19	9	1	6	5	3	2
NON-HODGKIN'S LYMPHOMA	6	10	4	1	1	3	3	2
LEUKEMIA	5	11	5	0	3	3	5	1
OTHER MALIGNANT NEOPLASMS	61	79	15	1	27	22	15	13
DIABETES MELLITUS	30	64	12	0	16	12	5	8
ALZHEIMER'S DISEASE	19	41	3	0	3	3	12	3
MAJOR CARDIOVASCULAR DISEASES	419	556	116	23	159	149	142	42
DISEASES OF HEART	348	425	74	16	119	121	107	25
HYPERTENSIVE HEART DISEASE	6	13	0	2	2	7	2	1
ISCHEMIC HEART DISEASES	286	320	62	7	63	80	58	13
OTHER HEART DISEASES	56	92	12	7	54	34	47	11
ESSENTIAL HYPERTENSION	5	9	3	3	4	2	2	0
CEREBROVASCULAR DISEASES	59	100	25	4	32	21	32	17
ATHEROSCLEROSIS	1	4	9	0	0	0	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	6	18	5	0	4	5	0	0
INFLUENZA AND PNEUMONIA	42	49	14	2	17	8	14	2
CHRONIC LOWER RESPIRATORY DISEASES	98	86	23	7	20	21	22	4
PEPTIC ULCER	1	3	0	0	1	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	10	15	3	0	1	1	1	1
NEPHRITIS & NEPHROSIS	20	30	7	2	11	6	12	1
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	1	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	2	8	0	0	4	1	1	0
CONGENITAL ANOMALIES	5	3	3	0	2	2	2	1
SUDDEN INFANT DEATH SYNDROME	2	1	0	0	0	0	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	4	4	0	0	0	1	1	1
ALL OTHER DISEASES	124	193	53	1	31	47	53	12
UNINTENTIONAL INJURIES	31	118	19	2	10	24	25	6
MOTOR VEHICLE CRASHES	22	46	10	1	6	12	17	3
OTHER UNINTENTIONAL INJURIES	9	72	9	1	4	12	8	3
SUICIDE	11	34	4	0	6	5	7	0
HOMICIDE	10	4	0	0	2	2	0	0
ALL OTHER EXTERNAL CAUSES	5	3	1	0	0	1	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	LINCOLN	LINN	LIVINGSTON	MC DONALD	MACON	MADISON	MARIES	MARION
ALL CAUSES	338	183	195	187	225	137	89	342
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	3	4	2	4	3	2	1	2
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS	67	27	39	44	45	44	23	90
STOMACH	0	2	1	0	0	0	0	1
COLON, RECTUM & ANUS	9	4	10	5	3	2	0	9
PANCREAS	4	0	3	1	5	1	1	5
TRACHEA, BRONCHUS & LUNG	29	4	10	17	11	11	6	28
BREAST	5	2	2	2	5	5	6	6
CERVIX UTERI, CORPUS UTERI & OVAR	0	0	0	2	2	2	0	5
PROSTATE	4	1	0	1	4	4	0	2
URINARY TRACT	1	3	3	3	2	1	2	3
NON-HODGKIN'S LYMPHOMA	3	2	1	1	2	3	0	3
LEUKEMIA	2	3	0	1	3	2	1	8
OTHER MALIGNANT NEOPLASMS	10	6	9	11	8	13	7	20
DIABETES MELLITUS	7	7	3	3	8	5	0	12
ALZHEIMER'S DISEASE	9	4	2	16	4	3	0	13
MAJOR CARDIOVASCULAR DISEASES	124	75	80	59	91	46	37	113
DISEASES OF HEART	100	62	57	49	70	38	27	80
HYPERTENSIVE HEART DISEASE	6	0	1	0	1	4	0	4
ISCHEMIC HEART DISEASES	73	43	41	34	47	24	16	40
OTHER HEART DISEASES	21	19	15	15	22	10	11	36
ESSENTIAL HYPERTENSION	2	0	0	0	0	1	1	4
CEREBROVASCULAR DISEASES	14	10	18	9	20	3	7	23
ATHEROSCLEROSIS	0	0	1	0	0	0	0	1
OTHER MAJOR CARDIOVASCULAR DIS.	8	3	4	1	1	4	2	5
INFLUENZA AND PNEUMONIA	15	9	9	5	8	5	0	19
CHRONIC LOWER RESPIRATORY DISEASES	15	7	9	11	10	9	7	23
PEPTIC ULCER	2	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	0	1	2	2	1	0	1	0
NEPHRITIS & NEPHROSIS	11	9	5	4	1	3	0	8
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	1
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	0	1	0	0	0	2
CONGENITAL ANOMALIES	3	0	0	2	0	0	0	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	1	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	2	1	3	1	2	0	0	1
ALL OTHER DISEASES	44	27	30	16	33	13	11	42
UNINTENTIONAL INJURIES	27	9	9	12	16	7	6	11
MOTOR VEHICLE CRASHES	19	5	3	6	5	3	2	5
OTHER UNINTENTIONAL INJURIES	8	4	6	6	11	4	4	6
SUICIDE	3	3	1	2	3	0	3	3
HOMICIDE	3	0	1	3	0	0	0	0
ALL OTHER EXTERNAL CAUSES	2	0	0	1	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	MERCER	MILLER	MISSISS- SIPPI	MONITEAU	MONROE	MONTGOMERY	MORGAN	NEW MADRID
ALL CAUSES	50	294	174	139	117	172	252	235
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	2	3	1	1	4	3	3
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	2	1	0	0	1	0
MALIGNANT NEOPLASMS	15	65	28	27	26	43	64	46
STOMACH	0	0	1	0	0	0	0	1
COLON, RECTUM & ANUS	2	5	4	1	2	9	2	2
PANCREAS	2	5	1	1	1	6	5	2
TRACHEA, BRONCHUS & LUNG	6	22	10	6	6	8	25	18
BREAST	0	7	1	2	6	1	7	6
CERVIX UTERI, CORPUS UTERI & OVARY	0	3	0	2	1	1	1	0
PROSTATE	1	2	0	1	1	0	3	0
URINARY TRACT	0	1	0	2	2	1	4	3
NON-HODGKIN'S LYMPHOMA	0	6	4	1	0	5	1	2
LEUKEMIA	1	1	1	1	0	4	1	2
OTHER MALIGNANT NEOPLASMS	3	13	6	10	7	8	15	10
DIABETES MELLITUS	1	8	1	4	2	3	6	8
ALZHEIMER'S DISEASE	2	7	7	0	2	4	6	0
MAJOR CARDIOVASCULAR DISEASES	13	124	71	64	54	67	91	104
DISEASES OF HEART	10	96	54	44	47	56	76	87
HYPERTENSIVE HEART DISEASE	0	5	0	1	0	0	0	0
ISCHEMIC HEART DISEASES	8	38	40	27	31	43	52	71
OTHER HEART DISEASES	2	53	14	16	16	13	24	16
ESSENTIAL HYPERTENSION	0	3	0	4	1	4	6	3
CEREBROVASCULAR DISEASES	3	22	13	8	3	6	3	11
ATHEROSCLEROSIS	0	1	0	3	0	0	3	0
OTHER MAJOR CARDIOVASCULAR DIS.	0	2	4	5	3	1	3	3
INFLUENZA AND PNEUMONIA	1	8	6	1	5	5	7	4
CHRONIC LOWER RESPIRATORY DISEASES	4	17	11	6	8	9	21	16
PEPTIC ULCER	0	1	0	0	0	0	1	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	2	2	6	0	1	2	0
NEPHRITIS & NEPHROSIS	1	7	4	1	1	3	8	6
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	2	0	2	0	0	1	0
CONGENITAL ANOMALIES	0	1	0	0	0	0	2	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	0	2	2	0	3	2	0
ALL OTHER DISEASES	5	29	23	17	13	22	23	34
UNINTENTIONAL INJURIES	2	17	12	6	5	8	11	10
MOTOR VEHICLE CRASHES	1	9	10	5	3	4	8	7
OTHER UNINTENTIONAL INJURIES	1	8	2	1	2	4	3	3
SUICIDE	2	4	1	0	0	0	0	3
HOMICIDE	0	0	1	1	0	0	3	0
ALL OTHER EXTERNAL CAUSES	1	0	0	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	NEWTON	NODAWAY	OREGON	OSAGE	OZARK	PEMISCOT	PERRY	PETTIS
ALL CAUSES	505	192	130	118	121	241	193	406
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	6	2	2	3	3	6	2	1
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS	127	48	28	22	31	42	39	94
STOMACH	0	0	0	0	0	3	0	1
COLON, RECTUM & ANUS	8	11	0	0	2	5	6	3
PANCREAS	7	5	0	1	2	2	3	7
TRACHEA, BRONCHUS & LUNG	39	14	12	5	14	12	13	27
BREAST	7	3	3	2	1	2	0	9
CERVIX UTERI, CORPUS UTERI & OVAR	4	1	2	0	0	1	2	3
PROSTATE	6	2	3	2	2	3	2	3
URINARY TRACT	11	1	0	1	2	1	2	8
NON-HODGKIN'S LYMPHOMA	4	3	1	1	1	0	2	4
LEUKEMIA	5	1	0	2	2	1	2	6
OTHER MALIGNANT NEOPLASMS	36	7	7	8	5	12	7	23
DIABETES MELLITUS	17	9	3	4	2	11	4	12
ALZHEIMER'S DISEASE	18	6	7	4	3	4	12	13
MAJOR CARDIOVASCULAR DISEASES	179	65	45	43	44	104	88	152
DISEASES OF HEART	140	49	37	36	31	80	58	106
HYPERTENSIVE HEART DISEASE	1	1	0	3	1	1	5	2
ISCHEMIC HEART DISEASES	103	29	11	19	20	59	35	65
OTHER HEART DISEASES	36	19	26	14	10	20	18	39
ESSENTIAL HYPERTENSION	3	0	0	0	1	2	5	7
CEREBROVASCULAR DISEASES	30	14	6	5	12	18	14	33
ATHEROSCLEROSIS	0	0	0	0	0	2	9	2
OTHER MAJOR CARDIOVASCULAR DIS.	6	2	2	2	0	2	2	4
INFLUENZA AND PNEUMONIA	12	8	1	3	6	2	5	11
CHRONIC LOWER RESPIRATORY DISEASES	35	10	11	6	4	13	14	16
PEPTIC ULCER	1	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	2	0	2	0	0	2	0	7
NEPHRITIS & NEPHROSIS	7	4	3	4	4	5	1	10
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	2	0	1	0	2	0	5
CONGENITAL ANOMALIES	4	1	0	0	0	1	0	3
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	1	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	7	3	1	0	0	4	1	0
ALL OTHER DISEASES	56	29	12	17	15	25	17	56
UNINTENTIONAL INJURIES	30	5	14	7	7	10	7	15
MOTOR VEHICLE CRASHES	18	1	10	4	5	7	4	4
OTHER UNINTENTIONAL INJURIES	12	4	4	3	2	3	3	11
SUICIDE	3	0	1	4	1	2	2	5
HOMICIDE	0	0	0	0	0	4	0	2
ALL OTHER EXTERNAL CAUSES	0	0	0	0	1	2	0	4

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	PHELPS	PIKE	PLATTE	POLK	PULASKI	PUTNAM	RALLS	RANDOLPH
ALL CAUSES	414	195	487	323	271	73	81	275
TUBERCULOSIS	0	0	1	0	0	0	0	0
SEPTICEMIA	8	4	7	2	2	0	0	6
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	1	1	0	0	0	0	2
MALIGNANT NEOPLASMS	88	43	126	69	55	14	21	63
STOMACH	0	1	3	2	1	0	0	1
COLON, RECTUM & ANUS	7	5	15	6	2	1	1	5
PANCREAS	4	1	3	2	5	0	0	4
TRACHEA, BRONCHUS & LUNG	35	17	37	20	16	2	7	17
BREAST	4	2	7	3	3	1	1	3
CERVIX UTERI, CORPUS UTERI & OVAR	5	0	3	2	2	0	0	3
PROSTATE	4	4	5	4	2	1	2	3
URINARY TRACT	3	2	9	2	3	6	1	1
NON-HODGKIN'S LYMPHOMA	2	1	4	4	2	1	0	5
LEUKEMIA	3	2	7	2	4	1	1	4
OTHER MALIGNANT NEOPLASMS	21	8	33	22	15	1	8	17
DIABETES MELLITUS	4	5	8	10	8	1	1	23
ALZHEIMER'S DISEASE	5	0	25	7	4	6	7	6
MAJOR CARDIOVASCULAR DISEASES	148	83	148	109	88	28	21	72
DISEASES OF HEART	102	71	117	76	67	23	15	56
HYPERTENSIVE HEART DISEASE	1	0	2	0	0	0	1	3
ISCHEMIC HEART DISEASES	64	55	74	49	46	19	9	25
OTHER HEART DISEASES	37	16	41	27	21	4	5	28
ESSENTIAL HYPERTENSION	2	1	1	5	3	1	0	2
CEREBROVASCULAR DISEASES	37	9	26	24	14	3	4	12
ATHEROSCLEROSIS	0	2	2	2	1	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	7	0	2	2	3	1	2	2
INFLUENZA AND PNEUMONIA	15	5	9	9	3	1	2	7
CHRONIC LOWER RESPIRATORY DISEASES	27	8	33	16	17	8	6	15
PEPTIC ULCER	0	0	1	0	1	0	1	1
CHRONIC LIVER DISEASE & CIRRHOSIS	4	0	6	4	4	0	0	4
NEPHRITIS & NEPHROSIS	12	3	10	6	7	3	1	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	1	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	2	3	2	2	0	0	0
CONGENITAL ANOMALIES	4	1	1	2	6	0	0	3
SUDDEN INFANT DEATH SYNDROME	0	0	1	1	0	0	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	3	0	2	2	0	1	0	4
ALL OTHER DISEASES	65	20	69	54	46	4	10	47
UNINTENTIONAL INJURIES	26	17	24	20	21	4	7	10
MOTOR VEHICLE CRASHES	13	6	9	7	9	1	2	7
OTHER UNINTENTIONAL INJURIES	13	11	15	13	12	3	5	3
SUICIDE	3	3	8	8	5	3	3	7
HOMICIDE	2	0	4	0	1	0	0	1
ALL OTHER EXTERNAL CAUSES	0	0	0	1	1	0	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	RAY	REYNOLDS	RIPLEY	ST CHARLES	ST CLAIR	ST FRANCOIS	STE GENEVIEVE	ST LOUIS CITY
ALL CAUSES	214	89	190	1,991	131	700	166	3,489
TUBERCULOSIS	0	0	0	0	0	0	0	3
SEPTICEMIA	3	0	3	27	3	7	3	71
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	1	0	1	0	22
MALIGNANT NEOPLASMS	45	20	41	492	34	152	32	747
STOMACH	1	0	1	9	1	1	1	12
COLON, RECTUM & ANUS	4	1	4	37	4	18	3	77
PANCREAS	2	1	2	33	1	13	3	48
TRACHEA, BRONCHUS & LUNG	17	5	17	165	13	57	7	222
BREAST	4	1	2	34	2	11	3	60
CERVIX UTERI, CORPUS UTERI & OVAR	0	1	3	19	1	4	1	25
PROSTATE	2	3	3	16	2	4	6	45
URINARY TRACT	2	1	0	20	0	3	1	30
NON-HODGKIN'S LYMPHOMA	1	0	0	16	3	3	1	17
LEUKEMIA	0	3	1	24	0	6	1	29
OTHER MALIGNANT NEOPLASMS	12	4	8	119	7	32	5	182
DIABETES MELLITUS	5	2	4	57	3	36	6	127
ALZHEIMER'S DISEASE	6	1	7	48	6	18	4	44
MAJOR CARDIOVASCULAR DISEASES	71	33	74	629	43	254	71	1,283
DISEASES OF HEART	56	23	53	511	32	200	52	1,007
HYPERTENSIVE HEART DISEASE	0	0	3	24	1	10	0	102
ISCHEMIC HEART DISEASES	17	13	36	384	21	134	37	698
OTHER HEART DISEASES	39	10	14	103	10	56	15	207
ESSENTIAL HYPERTENSION	1	0	1	8	3	7	4	30
CEREBROVASCULAR DISEASES	12	6	18	87	5	38	14	206
ATHEROSCLEROSIS	1	1	1	5	0	0	0	7
OTHER MAJOR CARDIOVASCULAR DIS.	1	3	1	18	3	9	1	33
INFLUENZA AND PNEUMONIA	9	1	14	70	4	8	4	90
CHRONIC LOWER RESPIRATORY DISEASES	12	6	10	113	12	37	9	125
PEPTIC ULCER	0	0	0	0	0	2	0	5
CHRONIC LIVER DISEASE & CIRRHOSIS	1	1	1	16	0	6	2	39
NEPHRITIS & NEPHROSIS	6	5	3	38	0	17	0	69
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	1	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	3	12	0	5	0	34
CONGENITAL ANOMALIES	0	1	0	14	0	2	1	14
SUDDEN INFANT DEATH SYNDROME	1	0	0	0	0	0	0	3
SYMPTOMS & ILL-DEFINED CONDITIONS	2	0	0	7	2	1	0	15
ALL OTHER DISEASES	32	11	12	287	14	96	21	497
UNINTENTIONAL INJURIES	14	6	13	141	8	42	11	164
MOTOR VEHICLE CRASHES	10	1	6	40	3	16	2	49
OTHER UNINTENTIONAL INJURIES	4	5	7	101	5	26	9	115
SUICIDE	4	1	2	29	1	8	1	37
HOMICIDE	0	1	0	6	1	1	1	91
ALL OTHER EXTERNAL CAUSES	2	0	3	4	0	6	0	9

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	ST LOUIS COUNTY	SALINE	SCHUYLER	SCOTLAND	SCOTT	SHANNON	SHELBY	STODDARD
ALL CAUSES	9,161	283	57	61	416	90	88	356
TUBERCULOSIS	2	0	0	0	1	0	0	0
SEPTICEMIA	124	6	0	4	6	1	0	3
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	12	0	0	0	2	0	0	0
MALIGNANT NEOPLASMS	2,106	60	9	14	89	26	21	94
STOMACH	33	2	0	0	1	0	0	1
COLON, RECTUM & ANUS	201	6	0	2	8	6	2	10
PANCREAS	136	4	0	1	4	3	0	4
TRACHEA, BRONCHUS & LUNG	591	17	5	4	32	7	7	30
BREAST	202	7	1	1	10	2	0	9
CERVIX UTERI, CORPUS UTERI & OVAR	114	1	0	1	2	0	2	4
PROSTATE	81	3	0	0	4	2	1	6
URINARY TRACT	71	0	0	1	5	1	1	4
NON-HODGKIN'S LYMPHOMA	62	0	0	2	2	1	0	4
LEUKEMIA	86	2	0	2	3	1	4	1
OTHER MALIGNANT NEOPLASMS	529	18	3	0	18	3	4	21
DIABETES MELLITUS	255	8	3	5	9	0	2	4
ALZHEIMER'S DISEASE	202	3	0	2	8	1	2	10
MAJOR CARDIOVASCULAR DISEASES	3,481	111	18	15	165	35	33	121
DISEASES OF HEART	2,711	80	10	12	127	27	22	83
HYPERTENSIVE HEART DISEASE	96	2	0	0	0	0	0	1
ISCHEMIC HEART DISEASES	2,074	60	7	4	98	20	15	65
OTHER HEART DISEASES	541	18	3	8	29	7	7	17
ESSENTIAL HYPERTENSION	73	5	0	0	0	0	1	7
CEREBROVASCULAR DISEASES	593	22	5	2	33	7	7	27
ATHEROSCLEROSIS	18	1	2	0	1	0	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	86	3	1	1	4	1	2	4
INFLUENZA AND PNEUMONIA	305	8	5	3	12	1	6	8
CHRONIC LOWER RESPIRATORY DISEASES	398	21	5	6	29	5	5	20
PEPTIC ULCER	11	0	0	0	1	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	72	3	0	0	4	1	0	5
NEPHRITIS & NEPHROSIS	179	5	4	1	6	2	2	12
PREGNANCY, CHILDBIRTH & PUERPERIUM	5	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	58	2	0	1	1	0	0	1
CONGENITAL ANOMALIES	30	2	1	0	3	1	0	0
SUDDEN INFANT DEATH SYNDROME	4	0	0	0	1	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	24	1	0	0	1	1	0	1
ALL OTHER DISEASES	1,365	40	9	9	56	7	12	52
UNINTENTIONAL INJURIES	336	12	2	0	17	7	4	19
MOTOR VEHICLE CRASHES	96	8	1	0	4	6	1	12
OTHER UNINTENTIONAL INJURIES	240	4	1	0	13	1	3	7
SUICIDE	103	1	1	0	3	1	1	5
HOMICIDE	75	0	0	0	1	0	0	1
ALL OTHER EXTERNAL CAUSES	14	0	0	1	1	1	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	STONE	SULLIVAN	TANEY	TEXAS	VERNON	WARREN	WASHINGTON	WAYNE
ALL CAUSES	304	98	436	295	231	186	254	181
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	6	0	6	5	2	1	1	4
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	1	0	1	1	0	1	0	0
MALIGNANT NEOPLASMS	80	19	106	74	58	44	56	33
STOMACH	2	0	1	2	0	0	1	0
COLON, RECTUM & ANUS	6	0	9	10	2	5	5	2
PANCREAS	6	1	7	3	3	4	6	1
TRACHEA, BRONCHUS & LUNG	31	4	33	27	18	11	21	16
BREAST	3	2	4	5	3	5	7	3
CERVIX UTERI, CORPUS UTERI & OVAR	5	0	5	2	0	1	1	3
PROSTATE	3	1	5	6	4	2	1	1
URINARY TRACT	6	1	4	0	3	1	0	1
NON-HODGKIN'S LYMPHOMA	1	0	4	1	4	1	2	1
LEUKEMIA	1	4	5	2	0	4	1	1
OTHER MALIGNANT NEOPLASMS	16	6	29	16	21	10	11	4
DIABETES MELLITUS	14	1	6	8	11	7	9	6
ALZHEIMER'S DISEASE	7	2	11	3	6	3	3	3
MAJOR CARDIOVASCULAR DISEASES	111	33	159	106	88	66	107	57
DISEASES OF HEART	89	26	134	80	72	57	97	44
HYPERTENSIVE HEART DISEASE	0	0	0	0	1	0	0	3
ISCHEMIC HEART DISEASES	69	15	105	55	55	48	87	24
OTHER HEART DISEASES	20	11	29	25	16	9	10	17
ESSENTIAL HYPERTENSION	3	0	4	2	4	0	3	1
CEREBROVASCULAR DISEASES	15	5	17	23	11	6	6	11
ATHEROSCLEROSIS	1	1	1	0	1	0	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	3	1	3	1	0	3	0	1
INFLUENZA AND PNEUMONIA	10	5	11	12	5	3	3	8
CHRONIC LOWER RESPIRATORY DISEASES	7	6	20	19	10	9	14	23
PEPTIC ULCER	0	0	1	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	0	3	3	0	1	3	2
NEPHRITIS & NEPHROSIS	4	4	11	6	8	2	6	6
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	1	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	0	1	0	0	2	1
CONGENITAL ANOMALIES	1	1	1	2	0	1	1	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	0	11	1	0	1	0	0
ALL OTHER DISEASES	31	18	51	30	22	33	18	23
UNINTENTIONAL INJURIES	23	7	25	18	15	10	24	11
MOTOR VEHICLE CRASHES	13	2	13	12	7	5	15	5
OTHER UNINTENTIONAL INJURIES	10	5	12	6	8	5	9	6
SUICIDE	5	2	10	4	4	2	3	3
HOMICIDE	2	0	2	2	0	1	1	1
ALL OTHER EXTERNAL CAUSES	0	0	1	0	2	1	2	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2005

	WEBSTER	WORTH	WRIGHT
ALL CAUSES	289	26	221
TUBERCULOSIS	0	0	0
SEPTICEMIA	2	0	2
SYPHILIS	0	0	0
AIDS	0	0	0
MALIGNANT NEOPLASMS	48	8	51
STOMACH	1	0	0
COLON, RECTUM & ANUS	6	1	7
PANCREAS	1	1	1
TRACHEA, BRONCHUS & LUNG	13	1	17
BREAST	2	1	2
CERVIX UTERI, CORPUS UTERI & OVAR	3	0	2
PROSTATE	2	0	3
URINARY TRACT	2	0	3
NON-HODGKIN'S LYMPHOMA	4	0	1
LEUKEMIA	3	1	1
OTHER MALIGNANT NEOPLASMS	11	3	14
DIABETES MELLITUS	10	1	3
ALZHEIMER'S DISEASE	8	3	3
MAJOR CARDIOVASCULAR DISEASES	113	8	82
DISEASES OF HEART	89	6	67
HYPERTENSIVE HEART DISEASE	0	0	0
ISCHEMIC HEART DISEASES	52	5	51
OTHER HEART DISEASES	37	1	16
ESSENTIAL HYPERTENSION	0	0	1
CEREBROVASCULAR DISEASES	18	1	11
ATHEROSCLEROSIS	1	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	5	1	3
INFLUENZA AND PNEUMONIA	7	1	6
CHRONIC LOWER RESPIRATORY DISEASES	16	2	8
PEPTIC ULCER	3	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	2	0	3
NEPHRITIS & NEPHROSIS	6	0	7
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	1
CONGENITAL ANOMALIES	1	0	0
SUDDEN INFANT DEATH SYNDROME	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	3	0	0
ALL OTHER DISEASES	39	2	36
UNINTENTIONAL INJURIES	24	1	13
MOTOR VEHICLE CRASHES	14	0	8
OTHER UNINTENTIONAL INJURIES	10	1	5
SUICIDE	6	0	4
HOMICIDE	0	0	1
ALL OTHER EXTERNAL CAUSES	0	0	1

TABLE 27C

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	BALLWIN	BLUE SPRINGS	CAPE GIRARDEAU	CHESTER- FIELD	COLUMBIA	FLORISSANT	GLADSTONE	HAZELWOOD
ALL CAUSES	153	286	483	432	572	490	248	165
TUBERCULOSIS	0	0	0	0	1	0	0	0
SEPTICEMIA	3	5	5	1	6	6	1	4
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	1	0	0	1
MALIGNANT NEOPLASMS	53	77	88	100	114	118	70	46
STOMACH	0	0	1	1	1	0	0	3
COLON, RECTUM & ANUS	7	10	16	7	9	14	4	4
PANCREAS	5	2	5	9	4	8	4	3
TRACHEA, BRONCHUS & LUNG	16	28	26	21	31	38	24	14
BREAST	3	4	5	10	12	13	6	3
CERVIX UTERI, CORPUS UTERI & OVAR	1	4	3	4	9	4	1	4
PROSTATE	1	0	3	5	5	3	5	1
URINARY TRACT	1	4	2	7	9	7	6	2
NON-HODGKIN'S LYMPHOMA	2	3	4	6	5	1	1	1
LEUKEMIA	3	2	5	3	6	7	2	2
OTHER MALIGNANT NEOPLASMS	14	20	18	27	23	23	17	9
DIABETES MELLITUS	8	7	13	8	17	15	6	4
ALZHEIMER'S DISEASE	1	28	40	19	34	14	13	1
MAJOR CARDIOVASCULAR DISEASES	48	68	203	148	197	222	71	60
DISEASES OF HEART	39	56	139	118	143	189	59	47
HYPERTENSIVE HEART DISEASE	1	4	3	2	4	5	0	1
ISCHEMIC HEART DISEASES	33	37	99	85	88	155	35	40
OTHER HEART DISEASES	5	15	37	31	51	29	24	6
ESSENTIAL HYPERTENSION	1	3	4	3	4	4	2	2
CEREBROVASCULAR DISEASES	7	9	50	22	40	22	8	9
ATHEROSCLEROSIS	0	0	7	2	6	2	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	1	0	3	3	4	5	2	2
INFLUENZA AND PNEUMONIA	1	6	17	16	22	10	7	1
CHRONIC LOWER RESPIRATORY DISEASES	4	13	15	13	28	23	19	11
PEPTIC ULCER	0	0	0	1	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	1	3	2	2	6	0	0
NEPHRITIS & NEPHROSIS	2	7	9	5	4	9	5	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	1	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	1	2	2	4	3	0	0
CONGENITAL ANOMALIES	2	2	1	0	4	0	0	1
SUDDEN INFANT DEATH SYNDROME	0	1	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	2	9	0	3	2	1	0
ALL OTHER DISEASES	25	34	59	95	76	43	38	22
UNINTENTIONAL INJURIES	6	22	11	17	35	10	14	7
MOTOR VEHICLE CRASHES	1	9	5	3	9	1	4	2
OTHER UNINTENTIONAL INJURIES	5	13	6	14	26	9	10	5
SUICIDE	0	11	5	3	15	9	3	2
HOMICIDE	0	1	0	1	8	0	0	2
ALL OTHER EXTERNAL CAUSES	0	0	3	1	0	0	0	0

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	INDE- PENDENCE	JEFFERSON CITY	JOPLIN	KANSAS CITY (TOT)	K.C. (JACKSON)	K.C. (CLAY)	K.C. (PLATTE)	K.C. (CASS)
ALL CAUSES	1,213	422	595	3,784	3,000	544	240	0
TUBERCULOSIS	0	0	0	2	1	0	1	0
SEPTICEMIA	19	5	9	59	48	7	4	0
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	5	0	2	38	36	2	0	0
MALIGNANT NEOPLASMS	283	89	110	883	682	138	63	0
STOMACH	8	1	0	21	18	2	1	0
COLON, RECTUM & ANUS	17	7	14	83	64	11	8	0
PANCREAS	12	9	8	46	40	3	3	0
TRACHEA, BRONCHUS & LUNG	89	27	36	266	203	44	19	0
BREAST	29	9	6	75	61	14	0	0
CERVIX UTERI, CORPUS UTERI & OVAR	13	4	5	38	28	7	3	0
PROSTATE	14	1	4	47	38	5	4	0
URINARY TRACT	14	4	8	46	33	9	4	0
NON-HODGKIN'S LYMPHOMA	7	3	1	22	18	2	2	0
LEUKEMIA	10	3	1	33	25	4	4	0
OTHER MALIGNANT NEOPLASMS	70	21	27	206	154	37	15	0
DIABETES MELLITUS	30	18	17	103	89	12	2	0
ALZHEIMER'S DISEASE	104	16	20	119	84	24	11	0
MAJOR CARDIOVASCULAR DISEASES	383	136	241	1,162	953	129	80	0
DISEASES OF HEART	286	92	192	839	669	105	65	0
HYPERTENSIVE HEART DISEASE	11	2	3	51	45	6	0	0
ISCHEMIC HEART DISEASES	166	48	151	502	391	68	43	0
OTHER HEART DISEASES	109	42	38	286	233	31	22	0
ESSENTIAL HYPERTENSION	13	2	4	49	46	3	0	0
CEREBROVASCULAR DISEASES	58	32	39	182	153	16	13	0
ATHEROSCLEROSIS	18	5	1	66	64	1	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	8	5	5	26	21	4	1	0
INFLUENZA AND PNEUMONIA	29	10	18	69	57	10	2	0
CHRONIC LOWER RESPIRATORY DISEASES	78	25	59	208	154	35	19	0
PEPTIC ULCER	2	1	2	1	1	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	10	6	5	32	18	10	4	0
NEPHRITIS & NEPHROSIS	28	5	10	90	75	9	6	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	1	1	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	6	0	0	30	26	2	2	0
CONGENITAL ANOMALIES	6	0	3	17	11	5	1	0
SUDDEN INFANT DEATH SYNDROME	5	0	2	8	6	1	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	5	4	2	14	11	2	1	0
ALL OTHER DISEASES	154	84	71	582	450	103	29	0
UNINTENTIONAL INJURIES	47	7	11	203	157	36	10	0
MOTOR VEHICLE CRASHES	17	3	7	67	48	16	3	0
OTHER UNINTENTIONAL INJURIES	30	4	4	136	109	20	7	0
SUICIDE	12	7	8	49	32	14	3	0
HOMICIDE	7	9	3	110	104	5	1	0
ALL OTHER EXTERNAL CAUSES	0	0	2	4	4	0	0	0

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	KIRKWOOD	LEES SUMMIT	LIBERTY	MARYLAND HEIGHTS	OFALLON	RAYTOWN	ST CHARLES	ST JOSEPH
ALL CAUSES	259	584	211	190	299	406	557	895
TUBERCULOSIS	0	0	0	0	0	1	0	0
SEPTICEMIA	3	7	5	4	8	10	8	15
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	1	1	0	1
MALIGNANT NEOPLASMS	58	119	47	43	86	88	106	190
STOMACH	0	5	1	0	1	2	1	3
COLON, RECTUM & ANUS	3	9	4	3	5	6	7	21
PANCREAS	2	8	3	2	3	8	8	6
TRACHEA, BRONCHUS & LUNG	18	36	16	14	36	29	39	50
BREAST	12	8	6	5	7	2	8	15
CERVIX UTERI, CORPUS UTERI & OVAR	1	2	1	1	1	3	2	7
PROSTATE	0	4	3	0	4	3	2	9
URINARY TRACT	3	5	4	3	2	7	6	11
NON-HODGKIN'S LYMPHOMA	1	6	1	3	2	2	4	7
LEUKEMIA	5	8	0	3	2	7	8	8
OTHER MALIGNANT NEOPLASMS	13	28	8	9	23	19	21	53
DIABETES MELLITUS	7	9	3	4	5	13	19	40
ALZHEIMER'S DISEASE	4	38	9	2	4	17	19	26
MAJOR CARDIOVASCULAR DISEASES	113	216	56	66	98	129	177	328
DISEASES OF HEART	85	173	39	51	77	98	150	224
HYPERTENSIVE HEART DISEASE	6	2	1	0	1	2	9	1
ISCHEMIC HEART DISEASES	61	120	22	45	65	67	115	143
OTHER HEART DISEASES	18	51	16	6	11	29	26	80
ESSENTIAL HYPERTENSION	4	6	1	2	2	2	2	8
CEREBROVASCULAR DISEASES	23	23	14	9	15	22	18	76
ATHEROSCLEROSIS	0	6	0	1	2	3	2	9
OTHER MAJOR CARDIOVASCULAR DIS.	1	8	2	3	2	4	5	11
INFLUENZA AND PNEUMONIA	13	24	6	15	6	4	26	18
CHRONIC LOWER RESPIRATORY DISEASES	12	24	19	9	10	37	37	76
PEPTIC ULCER	0	1	1	0	0	0	0	2
CHRONIC LIVER DISEASE & CIRRHOSIS	1	3	2	2	2	4	2	5
NEPHRITIS & NEPHROSIS	6	15	6	7	4	7	7	16
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	1	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	5	0	2	4	1	3	4
CONGENITAL ANOMALIES	2	3	1	0	2	4	3	1
SUDDEN INFANT DEATH SYNDROME	0	0	1	0	0	2	0	2
SYMPTOMS & ILL-DEFINED CONDITIONS	1	2	0	0	1	1	4	4
ALL OTHER DISEASES	30	85	43	29	47	65	93	108
UNINTENTIONAL INJURIES	6	21	12	3	17	16	41	43
MOTOR VEHICLE CRASHES	2	13	6	2	6	5	10	24
OTHER UNINTENTIONAL INJURIES	4	8	6	1	11	11	31	19
SUICIDE	1	10	0	3	3	5	9	10
HOMICIDE	1	2	0	0	0	1	2	3
ALL OTHER EXTERNAL CAUSES	1	0	0	0	1	0	1	3

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2005

	ST LOUIS CITY	ST PETER	SPRING- FIELD	UNIVERSITY CITY	WILDWOOD
ALL CAUSES	3,489	325	1,706	344	92
TUBERCULOSIS	3	0	2	0	0
SEPTICEMIA	71	3	21	6	1
SYPHILIS	0	0	0	0	0
AIDS	22	0	11	0	0
MALIGNANT NEOPLASMS	747	78	357	90	28
STOMACH	12	3	9	1	1
COLON, RECTUM & ANUS	77	13	36	7	4
PANCREAS	48	2	19	6	1
TRACHEA, BRONCHUS & LUNG	222	19	125	26	3
BREAST	60	2	21	11	2
CERVIX UTERI, CORPUS UTERI & OVAR	25	3	15	5	3
PROSTATE	45	2	13	4	2
URINARY TRACT	30	3	16	3	3
NON-HODGKIN'S LYMPHOMA	17	3	16	2	2
LEUKEMIA	29	4	10	3	1
OTHER MALIGNANT NEOPLASMS	182	24	77	22	6
DIABETES MELLITUS	127	10	41	9	2
ALZHEIMER'S DISEASE	44	6	90	3	3
MAJOR CARDIOVASCULAR DISEASES	1,283	101	584	137	29
DISEASES OF HEART	1,007	81	477	99	21
HYPERTENSIVE HEART DISEASE	102	5	5	4	0
ISCHEMIC HEART DISEASES	698	59	335	65	16
OTHER HEART DISEASES	207	17	137	30	5
ESSENTIAL HYPERTENSION	30	0	15	6	1
CEREBROVASCULAR DISEASES	206	17	80	30	7
ATHEROSCLEROSIS	7	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	33	3	12	2	0
INFLUENZA AND PNEUMONIA	90	5	38	12	4
CHRONIC LOWER RESPIRATORY DISEASES	125	27	101	10	2
PEPTIC ULCER	5	0	2	1	1
CHRONIC LIVER DISEASE & CIRRHOSIS	39	4	14	0	0
NEPHRITIS & NEPHROSIS	69	8	48	8	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	34	0	4	3	0
CONGENITAL ANOMALIES	14	2	2	0	1
SUDDEN INFANT DEATH SYNDROME	3	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	15	0	10	0	0
ALL OTHER DISEASES	497	47	249	43	14
UNINTENTIONAL INJURIES	164	25	96	12	4
MOTOR VEHICLE CRASHES	49	11	27	3	1
OTHER UNINTENTIONAL INJURIES	115	14	69	9	3
SUICIDE	37	8	22	6	1
HOMICIDE	91	1	6	4	2
ALL OTHER EXTERNAL CAUSES	9	0	7	0	0

TABLE 28

RECORDED DEATHS BY TYPE OF ACCIDENT* AGE AND SEX: MISSOURI 2005

	TOTAL	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER 74	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
GRAND TOTAL	3,036	1,971	1,065	53	22	36	23	376	104	539	223	519	215	136	87	310	391
WORK TOTAL	132	124	8	1	0	0	0	10	0	44	1	52	5	7	1	10	1
HEAVY TRANSPORT VEHICLE	16	14	2	0	0	0	0	2	0	7	1	5	1	0	0	0	0
OTHER MOTOR VEHICLE	26	26	0	0	0	0	0	1	0	11	0	13	0	1	0	0	0
OTHER TRANSPORT	6	4	2	0	0	0	0	0	0	2	0	1	2	0	0	1	0
FALLS	18	17	1	0	0	0	0	0	0	6	0	8	0	1	0	2	1
FARM MACHINERY	9	8	1	0	0	0	0	0	0	0	0	2	1	3	0	3	0
OTHER MACHINERY	7	7	0	0	0	0	0	1	0	1	0	4	0	0	0	1	0
STRUCK BY/AGAINST OBJECT	26	26	0	0	0	0	0	5	0	8	0	9	0	2	0	2	0
ELECTRIC CURRENT	7	7	0	0	0	0	0	0	0	5	0	2	0	0	0	0	0
OTHER/UNSPECIFIED	17	15	2	1	0	0	0	1	0	4	0	8	1	0	1	1	0
HOME TOTAL	1,035	613	422	34	14	5	4	49	13	179	95	171	92	46	33	129	171
FALLS	348	165	183	0	0	1	0	1	0	2	2	26	8	28	20	107	153
MACHINERY	10	10	0	0	0	0	0	0	0	2	0	1	0	2	0	5	0
FIREARMS	15	14	1	2	0	2	0	4	1	4	0	2	0	0	0	0	0
STRUCK BY/AGAINST OBJECT	19	14	5	1	2	0	0	1	0	4	2	3	0	3	1	2	0
DROWNING	11	6	5	1	1	0	1	0	2	2	1	3	0	0	0	0	0
CHOKE/SUFFOCATE	62	47	15	25	8	1	0	2	0	9	3	7	2	1	2	2	0
EXCESS NATURAL HEAT/COLD	28	14	14	0	1	0	0	0	0	1	1	7	5	2	1	4	6
FIRE/FLAME/SMOKE	65	37	28	4	1	1	2	1	3	9	5	10	6	7	4	5	7
POISONING (DRUG/ALCOHOL)	445	286	159	1	0	0	1	39	6	140	80	104	70	2	2	0	0
POISONING (GAS/OTHER)	14	9	5	0	0	0	0	1	1	1	1	4	0	1	2	2	1
OTHER/UNSPECIFIED	18	11	7	0	1	0	0	0	0	5	0	4	1	0	1	2	4
PUBLIC TRANSPORT TOTAL	1,336	917	419	12	6	22	16	289	87	263	115	217	98	56	39	57	58
CAR OR TRUCK	892	571	321	9	2	7	12	201	71	160	89	117	75	42	30	35	42
PEDESTRIAN	95	67	28	1	3	1	2	17	2	20	11	22	5	1	3	5	2
PEDAL CYCLIST	11	11	0	0	0	3	0	2	0	1	0	3	0	2	0	0	0
MOTORCYCLIST	102	96	6	0	0	0	0	18	0	34	5	39	1	4	0	1	0
RAILROAD (NOT W/MOTOR VEH)	2	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
NONROAD VEH, INCL SPECIAL ATV	30	25	5	0	0	4	1	4	2	7	1	6	1	2	0	2	0
WATER TRANSPORT	13	13	0	0	0	1	0	4	0	5	0	3	0	0	0	0	0
AIR TRANSPORT	8	8	0	0	0	0	0	1	0	3	0	4	0	0	0	0	0
OTHER/UNSPECIFIED	183	124	59	2	1	6	1	42	12	32	9	23	16	5	6	13	14
PUBLIC NONTRANSPORT TOTAL	517	304	213	6	2	8	3	25	4	52	11	74	20	26	13	112	160
FALLS	271	114	157	0	0	0	1	3	0	4	2	14	7	14	12	79	135
MACHINERY	14	13	1	1	0	0	0	0	0	2	0	5	0	4	0	1	1
FIREARMS	7	7	0	0	0	2	0	2	0	1	0	2	0	0	0	0	0
STRUCK BY/AGAINST OBJECT	8	8	0	1	0	1	0	1	0	0	0	5	0	0	0	0	0
DROWNING	49	45	4	4	2	4	0	12	0	14	1	8	1	2	0	1	0
CHOKE/SUFFOCATE	28	16	12	0	0	0	0	0	1	1	0	3	4	3	1	9	6
EXCESS NATURAL HEAT/COLD	15	14	1	0	0	0	0	0	0	4	0	7	0	0	0	3	1
FIRE/FLAME/SMOKE	3	3	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0
POISONING (DRUG/ALCOHOL)	70	52	18	0	0	0	0	4	2	22	8	25	8	0	0	0	0
POISONING (GAS/OTHER)	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
OTHER/UNSPECIFIED	51	31	20	0	0	1	2	3	1	2	0	5	0	3	0	17	17
LATE EFFECTS OF ACCIDENTS	16	13	3	0	0	1	0	3	0	1	1	5	0	1	1	2	1

* BEGINNING WITH 2004, TYPE OF ACCIDENTS ARE CATEGORIZED DIFFERENTLY. SEE APPENDIX FOR EXPLANATION.

TABLE 29

ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2005

TOTAL POPULATION

AGE INTERVAL	PROPORTION DYING PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DURING INTERVAL	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
		NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	
X TO X + N	$Q_N X$	l_X	$D_N X$	$L_N X$	T_X	E_X
00 TO 01	.0075	100,000	749	99,331	7,683,213	76.8
01 TO 05	.0013	99,251	124	396,707	7,583,882	76.4
05 TO 10	.0007	99,127	70	495,446	7,187,175	72.5
10 TO 15	.0010	99,057	104	495,050	6,691,729	67.6
15 TO 20	.0041	98,953	407	493,831	6,196,679	62.6
20 TO 25	.0055	98,546	540	491,405	5,702,848	57.9
25 TO 30	.0053	98,006	521	488,746	5,211,443	53.2
30 TO 35	.0061	97,485	592	486,013	4,722,697	48.4
35 TO 40	.0088	96,893	853	482,474	4,236,684	43.7
40 TO 45	.0128	96,040	1,233	477,338	3,754,210	39.1
45 TO 50	.0194	94,807	1,836	469,779	3,276,872	34.6
50 TO 55	.0278	92,971	2,582	458,781	2,807,093	30.2
55 TO 60	.0375	90,389	3,391	443,935	2,348,312	26.0
60 TO 65	.0580	86,998	5,049	422,975	1,904,377	21.9
65 TO 70	.0865	81,949	7,087	392,699	1,481,402	18.1
70 TO 75	.1323	74,862	9,903	350,267	1,088,703	14.5
75 TO 80	.2008	64,959	13,044	292,739	738,436	11.4
80 TO 85	.3037	51,915	15,766	219,361	445,697	8.6
85 AND UP	1.0000	36,149	36,149	226,336	226,336	6.3


TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2005
MALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	Q N X	L X	D N X	L N X	T X	E X
00 TO 01	.0082	100,000	819	99,264	7,413,670	74.1
01 TO 05	.0016	99,181	161	396,340	7,314,406	73.7
05 TO 10	.0007	99,020	72	494,908	6,918,066	69.9
10 TO 15	.0013	98,948	133	494,448	6,423,158	64.9
15 TO 20	.0057	98,815	566	492,791	5,928,710	60.0
20 TO 25	.0086	98,249	843	489,164	5,435,919	55.3
25 TO 30	.0077	97,406	752	485,146	4,946,755	50.8
30 TO 35	.0079	96,654	766	481,433	4,461,609	46.2
35 TO 40	.0113	95,888	1,088	476,903	3,980,176	41.5
40 TO 45	.0158	94,800	1,501	470,525	3,503,273	37.0
45 TO 50	.0241	93,299	2,252	461,294	3,032,748	32.5
50 TO 55	.0354	91,047	3,228	447,650	2,571,454	28.2
55 TO 60	.0468	87,819	4,107	429,360	2,123,804	24.2
60 TO 65	.0711	83,712	5,955	404,291	1,694,444	20.2
65 TO 70	.1047	77,757	8,144	368,931	1,290,153	16.6
70 TO 75	.1619	69,613	11,268	320,207	921,222	13.2
75 TO 80	.2424	58,345	14,142	256,284	601,015	10.3
80 TO 85	.3508	44,203	15,508	180,745	344,731	7.8
85 AND UP	1.0000	28,695	28,695	163,986	163,986	5.7

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2005
FEMALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	q_x	l_x	d_x	l_x	T_x	e_x
00 TO 01	.0068	100,000	676	99,401	7,944,893	79.4
01 TO 05	.0009	99,324	85	397,090	7,845,492	79.0
05 TO 10	.0007	99,239	67	496,011	7,448,402	75.1
10 TO 15	.0007	99,172	73	495,687	6,952,391	70.1
15 TO 20	.0024	99,099	239	494,935	6,456,704	65.2
20 TO 25	.0022	98,860	222	493,764	5,961,769	60.3
25 TO 30	.0029	98,638	284	492,511	5,468,005	55.4
30 TO 35	.0042	98,354	416	490,788	4,975,494	50.6
35 TO 40	.0063	97,938	615	488,252	4,484,706	45.8
40 TO 45	.0099	97,323	962	484,369	3,996,454	41.1
45 TO 50	.0147	96,361	1,419	478,489	3,512,085	36.4
50 TO 55	.0204	94,942	1,940	470,128	3,033,596	32.0
55 TO 60	.0288	93,002	2,681	458,714	2,563,468	27.6
60 TO 65	.0460	90,321	4,155	441,818	2,104,754	23.3
65 TO 70	.0700	86,166	6,028	416,592	1,662,936	19.3
70 TO 75	.1077	80,138	8,634	380,190	1,246,344	15.6
75 TO 80	.1695	71,504	12,116	328,375	866,154	12.1
80 TO 85	.2718	59,388	16,143	256,426	537,779	9.1
85 AND UP	1.0000	43,245	43,245	281,353	281,353	6.5

Graph F
Marriage Rates per 1,000 Population
Missouri 1950 - 2005



<i>Marriages</i>		<i>Rate</i>	<i>Marriages</i>		<i>Rate</i>	<i>Marriages</i>		<i>Rate</i>	<i>Marriages</i>		<i>Rate</i>
1950	34,300	8.7	1964	38,802	8.7	1978	52,878	10.9	1992	45,546	8.7
1951	30,880	7.7	1965	39,882	8.9	1979	52,592	10.8	1993	44,380	8.4
1952	28,373	7.1	1966	42,597	9.4	1980	54,625	11.1	1994	46,115	8.9
1953	33,012	8.2	1967	44,055	9.7	1981	54,124	11.0	1995	45,057	8.4
1954	33,520	8.2	1968	48,155	10.5	1982	53,836	10.9	1996	44,473	8.2
1955	34,162	8.3	1969	50,411	10.9	1983	53,258	10.8	1997	43,812	8.0
1956	34,382	8.3	1970	50,224	10.7	1984	52,464	10.5	1998	43,685	7.9
1957	31,395	7.5	1971	51,048	10.8	1985	49,484	9.9	1999	44,369	8.0
1958	31,965	7.6	1972	53,372	11.2	1986	49,579	9.9	2000	43,665	7.8
1959	34,352	8.1	1973	51,990	10.9	1987	48,397	9.9	2001	42,086	7.5
1960	35,368	8.2	1974	51,434	10.7	1988	50,330	9.9	2002	41,552	7.3
1961	34,640	8.0	1975	50,147	10.5	1989	50,331	9.9	2003	41,295	7.2
1962	35,192	8.1	1976	51,070	10.6	1990	49,063	9.6	2004	40,824	7.1
1963	37,667	8.6	1977	52,100	10.8	1991	46,115	8.9	2005	40,675	7.0

TABLE 30

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 2005

[illegible]

TABLE 30 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 2005

AGE OF GROOM	AGE OF BRIDE														NOT STATED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	1,178	985	948	945	835	3,332	2,903	2,266	1,381	720	385	245	137	150	0
15 AND UNDER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17 YEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 YEARS	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0
19 YEARS	4	0	2	2	0	2	1	0	0	0	0	0	0	0	0
20 YEARS	2	5	2	2	0	4	1	0	0	0	0	0	0	0	0
21 YEARS	6	5	5	2	3	6	1	0	0	0	0	0	0	0	0
22 YEARS	10	14	5	4	4	12	1	0	1	1	0	0	0	0	0
23 YEARS	15	12	12	8	3	16	3	1	0	0	0	0	0	1	0
24 YEARS	34	18	17	10	6	25	6	2	1	1	0	0	0	0	0
25 YEARS	33	19	21	22	10	13	5	3	1	0	0	0	0	0	0
26 YEARS	44	27	22	20	16	37	4	2	0	0	0	0	0	0	0
27 YEARS	65	33	34	28	21	39	12	1	0	0	0	0	0	0	0
28 YEARS	68	48	29	29	28	50	14	4	0	1	0	0	0	0	0
29 YEARS	95	53	50	40	37	59	18	6	1	0	1	0	0	0	0
30 YEARS	109	67	51	51	32	70	26	8	0	0	0	0	0	0	0
31 YEARS	117	72	62	57	33	97	28	9	1	0	0	0	0	0	0
32 YEARS	99	93	76	76	52	110	33	9	2	0	0	0	0	0	0
33 YEARS	81	74	90	60	52	146	45	15	2	1	0	0	0	0	0
34 YEARS	81	56	63	86	56	157	55	20	4	3	0	0	0	0	0
35-39 YEARS	201	238	228	241	258	988	476	157	40	3	2	0	1	0	0
40-44 YEARS	74	92	120	132	128	843	893	443	123	21	4	5	0	0	0
45-49 YEARS	27	39	39	43	55	408	732	705	245	62	11	1	2	2	0
50-54 YEARS	7	11	14	19	29	154	330	518	414	124	27	11	2	3	0
55-59 YEARS	2	4	4	8	6	68	142	238	316	228	53	14	2	1	0
60-64 YEARS	3	3	2	2	3	16	60	75	147	166	114	47	7	1	0
65-69 YEARS	0	1	0	1	1	8	10	28	52	71	89	71	14	11	0
70-74 YEARS	0	0	0	1	1	3	5	14	19	22	56	58	51	16	0
75 YEARS AND OVER	0	0	0	1	0	1	2	8	11	16	28	38	58	115	0
NOT STATED	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

TABLE 31 REPORTED MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 2005

AGE	BRIDE				GROOM			
	TOTAL	SINGLE	WIDOWED	DIVORCED	TOTAL	SINGLE	WIDOWED	DIVORCED
TOTAL	40,675	25,883	1,251	13,085	40,675	25,801	1,188	13,290
UNDER 15 YEARS	0	0	0	0	0	0	0	0
15 YEARS	58	57	0	0	5	5	0	0
16 YEARS	127	127	0	0	13	13	0	0
17 YEARS	267	265	0	1	65	65	0	0
18 YEARS	1,186	1,179	0	6	398	397	0	0
19 YEARS	1,599	1,578	1	14	858	856	0	1
20 YEARS	1,978	1,939	0	34	1,255	1,246	0	8
21 YEARS	2,239	2,158	0	75	1,652	1,632	0	18
22 YEARS	2,642	2,501	3	133	2,127	2,095	0	31
23 YEARS	2,670	2,483	1	179	2,313	2,231	1	77
24 YEARS	2,584	2,293	2	276	2,409	2,272	0	134
25 YEARS	2,418	2,078	3	324	2,296	2,135	2	155
26 YEARS	1,921	1,553	3	352	2,226	1,998	3	216
27 YEARS	1,790	1,400	3	375	1,981	1,688	1	274
28 YEARS	1,525	1,111	2	398	1,789	1,472	4	302
29 YEARS	1,261	850	14	376	1,535	1,214	3	306
30 YEARS	1,178	709	6	452	1,371	957	4	399
31 YEARS	985	526	16	420	1,168	791	4	355
32 YEARS	948	465	7	464	1,150	707	10	425
33 YEARS	945	396	13	520	1,070	611	4	436
34 YEARS	835	314	19	486	988	485	8	478
35-39 YEARS	3,332	969	66	2,221	3,902	1,552	44	2,262
40-44 YEARS	2,903	517	134	2,189	3,251	783	73	2,335
45-49 YEARS	2,266	235	166	1,811	2,505	366	92	1,986
50-54 YEARS	1,381	121	151	1,078	1,697	133	140	1,389
55-59 YEARS	720	32	163	509	1,107	53	139	891
60-64 YEARS	385	16	148	214	654	26	149	464
65-69 YEARS	245	6	130	103	360	5	143	202
70-74 YEARS	137	1	91	40	248	5	151	88
75 YEARS AND OVER	150	4	109	35	281	8	213	57
UNKNOWN	0	0	0	0	1	0	0	1
MEDIAN AGE AT MARRIAGE	27.4	24.3	55.5	38.7	29.6	26.0	62.1	41.6

TABLE 32

REPORTED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 2005

BRIDE	GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	40,675	25,801	1,188	13,290	396
SINGLE	25,883	21,661	150	3,974	98
WIDOWED	1,251	150	420	675	6
DIVORCED	13,085	3,851	609	8,605	20
UNKNOWN	456	139	9	36	272

TABLE 33

REPORTED MARRIAGES BY RACE OF BRIDE BY RACE OF GROOM: MISSOURI 2005

RACE OF BRIDE	RACE OF GROOM				
	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	40,675	33,872	4,340	674	1,789
WHITE	34,241	32,845	706	351	339
BLACK	3,859	284	3,521	18	36
OTHER	762	420	40	297	5
UNKNOWN	1,813	323	73	8	1,409

TABLE 34

TOTAL

40,675

JANUARY	1,751
FEBRUARY	2,107
MARCH	2,442
APRIL	3,456

REPORTED MARRIAGES BY MONTH: MISSOURI 2005


MAY	4,357	SEPTEMBER	4,240
JUNE	5,166	OCTOBER	4,408
JULY	4,509	NOVEMBER	2,410
AUGUST	3,540	DECEMBER	2,289

TABLE 35A COUNTIES	REPORTED MARRIAGES POPULATION (ALL AGES)	BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2005		COUNTIES	POPULATION (ALL AGES)	MARRIAGES	
		MARRIAGES NUMBER	RATE			MARRIAGES NUMBER	RATE
STATE TOTAL	5,800,310	40,675	7.0	GRUNDY	10,327	58	5.6
ADAIR	24,509	172	7.0	HARRISON	8,876	86	9.7
ANDREW	16,899	101	6.0	HENRY	22,577	159	7.0
ATCHISON	6,246	59	9.4	HICKORY	9,271	40	4.3
AUDRAIN	25,759	187	7.3	HOLT	5,081	25	4.9
BARRY	35,599	190	5.3	HOWARD	9,957	54	5.4
BARTON	13,057	110	8.4	HOWELL	38,400	333	8.7
BATES	17,027	111	6.5	IRON	10,273	105	10.2
BENTON	18,854	106	5.6	JACKSON	662,959	5,417	8.2
BOLLINGER	12,325	92	7.5	JASPER	110,624	846	7.6
BOONE	143,326	1,009	7.0	JEFFERSON	213,669	1,175	5.5
BUCHANAN	84,904	657	7.7	JOHNSON	50,784	390	7.7
BUTLER	41,338	343	8.3	KNOX	4,171	21	5.0
CALDWELL	9,307	47	5.0	LACLEDE	34,492	335	9.7
CALLAWAY	42,541	243	5.7	LAFAYETTE	33,108	193	5.8
CAMDEN	39,432	351	8.9	LAWRENCE	37,127	216	5.8
CAPE GIRARDEAU	71,161	573	8.1	LEWIS	10,186	58	5.7
CARROLL	10,193	59	5.8	LINCOLN	47,727	392	8.2
CARTER	5,910	43	7.3	LINN	13,133	84	6.4
CASS	94,232	603	6.4	LIVINGSTON	14,291	87	6.1
CEDAR	14,160	69	4.9	MC DONALD	22,844	148	6.5
CHARITON	8,124	35	4.3	MACON	15,600	93	6.0
CHRISTIAN	67,266	421	6.3	MADISON	12,151	49	4.0
CLARK	7,323	59	8.1	MARIES	8,989	41	4.6
CLAY	202,078	1,352	6.7	MARION	28,375	289	10.2
CLINTON	20,715	121	5.8	MERCER	3,595	28	7.8
COLE	72,757	709	9.7	MILLER	24,712	182	7.4
COOPER	17,294	129	7.5	MISSISSIPPI	13,599	117	8.6
CRAWFORD	23,932	180	7.5	MONITEAU	15,084	92	6.1
DADE	7,830	55	7.0	MONROE	9,379	43	4.6
DALLAS	16,437	89	5.4	MONTGOMERY	12,166	85	7.0
DAVISS	8,121	65	8.0	MORGAN	20,436	177	8.7
DE KALB	12,342	105	8.5	NEW MADRID	18,566	143	7.7
DENT	15,083	137	9.1	NEWTON	55,554	281	5.1
DOUGLAS	13,594	113	8.3	NODAWAY	21,710	158	7.3
DUNKLIN	32,545	193	5.9	OREGON	10,403	55	5.3
FRANKLIN	99,090	685	6.9	OSAGE	13,485	62	4.6
GASCONADE	15,745	117	7.4	OZARK	9,490	42	4.4
GENTRY	6,555	36	5.5	PEMISCOT	19,412	120	6.2
GREENE	250,784	1,682	6.7	PERRY	18,571	151	8.1

TABLE 35A (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2005							
COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE	COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE
PETTIS	40,121	379	9.4	SALINE	23,075	191	8.3
PHELPS	42,125	377	8.9	SCHUYLER	4,308	31	7.2
PIKE	18,762	139	7.4	SCOTLAND	4,928	40	8.1
PLATTE	82,085	518	6.3	SCOTT	41,143	320	7.8
POLK	28,892	234	8.1	SHANNON	8,367	75	9.0
PULASKI	44,187	424	9.6	SHELBY	6,744	53	7.9
PUTNAM	5,168	36	7.0	STODDARD	29,714	241	8.1
RALLS	9,761	63	6.5	STONE	30,931	151	4.9
RANDOLPH	25,336	209	8.2	SULLIVAN	6,907	41	5.9
RAY	24,101	132	5.5	TANEY	42,985	637	14.8
REYNOLDS	6,585	44	6.7	TEXAS	24,614	179	7.3
RIPLEY	13,851	108	7.8	VERNON	20,441	150	7.3
ST. CHARLES	329,940	2,082	6.3	WARREN	28,764	181	6.3
ST. CLAIR	9,686	63	6.5	WASHINGTON	24,032	200	8.3
ST. FRANCOIS	61,661	532	8.6	WAYNE	13,097	93	7.1
STE. GENEVIEVE	18,198	105	5.8	WEBSTER	34,745	216	6.2
ST. LOUIS CITY	344,362	2,321	6.7	WORTH	2,174	20	9.2
ST. LOUIS COUNTY	1,004,666	6,121	6.1	WRIGHT	18,306	131	7.2

TABLE 35B REPORTED MARRIAGES WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 2005							
RPC'S	POPULATION	MARRIAGES	RATE	RPC'S	POPULATION	MARRIAGES	RATE
MAJOR METRO REGIONS				BOONSLICK	88,657	658	7.4
EAST-WEST GATEWAY	1,991,727	12,384	6.2	KAYSINGER BASIN	112,016	698	6.2
MID-AMERICA	1,065,455	8,022	7.5	PIONEER TRAILS	147,088	1,153	7.8
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	123,174	928	7.5
SOUTHWEST MISSOURI	552,596	3,891	7.0	MERAMEC	143,391	1,114	7.8
MID-MISSOURI	300,959	2,236	7.4	LAKE OF THE OZARKS	163,259	1,469	9.0
MO-KAN	134,860	984	7.3				
HARRY S TRUMAN	202,079	1,385	6.9	SOUTHEAST MISSOURI	204,340	1,607	7.9
NONMETRO REGIONS				BOOTHEEL	154,979	1,134	7.3
NORTHWEST MISSOURI	41,766	298	7.1	OZARK FOOTHILLS	80,781	631	7.8
GREEN HILLS	98,042	626	6.4				
				MAJOR METRO TOTAL	3,057,182	20,406	6.7
				MINOR METRO TOTAL	1,190,494	8,496	7.1
				NONMETRO TOTAL	1,552,634	11,773	7.6
NORTHEAST MISSOURI	55,425	381	6.9				
MARK TWAIN	139,716	1,076	7.7	STATE TOTAL	5,800,310	40,675	7.0

Graph G
Dissolution Rates per 1,000 Population
Missouri 1950 - 2005



<i>Dissolutions</i>			<i>Rate</i>			<i>Dissolutions</i>			<i>Rate</i>			<i>Dissolutions</i>			<i>Rate</i>		
1950	12,177	3.1	1964	12,785	2.9	1978	26,308	5.4	1992	25,926	5.0						
1951	12,131	3.0	1965	13,261	3.0	1979	27,719	5.7	1993	26,438	5.0						
1952	12,943	3.3	1966	13,758	3.0	1980	27,595	5.6	1994	26,441	5.0						
1953	12,342	3.1	1967	14,520	3.2	1981	27,975	5.7	1995	25,733	4.8						
1954	11,705	2.9	1968	16,473	3.6	1982	26,292	5.3	1996	25,438	4.7						
1955	11,351	2.7	1969	17,578	3.8	1983	25,904	5.2	1997	25,632	4.7						
1956	10,993	2.6	1970	17,852	3.8	1984	24,860	5.0	1998	25,305	4.6						
1957	10,861	2.6	1971	19,643	4.2	1985	24,990	5.0	1999	24,583	4.4						
1958	10,747	2.6	1972	20,699	4.4	1986	25,466	5.1	2000	24,980	4.5						
1959	11,695	2.7	1973	21,777	4.6	1987	24,984	4.9	2001	23,458	4.2						
1960	11,320	2.6	1974	22,050	4.6	1988	24,948	4.9	2002	22,593	4.0						
1961	11,574	2.7	1975	24,527	5.1	1989	25,140	4.9	2003	22,166	3.9						
1962	11,882	2.7	1976	25,414	5.3	1990	25,701	5.0	2004	21,700	3.8						
1963	12,652	2.9	1977	25,281	5.2	1991	25,751	5.0	2005	21,013	3.6						

TABLE 36

REPORTED DISSOLUTIONS OF MARRIAGE BY MONTH BY TYPE OF DECREE: MISSOURI 2005

	TYPE OF DECREE			
	TOTAL	DISSOLUTION	ANNULMENT	LEGAL SEPARATION
TOTAL	21,098	20,967	46	85
JANUARY	1,561	1,552	3	6
FEBRUARY	1,496	1,486	1	9
MARCH	1,877	1,869	3	5
APRIL	1,911	1,901	4	6
MAY	1,878	1,864	5	9
JUNE	2,032	2,020	3	9
JULY	1,798	1,791	4	3
AUGUST	1,790	1,778	5	7
SEPTEMBER	1,739	1,726	4	9
OCTOBER	1,559	1,549	2	8
NOVEMBER	1,703	1,686	7	10
DECEMBER	1,754	1,745	5	4

TABLE 37

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES,
HUSBAND BY WIFE: MISSOURI 2005
WIFE

HUSBAND	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	UNKNOWN
TOTAL	21,013	12,298	5,085	1,755	497	166	91	1,121
NONE	12,447	9,969	1,900	398	65	20	10	85
ONE	5,093	1,824	2,199	691	216	49	33	81
TWO	1,649	337	633	447	123	50	26	33
THREE	500	85	185	133	56	23	10	8
FOUR	149	15	65	33	15	16	4	1
FIVE OR MORE	78	10	21	19	14	5	7	2
UNKNOWN	1,097	58	82	34	8	3	1	911

TABLE 38

REPORTED DISSOLUTIONS AND ANNULMENTS BY DURATION OF MARRIAGE: MISSOURI 2005

DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS
TOTAL	21,013	8 YEARS	949	17 YEARS	403
UNDER 1 YEAR	672	9 YEARS	848	18 YEARS	356
1 YEAR	1,486	10 YEARS	749	19 YEARS	371
2 YEARS	1,672	11 YEARS	654	20-24 YEARS	1,434
3 YEARS	1,655	12 YEARS	576	25-29 YEARS	761
4 YEARS	1,503	13 YEARS	577	30-34 YEARS	417
5 YEARS	1,457	14 YEARS	545	35-39 YEARS	196
6 YEARS	1,271	15 YEARS	528	40 YEARS AND OVER	153
7 YEARS	1,092	16 YEARS	412	UNKNOWN	276

TABLE 39

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED: MISSOURI 2005

CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS
TOTAL	21,013	TWO CHILDREN	4,029	FIVE CHILDREN	59
NO CHILDREN	10,548	THREE CHILDREN	1,359	SIX CHILDREN	14
ONE CHILD	4,517	FOUR CHILDREN	257	SEVEN OR MORE	12

TABLE 40

REPORTED DISSOLUTIONS AND ANNULMENTS BY PETITIONER BY DISPOSITION OF CHILDREN
AND BY WHETHER CHILD SUPPORT AWARDED: MISSOURI 2005

CUSTODY GIVEN TO							
PETITIONER	TOTAL	HUSBAND	WIFE	JOINT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	21,013	903	4,804	4,367	167	10,852	109
HUSBAND	7,883	662	1,076	1,752	67	4,370	43
WIFE	12,381	218	3,606	2,475	95	6,021	60
JOINT	304	4	42	69	1	188	2
OTHER	7	0	1	1	0	5	0
UNKNOWN	438	19	79	70	4	268	4

CHILD SUPPORT AWARDED TO:							
PETITIONER	TOTAL	HUSBAND	WIFE	NO SUPPORT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	21,013	579	6,870	2,529	53	10,852	130
HUSBAND	7,883	404	1,837	1,208	21	4,370	43
WIFE	12,381	159	4,845	1,243	29	6,021	84
JOINT	304	2	71	41	2	188	0
OTHER	7	0	1	1	0	5	0
UNKNOWN	438	14	116	36	1	268	3

TABLE 41 REPORTED DISSOLUTIONS AND ANNULMENTS BY AGE OF WIFE BY AGE OF HUSBAND:MISSOURI 2005

AGE OF WIFE	AGE OF HUSBAND										
	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	21,013	36	1,150	2,767	3,350	3,253	3,281	4,458	1,617	577	524
UNDER 20	149	19	99	14	3	3	4	3	0	0	4
20-24	1,928	9	817	798	177	49	18	22	5	0	33
25-29	3,304	3	164	1,501	1,103	314	120	51	13	1	34
30-34	3,361	0	25	272	1,402	1,043	350	182	43	5	39
35-39	3,238	2	12	62	388	1,193	990	481	59	7	44
40-44	3,130	2	1	29	139	392	1,193	1,162	126	28	58
45-54	3,715	0	5	20	53	170	466	2,194	674	80	53
55-64	1,120	0	0	9	13	14	40	235	597	193	19
65 AND OVER	319	0	0	2	1	0	6	18	54	228	10
UNKNOWN	749	1	27	60	71	75	94	110	46	35	230

TABLE 42

REPORTED DISSOLUTIONS AND ANNULMENTS BY RACE, WIFE BY HUSBAND: MISSOURI 2005

		HUSBAND				
WIFE		TOTAL	WHITE	BLACK	OTHER	UNKNOWN
	TOTAL	21,013	17,248	1,924	258	1,583
	WHITE	17,339	16,814	259	124	142
	BLACK	1,738	90	1,607	7	34
	OTHER	302	163	15	119	5
	UNKNOWN	1,634	181	43	8	1,402

TABLE 43A		REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2005					
COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS		COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS	
		NUMBER	RATE			NUMBER	RATE
STATE TOTAL	5,800,310	21,013	3.6	GRUNDY	10,327	39	3.8
ADAIR	24,509	73	3.0	HARRISON	8,876	34	3.8
ANDREW	16,899	129	7.6	HENRY	22,577	105	4.7
ATCHISON	6,246	24	3.8	HICKORY	9,271	23	2.5
AUDRAIN	25,759	103	4.0	HOLT	5,081	12	2.4
BARRY	35,599	75	2.1	HOWARD	9,957	33	3.3
BARTON	13,057	60	4.6	HOWELL	38,400	278	7.2
BATES	17,027	65	3.8	IRON	10,273	58	5.6
BENTON	18,854	85	4.5	JACKSON	662,959	1,574	2.4
BOLLINGER	12,325	44	3.6	JASPER	110,624	612	5.5
BOONE	143,326	564	3.9	JEFFERSON	213,669	631	3.0
BUCHANAN	84,904	343	4.0	JOHNSON	50,784	199	3.9
BUTLER	41,338	288	7.0	KNOX	4,171	16	3.8
CALDWELL	9,307	47	5.0	LACLEDE	34,492	162	4.7
CALLAWAY	42,541	151	3.5	LAFAYETTE	33,108	136	4.1
CAMDEN	39,432	144	3.7	LAWRENCE	37,127	97	2.6
CAPE GIRARDEAU	71,161	319	4.5	LEWIS	10,186	25	2.5
CARROLL	10,193	40	3.9	LINCOLN	47,727	144	3.0
CARTER	5,910	18	3.0	LINN	13,133	51	3.9
CASS	94,232	335	3.6	LIVINGSTON	14,291	95	6.6
CEDAR	14,160	42	3.0	MC DONALD	22,844	34	1.5
CHARITON	8,124	25	3.1	MACON	15,600	63	4.0
CHRISTIAN	67,266	288	4.3	MADISON	12,151	83	6.8
CLARK	7,323	29	4.0	MARIES	8,989	18	2.0
CLAY	202,078	816	4.0	MARION	28,375	150	5.3
CLINTON	20,715	107	5.2	MERCER	3,595	12	3.3
COLE	72,757	300	4.1	MILLER	24,712	116	4.7
COOPER	17,294	47	2.7	MISSISSIPPI	13,599	60	4.4
CRAWFORD	23,932	132	5.5	MONITEAU	15,084	46	3.0
DADE	7,830	31	4.0	MONROE	9,379	34	3.6
DALLAS	16,437	78	4.7	MONTGOMERY	12,166	60	4.9
DAVIESS	8,121	39	4.8	MORGAN	20,436	65	3.2
DE KALB	12,342	36	2.9	NEW MADRID	18,566	68	3.7
DENT	15,083	80	5.3	NEWTON	55,554	127	2.3
DOUGLAS	13,594	64	4.7	NODAWAY	21,710	64	2.9
DUNKLIN	32,545	196	6.0	OREGON	10,403	44	4.2
FRANKLIN	99,090	416	4.2	OSAGE	13,485	29	2.2
GASCONADE	15,745	72	4.6	OZARK	9,490	35	3.7
GENTRY	6,555	22	3.4	PEMISCOT	19,412	95	4.9
GREENE	250,784	1,257	5.0	PERRY	18,571	60	3.2

TABLE 43A (CONT) REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2005							
COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS		COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS	
		NUMBER	RATE			NUMBER	RATE
PETTIS	40,121	298	7.4	SALINE	23,075	93	4.0
PHELPS	42,125	163	3.9	SCHUYLER	4,308	23	5.3
PIKE	18,762	74	3.9	SCOTLAND	4,928	16	3.2
PLATTE	82,085	302	3.7	SCOTT	41,143	225	5.5
POLK	28,892	127	4.4	SHANNON	8,367	39	4.7
PULASKI	44,187	260	5.9	SHELBY	6,744	20	3.0
PUTNAM	5,168	25	4.8	STODDARD	29,714	195	6.6
RALLS	9,761	37	3.8	STONE	30,931	126	4.1
RANDOLPH	25,336	104	4.1	SULLIVAN	6,907	36	5.2
RAY	24,101	69	2.9	TANEY	42,985	227	5.3
REYNOLDS	6,585	30	4.6	TEXAS	24,614	83	3.4
RIPLEY	13,851	77	5.6	VERNON	20,441	107	5.2
ST. CHARLES	329,940	1,064	3.2	WARREN	28,764	83	2.9
ST. CLAIR	9,686	37	3.8	WASHINGTON	24,032	124	5.2
ST. FRANCOIS	61,661	324	5.3	WAYNE	13,097	62	4.7
STE. GENEVIEVE	18,198	64	3.5	WEBSTER	34,745	126	3.6
ST. LOUIS CITY	344,362	683	2.0	WORTH	2,174	12	5.5
ST. LOUIS COUNTY	1,004,666	3,009	3.0	WRIGHT	18,306	98	5.4

TABLE 43B REPORTED DISSOLUTIONS AND ANNULMENTS WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 2005

RPC'S	POPULATION	DISSOLUTIONS	RATE	RPC'S	POPULATION	DISSOLUTIONS	RATE
MAJOR METRO REGIONS				BOONSLICK	88,657	287	3.2
EAST-WEST GATEWAY	1,991,727	5,803	2.9	KAYSINGER BASIN	112,016	464	4.1
MID-AMERICA	1,065,455	3,096	2.9	PIONEER TRAILS	147,088	726	4.9
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	123,174	641	5.2
SOUTHWEST MISSOURI	552,596	2,432	4.4	MERAMEC	143,391	618	4.3
MID-MISSOURI	300,959	1,141	3.8	LAKE OF THE OZARKS	163,259	747	4.6
MO-KAN	134,860	615	4.6				
HARRY S TRUMAN	202,079	833	4.1	SOUTHEAST MISSOURI	204,340	952	4.7
NONMETRO REGIONS				BOOTHEEL	154,979	839	5.4
NORTHWEST MISSOURI	41,766	134	3.2	OZARK FOOTHILLS	80,781	475	5.9
GREEN HILLS	98,042	443	4.5				
				MAJOR METRO TOTAL	3,057,182	8,899	2.9
				MINOR METRO TOTAL	1,190,494	5,021	4.2
				NONMETRO TOTAL	1,552,634	7,093	4.6
NORTHEAST MISSOURI	55,425	182	3.3	STATE TOTAL	5,800,310	21,013	3.6
MARK TWAIN	139,716	585	4.2				

APPENDIX

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Rates based on fewer than 20 events are very unstable.

VITAL RECORDS

Vital statistics in Missouri are compiled from six basic records, which are filed with the Department of Health and Senior Services by state law. These records are: (1) live birth records, (2) death records, and (3) fetal death records each beginning with 1911; (4) marriage and (5) divorce records, beginning with 1949; and (6) abortion records beginning in 1975.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, deaths and abortions to include resident data events occurring to Missouri residents in other states. However, Missouri has not received abortion records from Illinois since 1983 and Tennessee clinics since 1997. But for 1988-2005, an estimate of Missouri resident abortions was received from some Illinois clinics, and for 1997-2005 from Tennessee. These estimates are shown in Graph D.

The data within this report represent the 2005 calendar year of events. Records were accepted through April 14 of 2006 before cut-off, allowing 2005 events to be as complete as possible.

SOURCES

Except where noted, historical vital statistics data are taken from annual vital statistics reports of the Missouri Department of Health and Senior Services.

POPULATION

County population estimates for 2005 used in this report represent July 1, 2005 Bureau of the Census estimates. The source of the 1911-1969 state total estimates is the Bureau of the Census' P-25 series. 1971-1979 state estimates were obtained from the Bureau of the Census publication "Preliminary Intercensal Estimates of the Population of Counties." 1981 - 1989 age-sex specific population estimates were developed by the U.S. Bureau of the Census in unpublished tables. City population estimates for 2005 came from Census estimates. 1991-1999 and 2001-2005 state population estimates also came from the Bureau of the Census. The Missouri Department of Health and Senior Services (MDHSS) used these as controls in developing 1991-1999 age-sex specific population estimates for Missouri. 2001-2005 age-sex specific state population estimates were modified by MDHSS from preliminary estimates developed by the Census Bureau.

RACE

The term "race" refers to the division of population into three groups, white, black, and other. Most tables in this report simply use two divisions, white and black because of the small numbers of persons from other races in Missouri. The race group designated as "other" consists of such races as American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian and Malayan races.

Persons of Latin American birth or ancestry who do not define themselves of Indian or other designated race are classified as white. Hispanic origin births are shown by race in Table 5A. Tables

10A, 13, 19 and 27A were modified in 2002 to include Hispanic vital events as well as totals for “other” races.

Beginning with the 1989 report, birth, fetal and infant death data is presented by race of mother. Before 1989, this data was presented by race of child. This change has been implemented to be consistent with the National Center for Health Statistics (NCHS), which also implemented this change in 1989. Race of child had been computed by an algorithm based on race of mother and race of father. Persons of mixed parentage were classified according to the race of the nonwhite parent. Because of this rather arbitrary formula and the increasing proportion of out-of-wedlock births in which father's race is missing, it was decided by NCHS to implement this change to race of mother.

Appendix Table A below shows how this change affects infant death rates by race. Three sets of rates and ratios are presented. The first set shows the current method by race of mother and the second set shows the old method by race of child. Both of these use the 1989 death cohort, in which infant deaths occurring in 1989 are divided by births occurring in 1989. In fact, some of these births to 1989 infant deaths occurred in 1988. The third method using the birth cohort takes the births occurring in a given year (e.g., 1989) and matches any deaths that occur to them in the first year of life, even if they occurred in the following year, 1990. This is the preferred method, but takes longer to collect.

The infant death rates for blacks are consistently higher using race of mother than using race of child. The resulting black/white ratios are also consistently higher using race of mother. While the numerator (the number of black infant deaths) stays the same in both calculations, the denominator (the number of black live births) is lower by race of mother than by race of child. Comparing death cohort to birth cohort infant death rates and ratios by race of mother, differences are shown in both directions.

In examining trends in infant death rates by race over time, it is important to use the same method throughout the time period compared. Therefore, it is not appropriate to compare black infant death rates by race of mother in 1989 to black infant death rates by race of child in 1988. The caveats relating to infant death rates by race over time also apply to other birth indicators such as low birth weight rates, out-of-wedlock teen birth rates, etc.

Appendix Table A
Resident Infant Death Rates per 1000 Live Births by
Race of Child, Race of Mother, Death Cohort vs. Birth Cohort:
Missouri 1988-2005

	<i>DEATH COHORT</i>						<i>BIRTH COHORT</i>		
	<i>(1989 Annual Method)</i>			<i>(Pre-1989 Annual Method)</i>			<i>(Matched Birth/Deaths)</i>		
	<i>Race of Mother</i>			<i>Race of Child</i>			<i>Race of Mother</i>		
		<i>Black/White</i>			<i>Black/White</i>			<i>Black/White</i>	
	<i>White</i>	<i>Black</i>	<i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Ratio</i>
1988 ...	8.9	16.8	1.89	9.0	16.1	1.79	8.8	16.3	1.85
1989 ...	8.4	17.2	2.05	8.6	16.6	1.93	8.5	17.5	2.06
1990 ...	7.7	18.2	2.36	7.9	17.5	2.22	7.6	18.0	2.37
1995 ...	6.4	13.7	2.15	6.5	12.8	1.98	6.1	13.7	2.25
2000 ...	5.9	14.8	2.51	6.1	13.3	2.20	6.1	14.4	2.36
2001 ...	5.8	16.8	2.88	6.0	15.1	2.51	6.1	17.0	2.82
2002 ...	7.1	17.1	2.42	7.3	15.4	2.12	6.9	16.0	2.32
2003 ...	6.6	14.9	2.25	6.8	13.2	1.94	7.1	15.3	2.15
2004...	6.4	14.9	2.34	6.6	13.2	2.00	6.1	13.9	2.29
2005....	6.3	14.8	2.35	6.5	13.1	2.00	6.1	13.4	2.17

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons usually residing in an area independent of where the events occurred. An exception to this involves people dying in hospitals, nursing homes, or other institutions. In such cases, the usual place of residence before admission is reported. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added to nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

GEOCODING

Beginning with 2000 data Missouri used a computerized geocoding package from Tele Atlas to improve coding of resident city, county and Census tract for the following metropolitan counties: Buchanan, Cass, Clay, Greene, Jackson, Jefferson, Platte, Ray, St. Charles, St. Louis County and St. Louis City. The package uses the street address and zip code to assign geocodes and may result in some inconsistencies with past years, particularly with city and town birth and death counts in Tables 17 & 18.

GESTATIONAL AGE CORRECTION

Beginning in 2003, a correction was made in the calculation of weeks of gestational age. A rounding error had occurred in annual vital statistics reports before 2003 that tended to increase the gestational age and substantially decrease the rate of births less than 37 weeks of gestation shown in Table 10. This also had a relatively slight effect on other indicators that use gestational age, including inadequate prenatal care, and gained LT 15lbs/GT 44 pounds during full-term pregnancy. See the table below on how this correction affected the percents for these indicators in the 1998-2002 annual reports. Corrected data for these indicators for each year from 1990 to present are available at www.dhss.mo.gov/BirthMICA.

Appendix Table B
Resident Percents for Selected Gestational Age Indicators by Original vs. Corrected Report:
Missouri 1998-2002

	Less than 37 weeks Gestation		Gained LT 15 lbs During Pregnancy		Gained GT 44 lbs During Pregnancy		Inadequate Prenatal Care	
	Original Report	Corrected Report	Original Report	Corrected Report	Original Report	Corrected Report	Original Report	Corrected Report
1998	10.2	12.3	7.8	7.8	17.3	17.3	11.0	10.9
1999	10.3	12.7	7.7	7.7	17.9	18.0	10.5	10.4
2000	10.6	12.3	7.7	7.7	18.8	18.8	10.4	10.3
2001	10.6	13.0	8.3	8.3	18.7	18.7	10.8	10.7
2002	10.9	13.3	8.8	8.7	18.3	18.3	10.8	10.7

UNKNOWNNS

Records classified as Missouri residents with unknown county of residence are included in the state totals of this publication. In annual vital statistics reports before 1979, these records were excluded from totals. The number of 2005 records with unknown county of residence by system is as follows:

Live Births.....	0
Fetal Deaths	0
Deaths	1
Abortions.	35

The following imputations of unknowns were made in this report:

Unknown sex is considered male.
Unknown marital status is considered married.
Unknown live birth order is considered 1st.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Live birth, death, natural increase, marriage, and dissolution rates are expressed in terms of 1,000 estimated midyear population. Infant, perinatal, fetal, neonatal, and post-neonatal death rates are stated per 1,000 live births.

Rates per 100 live births or percentages are used in Tables 7-10C for such rates as out-of-wedlock or low birth weight. In Table 10, unknowns are excluded in the calculation of percents when the unknowns are greater than 2 percent. These include: (1) crown heel length less than 47 cm; (2) mother greater than 15 percent underweight; (3) mother greater than 20 percent overweight; (4) mother gained less than 15 pounds during pregnancy; (5) mother gained 45+ pounds during pregnancy; (6) inadequate prenatal care; (7) mother Medicaid participant; (8) mother WIC participant; (9) mother Medicaid and WIC; and (10) mother Food Stamp recipient. For less than 18 months since last birth, the denominator excludes first births. For weight gain during pregnancy the denominator is singleton births of 37 or more weeks of gestation.

Total Fertility Rate (Graph B) refers to the average number of births a woman would have if a given set of age-specific birth rates applied throughout her reproductive years.

General Fertility Rate (Table 3) refers to the total number of live births per 1,000 women aged 15-44 for a given year.

Age-Specific Fertility Rate (Table 3) is the number of live births born to mothers of a given age per 1,000 females of that age group for a given year.

The **Abortion Ratio** is a ratio of abortions per 1,000 live births for a given year.

Crude Death Rate is defined as the total number of deaths of area residents for the year divided by the midyear population of the area multiplied by some constant. The constants used in this report are 100,000 for cause specific rates and deaths for all causes in Tables 19 and 27A and 1,000 for death rates in all other tables and graphs.

$$\text{Crude Death Rate} = \frac{\text{number of deaths during year}}{\text{midyear population}} \times 1,000 \text{ or } 100,000$$

Age-Specific Death Rate (Tables 4 and 21) is calculated in the same manner as the crude death rate except that both the number of deaths and the midyear population are restricted to a given age group.

$$\text{Age-Specific Death Rate} = \frac{\text{For given age group:}}{\text{number of deaths during year}} \times 1,000$$

$$\text{midyear population}$$

The **Age-Adjusted Death Rate** (Age-Adj Rate) is a weighted average of age-specific death rates. Comparison of areas or time periods using crude death rates can often be misleading, since these rates are affected by the age composition of the population. For example, a county may display a high crude death rate simply because it has an older population.

To control for these differences in age compositions, age-specific rates can be weighted according to a standard population. Such a calculation produces an age-adjusted rate. The age-adjusted rates shown in this report are calculated by the direct method with the following formula:

$$\text{Age-Adjusted Death Rate} = \sum \frac{M_a \times P_a}{P}$$

where

M_a = age-specific rate for given age group

P_a = standard population in given age group

P = total standard population

This report uses ten-year age groupings with the 2000 United States population as the standard. Each figure thus represents the rate that would have existed if the age-specific rates in question prevailed in a population whose age distribution is like that of United States in 2000. This serves to control for differences in age compositions and makes comparisons between areas or time periods more legitimate. It is important; however, not to compare age-adjusted death rates with other rates adjusted to different standard populations.

From 1991 to 1998, the United States 1940 population had been used as the standard in the Missouri annual vital statistics reports. This makes comparisons of age-adjusted death rates with annuals before 2000 impossible. The standard population was changed to United States 2000 because 1940 was considered too old, and to allow comparability with national age-adjusted death rates published by the National Center for Health Statistics. The 2000 population will also be used as the standard for age-adjusted death rates in the Year 2010 Goals and Objectives for both Missouri and the nation. See Missouri Monthly Vital Statistics Report, February 2000 Vol. 33 No. 12, for a more detailed discussion of this topic.

The **Abridged Life Tables** in this report (Table 29) are generated from a computer software package originally developed by the National Center for Health Statistics, and modified by the Missouri Center for Health Statistics. It uses the technique of "reference to a standard table." These tables are technically defined as "current life tables" since they are cross-sectional in nature. In other words, these tables do not represent the life expectancy of an actual cohort of all Missourians born in a particular year and followed throughout their lifetime. Rather, the current life table considers a hypothetical cohort and assumes it is subject to the age-specific mortality rates existing for a given year. This means that the current life tables contained herein assume hypothetical cohorts subject throughout their lifetimes to the age-specific mortality rates prevailing for the year of this report.

The term "abridged" indicates that the age intervals used in the tables are five-year age groupings rather than single years of age.

CAUSE OF DEATH CLASSIFICATION

Causes of death data are displayed by the underlying cause. The underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death or the circumstances of the accident or violence which produced the fatal injury.

The causes of death presented here are classified in accordance with the Tenth Revision of the International Classification of Diseases (ICD-10), 1992; World Health Organization. This revision has

been used to classify deaths occurring on or after January 1, 1999. Comparisons with data from earlier years must be done with caution, since these were classified under different coding schemes. Consequently, certain diseases may show changes in their trends as a result of changes in definitions. For a general measure of the extent of these changes between the ninth and tenth revisions, consult website www.cdc.gov/nchs/.

Tables 22 and 27 of this report include 40 selected causes of death plus four additional summary groupings. In those tables presenting leading causes of death, the rankings are based on a further consolidation of these 40 causes plus some additional ones from a list of 113 causes developed by the National Center for Health Statistics. These causes are listed below with their ICD-10 codes. Those used for ranking purposes are noted with an asterisk.

Causes of Death in Tables 22 & 27

ICD-10 Codes

All causes	
Causes of Death	
*Tuberculosis	A16-A19
*Septicemia	A40-A41
*Syphilis	A50-A53
*AIDS	B20-B24
 *Malignant neoplasms	 C00-C97
Stomach.....	C16
Colon, rectum and anus.....	C18-C21
Pancreas.....	C25
Trachea, bronchus and lung.....	C33-C34
Breast.....	C50
Cervix uteri, corpus uteri and ovary.....	C53-C56
Prostate.....	C61
Urinary tract	C64-C68
Non-Hodgkin's lymphoma.....	C82-C85
Leukemia	C91-C95
Other malignant neoplasms.....	Residual of C00-C97
 *Diabetes mellitus	 E10-E14
*Alzheimer's disease.....	G30
 Major cardiovascular diseases	 I00-I78
*Diseases of heart	I00-I09,I11,I13,I20-I51
Hypertensive heart disease	I11,I13
Ischemic heart diseases	I20-I25
Other heart disease	I00-I09,I26-I51
*Essential hypertension	I10,I12
*Cerebrovascular diseases.....	I60-I69
*Atherosclerosis.....	I70
Other circulatory diseases	I71-I78
 *Influenza and pneumonia	 J10-J18
*Chronic lower respiratory diseases	J40-J47
*Peptic ulcer.....	K25-K28
*Chronic liver disease and cirrhosis	K70,K73-K74
*Nephritis and nephrosis.....	N00-N07,N17-N19,N25-N27
*Pregnancy, childbirth and puerperium	O00-O99
*Conditions originating in perinatal period.....	P00-P96
*Congenital anomalies.....	Q00-Q99
Sudden infant death syndrome.....	R95
Symptoms and ill-defined conditions	R00-R94,R96-R99
All other diseases	Residual of A00-R99

*Unintentional injuries	
Motor vehicle crashes.....	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Other unintentional injuries.....	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-X59, Y85-Y86
*Suicide.....	X60-X84,Y87.0
*Homicide.....	X85-Y09,Y87.1
All other external causes	Y10-Y36,Y40-Y84,Y87.2,Y88-Y89

ADDITIONAL CAUSES USED FOR RANKING PURPOSES NOT SHOWN IN TABLE 22 & 27

	ICD-10 Codes
Salmonella infections	A01-A02
Shigellosis and amebiasis.....	A03,A06
Whooping cough	A37
Scarlet fever and erysipelas.....	A38,A46
Meningococcal infection.....	A39
Acute poliomyelitis	A80
Arthropod-borne viral encephalitis	A83-A84,A85.2
Measles	B05
Viral hepatitis.....	B15-B19
Malaria	B50-B54
Benign/in situ neoplasms and neoplasms of uncertain or unknown behavior.....	D00-D48
Anemias	D50-D64
Nutritional deficiencies	E40-E64
Meningitis	G00,G03
Parkinson's disease	G20-G21
Aortic aneurysm and dissection	I71
Acute bronchitis and bronchiolitis	J20-J21
Pneumoconiosis and chemical effects.....	J60-J66,J68
Pneumonitis due to solids and liquids.....	J69
Diseases of appendix.....	K35-K38
Infections of kidney	N10-N12,N13.6,N15.1
Hyperplasia of prostate	N40
Inflammatory diseases of female pelvic organs.....	N70-N76
Legal intervention.....	Y35,Y89.0

TYPE OF ACCIDENT (TABLE 28)

Beginning with 2004 data, Table 28 (Recorded Deaths by Type of Accident, Age and Sex) was revised to primarily reflect ICD-10 groupings. These groupings are adapted from criteria for the "Injury Mortality Summary" provided by the Research and Statistics Department of the National Safety Council (NSC). This change is intended to better serve the needs of data users, be more comparable with data published by NSC, and more closely follow the information given on death certificates.

Many of the categories are new in 2004, and even when the category name has not changed, the numbers are not precisely comparable because of the different methods. Poisonings at home, in particular, were grossly underreported under the old system. The new system gives a more complete count and identifies poisoning deaths due to drugs (both prescribed and illicit).

As before, numbers in Table 28 are not comparable to others in this book because they pertain to recorded, not resident, deaths, i.e., deaths that took place in Missouri, regardless of the residence of the decedent. Death in Missouri does not necessarily mean that the injury took place in Missouri.

Definitions

The ICD-10 codes for each category are given below.

“Work” is any unintentional injury death for which the “Injury at work?” checkbox on the death certificate is marked “Yes.” “Home” means any non-institutional residence, including garage and yard. If the injury took place anywhere else – motel, highway, school, farm, nursing home – then the location is classified as “public.”

If a death falls into more than one category, as late effects of a motor vehicle crash while the decedent was at work, the order of precedence is: late effects, work, home/public.

Categories in Table 28

ICD-10 Codes

Grand total V01-X59, Y85-Y86

Work total..... “Injury at work?” checkbox = “Yes”

Heavy Transport vehicle V60-V69

Other motor vehicle..... V02-V04, V09.0, V09.2, V12-V14, V190-V19.2,
V19.4-V19.6, V2-V59, V7-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1,
V87.0-V87.8, V88.0-V88.8, V89.0, V89.2

Other transport..... Residual of V01-V99

Falls..... W00-W19

Farm machinery W30

Other machinery W31

Struck by/against object..... W20-W29, W35-W49

Electric current W85-W87

Other/unspecified accident W32-W34, W50-W84, W88-W99, X00-X59

Home total W00-X59 with 4th-digit place code of 0

Public transport total W00-X59 with 4th-digit place code not 0

Falls..... W00-W19

Machinery..... W30-W31

Firearms W32-W34

Struck by/against object..... W20-W29, W35-W49

Drowning W65-W74

Choke/suffocate W75-W77, W78-W80, W81-W84

Excess natural heat/cold..... X30-X31

Fire/flame/smoke X00-X09

Poisoning (drug/alcohol) X40-X45

Poisoning (gas/other)..... X46-X49

Other/unspecified accident Residual of W00-X59

Public transport total V01-V99

Car or truck V40-V69

Pedestrian/motor vehicle V02-V04, V09.0, V09.2

Pedal cyclist V12-V14, V19.0-V19.2, V19.4-V19.6

Motorcyclist V20-V29

Railroad (not w/motor vehicle) V05, V15, V80.6, V81.2-V81.9

Nonroad veh, incl special ATV..... V83-V86

Water transport V90-V94

Air transport..... V95-V97

Other/unspecified Residual of V01-V99

Late effects of accidents Y85-Y86

MEDICAL CONDITIONS ON BIRTH RECORDS

Table 5B presents selected medical conditions reported on the birth certificate by means of a check-off box system. Before 1989, medical conditions on the birth certificate were reported by open-ended questions. It is believed that the check-off box generally increases reporting. A study done by the Missouri Center for Health Statistics found that medical risk factors increased by 50 percent, labor or delivery complications by 30 percent, and congenital anomaly reporting nearly doubled in the first half of 1989 compared with 1988. See *Missouri Monthly Vital Statistics*, Nov. 1989, Vol. 23, No. 9 for more details.

ADDITIONAL DEFINITIONS

Apgar Score — An international code ranging from 0 to 10 used to measure the health of an infant at one minute and five minutes after birth. Items used to derive the score are heart rate, respiratory effort, muscle tone, reflex irritability and color. A score below eight implies a moderately or severely depressed condition. The score used in Table 10 is taken at five minutes after birth. Caution should be used in interpreting patterns of low Apgar scores by area because of a possible subjective bias in assigning scores. Different medical personnel may assign different scores to the same child.

Birth Order — Number of previous pregnancies plus one.

Crown Heel — Length of the baby at birth in centimeters.

Fetal Death — Death taking place before birth at 20 weeks gestation or later or birth weight of 350 grams or more if gestational age is unknown.

Gained LT 15lbs/GT 44 lbs during pregnancy — based on mother's weight at delivery minus pre-pregnancy weight for full-term singleton live births. See Gestational Age Correction on page 127 for additional changes in 2003.

GT 15 Percent Underweight/GT 20 Percent Overweight — If the mother's prepregnancy weight is greater than 15 percent below or 20 percent above the desired weight for her height according to the 1959 Metropolitan Life Insurance tables.

Inadequate Prenatal Care — Fewer than five prenatal visits for pregnancies less than 37 weeks, fewer than eight visits for pregnancies 37 weeks or longer or care beginning after the first four months of pregnancy. Before 1994, records with unknown month prenatal care began or unknown prenatal visits were excluded. Beginning in 1994, if adequacy of prenatal care could be determined even if month care began or visits were unknown, then these records were included. See Gestational Age Correction on page 127 for additional changes in 2003.

Infant Death — Baby dying during the first year of life.

Infant Transfer — Infant transferred to another facility after delivery.

Less than 37 Weeks Gestation — Length of pregnancy less than 37 completed weeks based on date of last normal menses unless this calculation is less than 17 weeks, more than 44 weeks, unknown or if the birth weight and length of pregnancy were obviously inconsistent then clinical estimate is used. See Gestational Age Correction on page 127 for additional changes in 2003.

Live Birth Order — Number of previous babies born alive now living plus one.

Low Birth Weight — Less than 2,500 grams or five and one-half pounds.

Maternal Death — Mother dying as a result of complications of pregnancy, childbirth and puerperium (ICD-10 codes O00-O99).

Maternal Transfer — Mother transferred from another facility prior to delivery.

Natural Increase — Resident live births minus resident deaths.

Neonatal Death — Baby dying during first 27 days of life.

Out-of-Wedlock Birth — Birth involving mother whom was unmarried at time of conception, at time of birth, and throughout time between conception and birth.

Perinatal Death — Fetal or neonatal death.

Postneonatal Death — Death occurring after 27th day of life and before one year.

Teen-age Pregnancy — Live birth, fetal death or abortion occurring to a woman under 20 years of age.